

第 4 章 低周波音


第4章 低周波音

4.1 低周波音

低周波音 平日 調査結果(秋季)

測定地点: B 対象事業実施区域(北東)
 測定期間: 10月30日(火)~10月31日(水)
 鉄道等の騒音除外値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5				
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6				
AP	66.4	68.7	70.0	68.6	68.7	72.5	69.7	70.8	68.9	72.0	68.5	67.8	66.7	68.4	67.0	65.3	64.5	64.0	63.1	62.5	61.5	61.5	61.6	62.3	67.6	69.8	67.4	62.9
1	43.1	46.1	55.8	55.0	55.1	64.4	61.8	59.8	55.0	63.5	48.8	42.8	46.2	57.0	55.9	44.4	42.9	50.2	50.9	42.6	41.8	41.7	44.1	41.2	44.6	56.2	53.0	44.4
1.25	42.3	45.6	54.9	54.1	54.0	64.8	60.1	59.5	54.8	62.9	50.5	41.9	45.9	58.0	55.9	42.6	41.4	48.2	51.8	40.2	39.6	39.3	41.9	39.0	44.0	55.8	53.3	42.7
1.6	42.0	44.8	54.0	54.1	53.4	63.5	59.1	60.1	54.1	62.0	52.7	41.5	44.3	56.1	55.2	42.0	41.0	48.0	48.6	39.0	38.6	38.5	40.8	38.0	43.4	55.5	51.9	41.6
2	40.9	44.1	53.4	53.7	53.1	62.1	58.4	58.7	53.1	60.5	52.7	41.6	44.7	55.4	54.4	42.0	40.3	47.2	46.8	38.5	37.9	37.7	39.3	37.1	42.5	54.7	51.5	40.8
2.5	42.2	44.9	52.7	52.0	51.5	60.7	56.4	56.8	52.5	58.7	55.8	42.6	44.0	54.7	52.8	42.7	41.3	46.3	46.7	39.4	39.2	39.2	40.2	38.7	43.6	54.0	50.5	41.5
3.15	46.0	46.7	52.0	51.7	51.2	59.2	55.5	55.6	52.0	58.2	56.0	45.4	46.0	53.7	51.8	45.7	44.7	46.2	47.3	41.6	43.2	43.4	42.0	42.3	46.4	53.7	50.5	44.0
4	46.5	47.2	51.5	51.5	51.1	58.0	54.7	55.1	51.3	56.8	53.6	46.4	46.0	52.0	50.7	45.9	44.8	45.7	46.0	41.8	43.6	43.2	42.2	43.2	46.9	53.0	49.6	44.0
5	46.2	48.4	52.9	52.9	52.1	57.4	53.1	55.2	52.7	56.3	54.3	46.4	45.7	52.3	48.9	45.3	44.1	45.8	44.6	41.9	42.3	42.6	41.9	42.7	47.3	53.3	49.0	43.5
6.3	46.6	49.9	54.0	53.9	52.4	56.1	52.0	55.2	54.0	55.7	52.4	47.2	46.2	50.3	48.5	46.5	45.3	46.0	45.2	44.0	43.9	44.1	43.5	43.5	48.3	53.3	48.3	44.7
8	48.8	49.3	52.2	51.7	50.9	54.0	51.1	53.5	52.0	53.8	52.2	49.2	48.6	50.3	48.8	48.5	47.3	47.4	46.7	46.3	46.1	46.0	45.4	45.6	49.1	52.1	49.2	46.6
10	51.0	51.5	56.1	55.4	54.5	56.0	52.2	54.6	54.3	54.3	54.4	52.2	51.2	51.7	50.9	51.2	50.9	50.4	49.7	49.8	49.5	49.6	48.9	49.3	51.3	54.4	51.3	49.9
12.5	54.1	54.3	55.9	55.8	55.7	55.7	55.1	56.2	55.7	56.6	56.4	55.3	54.4	54.6	54.3	54.5	54.2	53.6	53.1	53.3	52.8	53.1	52.7	52.5	54.2	55.8	54.4	53.3
16	54.7	55.0	57.0	56.3	56.3	56.5	54.9	56.7	56.6	56.9	57.3	56.4	55.0	55.3	54.7	55.2	54.8	53.9	53.0	53.0	53.0	52.6	52.5	52.4	54.9	56.5	55.0	53.4
20	55.0	57.0	56.9	55.7	56.1	55.5	55.3	56.8	56.0	57.5	56.7	56.2	55.3	55.3	54.7	54.8	54.3	53.4	53.0	53.7	52.3	52.1	51.8	52.7	56.0	56.3	55.1	53.1
25	56.2	59.0	58.6	56.8	57.2	56.4	56.1	57.6	56.6	58.3	57.5	57.6	56.4	56.3	55.2	55.6	54.6	54.2	53.8	53.9	52.8	52.5	52.1	53.8	57.6	57.3	56.0	53.7
31.5	56.1	59.2	59.0	56.9	57.4	56.5	56.4	57.8	57.1	57.9	57.3	58.5	57.1	56.5	54.8	55.7	54.3	54.4	52.0	52.1	51.6	51.3	51.6	51.9	57.7	57.5	56.1	52.8
40	56.1	59.5	59.8	58.1	58.6	56.5	56.3	58.0	58.1	58.4	57.5	58.9	57.4	55.8	54.4	54.8	52.9	52.6	50.1	54.0	50.2	49.8	49.9	51.7	57.8	58.0	55.9	51.8
50	59.3	61.4	61.5	60.2	61.0	58.6	57.8	62.1	61.7	60.7	58.0	59.6	59.0	58.4	56.6	55.3	53.2	52.7	49.5	50.2	48.9	51.0	48.8	50.9	60.4	60.1	58.0	51.2
63	58.3	60.4	61.3	57.9	58.6	56.3	57.2	60.3	58.4	59.1	57.7	59.6	58.2	56.6	55.2	55.3	55.1	52.5	48.3	48.2	46.9	47.1	50.6	49.8	59.4	58.6	56.7	50.4
80	54.9	58.1	58.4	54.2	55.5	53.4	53.2	54.6	54.4	54.3	55.1	56.0	54.5	56.7	53.4	55.1	54.8	49.1	44.7	43.5	41.8	42.3	49.3	52.0	56.5	54.9	54.9	48.1
L5	70.3	72.2	72.7	71.5	72.4	72.6	71.5	73.1	72.4	74.5	72.6	72.0	70.4	70.9	69.6	69.9	70.0	68.8	68.7	69.2	68.6	68.4	68.1	68.4	71.3	72.5	70.3	68.9
L50	66.3	68.4	68.9	68.4	68.1	67.9	65.9	68.5	68.0	68.3	68.6	67.8	67.1	67.1	66.6	66.2	66.4	65.2	65.8	66.0	65.0	64.9	64.5	64.9	67.4	68.0	66.9	62.4
L95	63.1	64.7	66.7	66.0	65.2	65.3	62.9	65.7	65.5	65.7	66.0	65.2	64.0	64.2	64.0	63.3	63.4	61.6	62.6	62.4	61.7	61.2	60.4	61.5	63.9	65.4	64.1	62.0
Leq	68.0	69.6	70.2	69.2	69.3	69.2	68.3	69.9	69.3	70.4	70.0	69.4	68.3	68.4	67.7	68.0	67.5	66.7	66.1	66.4	65.6	65.4	65.2	65.7	68.9	69.6	68.1	66.4




測定値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5				
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6				
AP	67.0	70.4	70.6	69.4	69.5	73.2	70.6	70.8	69.6	72.2	69.2	69.9	68.8	68.9	67.9	65.8	65.6	65.7	63.1	62.5	61.5	61.5	61.6	65.0	68.7	70.5	68.5	63.6
1	43.2	46.3	55.7	54.7	55.1	64.7	62.4	59.6	54.8	63.4	48.9	43.3	49.3	56.2	55.7	44.4	46.0	50.7	50.9	42.6	41.8	41.7	44.1	41.6	44.8	56.3	53.7	44.9
1.25	42.4	45.8	54.7	53.9	53.9	64.9	60.9	59.4	54.6	63.0	50.9	42.3	49.9	57.1	55.6	42.6	46.6	48.5	51.8	40.2	39.6	39.3	41.9	39.4	44.1	55.9	54.2	43.3
1.6	42.1	44.9	53.9	54.0	53.3	63.6	59.7	59.9	53.9	62.3	53.4	42.0	46.7	55.2	54.9	42.1	44.9	48.0	48.6	39.0	38.6	38.5	40.8	38.5	43.5	55.6	52.3	42.1
2	41.1	44.5	53.3	53.5	53.0	62.0	59.5	58.6	52.9	60.4	53.2	42.1	45.8	54.6	54.0	42.1	43.1	47.4	46.8	38.5	37.9	37.7	39.3	38.0	42.8	54.9	51.5	41.2
2.5	42.3	45.1	52.6	51.9	51.6	61.0	57.6	56.7	52.1	58.7	55.6	42.8	46.0	53.8	52.5	42.8	43.2	46.4	46.7	39.4	39.2	39.2	40.2	39.5	43.7	54.1	50.8	41.8
3.15	46.0	47.0	51.9	51.6	51.2	59.7	56.5	55.5	51.8	57.9	55.7	45.8	47.3	52.9	51.6	45.7	45.5	46.3	47.3	41.6	43.2	43.4	42.2	42.8	46.5	53.8	50.6	44.2
4	46.6	47.6	51.5	51.5	51.1	58.1	55.3	55.0	51.2	56.6	53.5	46.5	47.4	51.3	50.6	46.0	45.1	45.8	46.0	41.8	43.6	43.2	42.2	43.8	47.1	53.0	49.8	44.2
5	46.2	48.7	52.8	52.9	52.3	57.4	54.1	55.2	52.6	56.2	54.4	46.4	46.9	51.7	49.0	45.2	44.5	45.7	44.6	41.9	42.3	42.6	41.9	43.0	47.5	53.4	49.2	43.5
6.3	46.6	50.3	54.0	53.9	52.9	56.2	52.7	55.1	53.9	55.7	52.6	47.3	47.3	49.8	48.5	46.5	45.6	45.9	45.2	44.0	43.9	44.1	43.5	43.9	48.5	53.4	48.5	44.7
8	49.0	50.5	52.4	52.1	51.4	54.3	51.9	53.5	52.2	53.9	52.4	50.0	50.0	50.3	49.5	48.6	47.9	47.8	46.7	46.3	46.1	46.0	45.4	46.8	49.8	52.4	49.9	46.8
10	51.1	52.9	56.4	55.8	54.9	56.4	52.6	54.6	54.7	54.4	54.5	53.1	52.3	52.2	51.5	51.3	51.2	50.8	49.7	49.8	49.5	49.6	48.9	50.1	52.0	54.7	52.0	50.1
12.5	54.2	55.0	56.0	56.3	56.5	56.2	55.8	56.8	56.6	57.6	57.1	56.5	56.2	55.3	55.2	54.8	54.3	53.3	53.0	53.7	52.3	52.1	51.8	53.0	56.4	56.0	54.7	53.4
16	54.8	55.6	57.1	57.0	56.6	56.7	54.8	56.6	56.5	56.7	57.2	56.4	55.6	55.4	55.0	55.2	54.8	53.8	53.0	53.0	53.0	52.6	52.5	52.6	55.2	56.6	55.3	53.4
20	55.1	57.6	57.2	56.3	56.5	56.2	55.8	56.8	56.6	57.6	57.1	56.5	56.2	55.3	55.2	54.8	54.3	53.3	53.0	53.7	52.3	52.1	51.8	53.0	56.4	56.7	55.6	53.1
25	56.3	59.6	59.0	57.5	57.7	57.3	57.1	57.6	57.2	58.4	58.1	58.7	58.1	56.6	55.7	55.6	54.8	54.1	53.8	53.9	52.8	52.5	52.1	53.9	58.0	57.9</		

低周波音 平日 調査結果(秋季)

測定地点: J 高速道路南側
 測定期間: 10月30日(火)~10月31日(水)
 鉄道等の騒音除外値

項目	朝					昼間					夕					夜間					朝	昼間	夕	夜間					
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1					2	3	4	5	
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2					3	4	5	6	
AP	69.5	70.7	70.7	70.2	75.6	71.5	72.1	71.4	73.8	71.2	69.1	68.9	69.9	69.3	68.6	68.5	67.7	67.6	66.9	66.6	66.5	67.1	67.3	68.6	70.1	71.5	69.3	67.4	
1	47.0	54.3	55.2	50.8	66.6	59.6	60.7	58.0	64.7	53.4	43.6	47.4	56.4	53.7	46.0	45.6	45.1	45.7	43.9	44.1	42.8	46.0	45.4	43.4	50.7	56.0	52.0	44.7	
1.25	45.8	53.4	55.2	49.7	66.8	61.5	60.9	57.7	64.0	55.8	42.8	48.3	56.1	52.8	44.5	45.8	43.0	43.9	41.5	42.2	40.3	44.1	43.3	41.1	49.6	56.3	51.1	42.8	
1.6	45.5	52.0	54.9	48.6	65.6	59.6	61.0	57.5	63.5	55.7	42.3	49.8	54.9	51.6	43.8	44.2	42.3	42.9	41.2	40.9	39.7	43.1	42.3	40.9	48.8	55.9	50.1	41.9	
2	44.9	51.1	54.5	48.1	65.9	59.9	59.9	56.8	62.3	56.1	42.6	48.0	55.1	50.4	43.9	44.4	42.5	42.7	40.6	40.1	39.4	42.9	41.1	40.9	48.0	55.2	49.8	41.6	
2.5	46.1	51.4	53.5	48.1	64.5	57.1	58.7	56.3	61.1	58.2	43.6	47.8	53.4	50.3	44.4	44.4	43.5	43.0	41.0	40.9	40.5	42.5	41.6	42.8	48.8	54.9	49.4	42.2	
3.15	49.4	51.9	53.4	50.3	63.4	56.6	58.0	55.1	59.6	56.3	47.8	49.2	52.9	50.6	48.1	48.0	46.4	45.7	44.6	45.7	47.1	45.2	44.7	47.7	50.7	55.0	50.5	46.1	
4	50.2	52.2	53.3	51.1	62.8	55.7	57.3	54.9	58.9	56.8	49.1	49.3	52.4	50.5	48.9	49.0	47.9	46.1	45.5	46.1	46.4	45.6	46.6	48.7	51.2	54.9	50.6	46.9	
5	50.7	53.0	54.1	52.5	61.8	54.0	56.8	54.8	58.6	55.4	49.8	49.9	51.6	50.4	49.2	48.9	48.2	46.8	46.4	46.6	47.0	46.7	46.9	49.5	51.9	54.8	50.4	47.4	
6.3	51.1	53.6	54.1	52.9	59.9	53.6	56.1	54.7	57.3	54.4	50.3	50.5	52.0	50.5	49.4	49.5	48.6	47.7	47.6	47.3	47.6	47.3	49.9	52.4	54.4	50.6	48.1		
8	52.3	53.8	54.5	55.2	59.1	54.0	56.3	54.7	57.2	54.6	53.1	52.0	52.8	52.2	51.9	51.5	50.7	50.4	50.4	50.1	50.0	50.2	50.3	52.2	53.1	55.1	52.3	50.6	
10	56.2	57.2	58.0	57.5	59.5	57.2	57.4	57.6	58.1	58.0	56.7	56.2	56.7	56.6	56.2	56.9	55.5	55.3	55.1	55.0	54.9	55.3	55.5	56.1	56.7	57.6	56.5	55.5	
12.5	59.2	60.5	60.5	60.9	61.2	60.3	59.9	60.6	61.0	60.3	59.3	58.8	59.4	59.9	59.3	59.7	59.1	58.8	58.4	57.9	58.1	58.7	59.0	59.5	59.9	60.3	59.5	58.8	
16	59.7	60.6	60.3	60.8	61.1	59.4	59.9	60.3	60.8	60.7	59.6	59.2	59.9	59.8	59.6	59.5	59.0	58.5	58.4	58.1	58.0	58.5	58.5	59.6	60.2	60.2	59.8	58.7	
20	59.6	60.5	60.1	60.6	60.5	60.1	59.8	60.4	60.6	60.1	59.6	59.4	59.8	59.5	59.5	59.2	58.6	57.9	57.8	57.6	57.5	58.0	58.2	59.8	60.1	60.1	59.6	58.3	
25	61.5	62.2	62.6	62.0	61.8	62.3	61.6	62.0	62.2	61.9	60.6	60.0	60.1	59.9	60.1	59.6	58.9	58.2	58.2	58.6	58.1	58.8	58.7	60.3	61.9	61.7	60.0	58.8	
31.5	59.9	60.6	59.4	60.0	59.7	59.8	59.7	60.3	60.3	60.3	59.4	58.7	59.3	59.0	58.6	58.3	57.7	56.9	56.3	56.1	56.0	56.6	56.8	58.5	60.3	59.8	59.0	57.0	
40	59.5	60.6	58.9	59.8	59.6	58.9	59.1	60.9	60.2	59.9	59.1	58.7	58.7	58.5	58.1	57.6	56.3	56.2	56.6	54.8	55.0	56.6	56.5	58.1	60.3	59.8	58.4	56.4	
50	59.4	59.8	59.5	59.0	58.6	58.1	59.5	59.8	60.0	59.8	59.2	59.0	58.6	58.5	57.8	57.7	57.4	59.2	56.0	55.3	55.3	55.2	56.1	58.0	59.6	59.3	58.3	56.7	
63	58.5	58.2	57.8	57.2	56.4	55.6	56.4	57.6	57.4	58.8	56.8	57.0	56.6	56.3	55.5	55.3	54.7	55.8	53.2	52.7	52.5	52.9	54.0	55.9	58.4	57.3	56.1	54.1	
80	53.6	53.6	52.8	52.7	52.5	52.2	54.1	53.8	53.3	52.7	52.6	52.5	52.7	52.3	51.2	52.2	49.8	49.5	49.9	48.3	48.6	47.9	49.1	51.8	53.6	52.9	52.1	49.7	
G特性	L5	76.6	77.5	77.6	77.9	78.6	77.1	77.1	77.5	77.9	77.3	76.4	75.9	76.2	76.6	76.8	76.5	76.3	75.6	75.5	75.6	75.5	76.1	76.2	76.9	77.1	77.3	76.5	76.0
	L50	71.1	72.0	72.1	72.2	72.0	71.5	71.5	72.2	72.3	71.9	71.2	71.0	71.5	71.1	70.6	70.7	69.4	69.6	69.5	69.1	69.0	69.5	69.6	70.8	71.6	71.8	71.1	69.7
	L95	67.3	68.2	67.9	68.1	67.9	67.2	67.2	67.8	68.1	68.2	67.1	66.6	66.8	66.0	65.8	65.6	64.1	64.3	63.9	63.4	63.5	63.8	63.9	65.4	67.8	67.6	66.2	64.2
	Leq	72.8	73.7	73.6	73.9	74.0	73.2	73.1	73.6	74.0	73.6	72.7	72.3	72.8	72.7	72.5	72.4	71.8	71.2	71.1	70.9	70.8	71.3	71.4	72.7	73.3	73.4	72.7	71.6




測定値

項目	朝					昼間					夕					夜間					朝	昼間	夕	夜間				
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1					2	3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2					3	4	5	6
AP	70.0	70.7	71.0	70.5	75.0	72.1	72.0	73.2	74.2	71.2	69.4	69.1	70.4	69.3	68.6	68.5	67.8	67.7	67.4	66.6	66.7	67.3	67.3	68.7	70.4	71.8	69.4	67.6
1	47.0	54.3	55.0	51.0	65.6	62.5	60.5	62.4	65.0	53.4	43.7	47.5	56.8	53.6	46.0	45.5	46.5	45.7	44.4	44.0	42.8	46.0	45.2	43.3	50.7	56.7	52.1	44.8
1.25	45.9	53.4	55.1	50.9	65.7	62.4	60.6	62.5	64.4	55.5	42.8	48.5	56.9	52.8	44.4	45.6	43.4	43.9	42.5	42.1	40.4	44.1	43.2	41.2	49.7	56.8	51.4	42.9
1.6	45.6	52.0	54.8	50.1	64.6	60.7	60.5	61.6	64.2	55.4	42.6	49.5	56.5	51.4	43.8	44.1	42.9	43.0	42.6	40.8	39.8	43.2	42.2	40.8	48.8	56.4	50.6	42.2
2	45.0	51.3	54.4	49.4	64.8	58.8	59.4	61.5	62.9	55.9	42.9	47.8	56.1	50.3	43.9	44.3	42.8	42.7	41.7	40.0	39.4	43.1	41.0	41.1	48.2	55.8	50.1	41.8
2.5	46.1	51.4	53.5	49.0	63.5	57.9	58.2	61.0	62.3	57.8	43.9	47.8	55.1	50.2	44.3	44.3	43.6	43.0	42.0	40.8	40.6	42.6	41.6	43.0	48.8	55.5	49.9	42.4
3.15	49.4	51.9	53.4	50.7	62.4	57.2	57.6	59.7	60.8	56.0	48.1	49.3	54.1	50.5	48.1	48.1	46.3	45.7	45.1	45.6	46.9	45.3	44.9	47.6	50.7	55.5	50.9	46.2
4	50.3	52.2	53.4	51.6	61.8	56.2	56.9	58.3	59.7	56.5	49.2	49.8	53.7	50.5	48.8	49.0	47.7	46.1	45.9	46.4	46.4	45.8	46.8	48.9	51.3	55.3	51.0	47.0
5	50.9	53.0	54.3	52.8	60.9	54.4	56.4	58.0	59.1	55.3	50.0	50.1	52.9	50.3	49.2	48.9	48.1	47.0	46.8	46.6	47.2	46.7	47.0	49.9	52.0	55.1	50.8	47.6
6.3	51.2	53.5	54.4	53.2	59.1	54.0	55.8	57.6	57.9	54.4	50.6	50.6	52.7	50.4	49.4	49.4	48.5	47.8	47.9	47.4	47.9	47.9	47.3	50.1	52.4	54.8	50.8	48.2
8	52.5	53.9	54.9	55.4	58.4	54.3	56.1	56.6	57.5	54.6	53.4	52.2	53.7	52.2	51.9	51.5	50.7	50.5	50.6	50.2	50.2	50.4	50.3	52.1	53.2	55.3	52.6	50.7
10	56.5	57.2	58.3	57.9	59.2	57.3	57.6	58.4	58.3	57.9	56.7	56.2	57.0	56.6	56.2	57.0	55.6	55.4	55.6	55.0	55.2	55.5	55.5	56.0	56.9	57.8	56.6	55.6
12.5	59.6	60.5	60.9	61.1	61.2	60.2	60.1	60.9	61.1	60.3	59.5	58.9	59.6	59.9	59.3	59.9	59.0	59.1	59.2	58.0	58.3	59.0	59.1	59.3	60.1	60.4	59.6	59.0
16	59.9	60.6	60.6	60.9	61.4	59.5	59.8	60.7	60.9	60.7	59.9	59.3	60.2	60.0	59.6	59.6	59.0	58.6	58.9	58.0	58.3	58.7	58.5	59.5	60.3	60.4	59.9	58.8
20	59.8	60.5	60.4	60.9	60.7	60.1	59.9	60.4	60.7	60.2	59.8	59.5	59.5	59.2	58.9	59.5	58.0	58.2	57.7	57.8	58.1	58.2	59.7	60.2	60.2	60.3	59.6	58.4
25	61.7	62.2	62.9	62.3	62.1	62.2	61.6	62.1	62.3	61.9	61.0	60.1	60.3	59.9	60.1	59.7	59.1	58.4	58.6	58.6	58.3	59.0	58.7	60.4	62.0	61.9	60.1	59.0
31.5	60.3	60.6	59.9	60.3	60																							

低周波音 平日 調査結果(秋季)

測定地点: M 県営高ヶ原団地
 測定期間: 10月30日(火)~10月31日(水)
 鉄道等の騒音除外値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間	
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5					
	5	4	3	2	1	0	0	1	2	3	4	5	6	5	4	3	2	1	0	1	2	3	4	5					
AP	65.6	66.6	69.6	68.1	69.2	78.1	80.4	77.0	77.5	78.8	68.4	65.0	73.9	74.2	79.1	68.4	64.8	78.4	72.7	64.3	61.8	62.4	63.9	62.4	66.1	73.2	75.7	66.6	
1	50.9	53.6	59.3	57.4	58.7	69.7	71.9	69.6	70.4	71.4	54.6	47.6	66.0	66.0	71.0	58.7	53.1	69.6	64.5	53.1	43.3	48.4	53.9	49.7	52.3	63.1	67.7	54.9	
1.25	48.5	49.8	58.8	57.6	58.5	70.3	72.5	69.2	69.6	70.7	55.8	46.5	65.1	66.0	71.1	59.2	51.5	70.0	64.6	51.8	41.4	47.2	53.2	48.4	49.2	63.0	67.4	54.1	
1.6	47.6	48.0	59.0	56.7	59.4	70.1	71.9	68.2	69.2	69.9	57.3	47.9	65.0	65.5	70.8	58.7	52.0	69.4	63.7	50.7	40.0	47.2	52.6	46.4	47.8	63.0	67.1	53.4	
2	46.5	47.9	58.0	57.2	57.9	69.0	70.7	67.2	67.8	69.1	56.8	46.1	64.4	64.8	70.0	58.2	51.3	69.3	63.3	50.8	39.9	47.5	52.1	46.5	47.2	62.0	66.4	53.2	
2.5	47.1	47.8	57.1	55.7	57.2	68.0	70.7	66.4	67.2	68.8	58.0	45.4	63.3	64.3	69.1	58.0	50.5	68.3	62.7	50.0	40.7	47.1	50.7	44.6	47.5	61.5	65.6	52.5	
3.15	48.5	48.7	55.9	54.8	56.2	67.3	69.6	65.4	66.0	67.8	58.2	47.3	62.8	62.9	68.2	57.0	50.4	67.8	61.6	48.4	44.5	47.0	49.9	45.5	48.6	60.9	64.6	52.5	
4	48.9	49.8	55.1	54.1	55.8	66.5	69.0	64.7	64.7	66.9	57.1	48.6	61.9	62.4	67.2	55.8	49.4	66.9	61.1	48.3	45.2	46.7	49.2	46.7	49.4	60.3	63.8	52.1	
5	48.2	49.7	54.1	53.3	54.3	64.8	67.7	63.7	63.9	65.8	55.1	48.2	60.2	61.0	66.1	53.7	47.9	65.5	59.1	47.2	44.2	46.2	47.4	45.5	49.0	59.1	62.4	50.7	
6.3	48.3	50.0	53.9	53.4	53.5	63.2	66.7	61.7	62.1	64.1	52.8	48.1	58.9	59.1	64.9	52.4	47.7	65.0	57.4	47.3	45.2	46.2	46.7	45.6	49.2	58.0	61.0	50.4	
8	49.4	49.9	52.1	51.7	51.9	61.3	65.2	60.4	60.5	62.7	51.4	49.7	57.5	57.3	63.4	51.5	48.4	63.7	55.9	47.8	46.6	47.1	47.2	46.7	49.7	56.7	59.4	50.5	
10	50.1	51.0	53.5	53.0	52.7	59.6	63.6	59.2	58.8	60.6	52.6	51.1	56.1	56.0	61.4	51.3	50.5	62.5	54.5	49.3	49.1	49.2	48.6	48.9	50.6	56.5	57.8	51.5	
12.5	52.4	52.8	53.7	53.7	53.9	58.4	61.7	57.9	57.4	59.3	54.1	53.5	55.8	55.5	59.7	52.8	52.7	60.7	54.2	51.9	51.4	51.8	51.5	51.1	52.6	56.4	57.0	53.1	
16	52.6	52.3	53.8	53.2	53.4	56.6	59.2	55.7	55.9	57.4	53.7	53.4	54.3	54.1	57.8	52.2	52.2	58.8	52.8	51.2	51.1	50.9	50.7	50.6	52.5	55.2	55.4	52.3	
20	53.9	54.5	55.3	54.1	54.9	55.7	57.6	55.9	55.2	56.8	54.8	54.5	55.4	54.0	56.4	52.5	52.7	57.5	52.8	52.3	51.5	51.5	51.2	51.8	54.2	55.5	55.3	52.6	
25	55.3	56.1	56.2	55.3	55.9	55.4	57.0	59.5	56.7	56.7	55.6	54.8	56.5	54.7	55.8	53.3	52.8	56.2	53.0	52.1	51.6	51.5	51.1	53.1	55.7	56.3	55.7	52.7	
31.5	55.7	57.3	57.4	55.0	55.8	55.0	56.0	55.4	56.4	55.8	55.8	55.2	55.8	54.3	55.4	53.7	53.2	55.8	52.5	52.4	52.2	52.4	52.5	52.5	56.5	55.8	55.2	53.0	
40	54.5	56.7	57.2	54.1	54.9	54.2	54.4	55.3	55.0	55.1	55.1	55.1	54.9	53.2	53.3	52.1	52.1	53.0	51.0	54.2	51.6	50.6	51.1	51.1	55.6	55.0	53.8	51.9	
50	57.4	59.1	59.5	57.9	59.0	55.9	55.1	59.3	57.8	55.9	54.8	54.7	56.6	56.1	57.4	51.8	51.8	52.4	50.9	51.2	50.1	49.9	49.8	50.0	58.3	57.0	56.7	50.9	
63	57.2	56.9	57.0	55.1	56.3	54.0	56.3	57.0	56.0	54.9	55.3	55.0	56.1	55.5	56.4	55.0	55.8	56.3	56.4	56.0	55.6	53.5	52.8	52.8	58.0	57.8	56.0	54.6	
80	50.2	51.1	52.9	48.2	49.9	47.8	48.6	51.6	50.2	49.1	48.9	50.4	49.9	47.5	48.0	46.9	47.8	45.9	45.5	44.9	43.7	44.1	44.3	44.2	50.7	49.8	48.5	45.3	
G特性	L5	69.4	69.8	70.9	69.6	70.3	75.0	79.8	74.7	75.0	76.9	70.3	69.5	74.1	71.8	76.8	68.1	68.2	77.2	69.7	67.6	67.4	67.2	67.1	67.3	69.6	73.2	74.2	68.9
	L50	65.3	66.1	66.6	66.5	66.2	68.0	66.6	68.0	67.3	67.3	66.6	66.1	66.5	66.0	65.0	65.6	65.0	64.5	63.7	64.0	63.6	64.1	65.7	66.9	66.9	66.7	64.5	
	L95	62.5	63.6	64.4	64.2	63.8	64.4	62.9	64.4	64.0	64.5	64.0	63.5	63.1	62.9	64.0	62.3	62.0	61.8	62.1	61.2	60.7	60.7	60.5	61.1	63.1	64.0	63.3	61.4
	Leq	66.6	67.1	68.0	67.1	67.6	70.3	72.9	70.4	69.7	71.2	67.6	67.1	68.7	67.9	71.4	65.7	65.6	72.3	66.5	64.9	64.4	64.4	64.2	64.6	66.9	69.6	69.6	66.8




測定値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5				
	5	4	3	2	1	0	0	1	2	3	4	5	6	5	4	3	2	1	0	1	2	3	4	5				
AP	65.9	67.8	70.0	68.3	69.4	78.1	80.2	76.8	77.3	78.7	68.3	66.1	74.3	74.5	78.7	68.5	64.9	77.9	73.0	64.4	63.6	62.6	64.1	62.8	66.9	73.3	75.8	66.9
1	53.5	53.4	59.5	57.8	59.0	69.7	71.7	69.3	70.1	71.2	55.5	51.2	65.9	66.3	70.4	58.7	52.9	69.1	64.6	52.8	43.4	48.4	54.2	49.8	52.3	63.5	67.5	54.9
1.25	50.6	50.0	58.8	57.5	58.6	70.2	72.2	68.8	69.4	70.6	55.5	48.1	65.6	65.9	70.7	58.9	51.5	69.4	64.6	51.5	41.5	47.1	54.0	48.5	50.3	63.0	67.4	54.1
1.6	48.7	48.5	59.0	56.7	59.3	70.1	71.6	67.9	68.9	69.9	56.6	48.3	65.1	65.5	70.3	58.5	51.9	69.0	64.0	50.4	40.2	47.1	52.7	46.7	48.6	62.8	67.0	53.4
2	47.1	48.4	58.0	56.9	57.9	69.0	70.5	66.9	67.6	69.1	56.3	46.7	64.4	65.1	69.5	58.0	51.0	68.7	63.5	50.5	40.1	47.4	52.3	46.1	47.8	61.9	66.3	53.1
2.5	47.3	48.2	57.0	55.5	57.2	68.0	70.5	66.0	66.9	68.6	57.1	46.4	63.6	64.8	68.7	57.9	50.3	67.8	63.2	49.7	41.0	47.0	50.8	44.7	47.8	61.3	65.7	52.5
3.15	48.6	48.9	56.0	54.6	56.2	67.2	69.4	65.0	65.7	67.6	57.3	47.7	62.9	63.2	67.9	57.0	50.1	67.3	62.0	48.2	44.7	47.0	50.0	45.5	48.8	60.7	64.7	52.4
4	49.1	50.1	55.0	53.9	55.8	66.4	68.7	64.4	64.4	66.7	56.4	49.9	61.8	62.4	66.8	55.6	49.3	66.3	61.1	48.1	45.3	46.7	49.2	46.9	49.6	60.1	63.7	52.1
5	48.4	49.7	54.1	53.2	54.3	64.6	67.4	63.3	63.5	65.8	54.6	48.6	60.2	61.1	65.6	53.7	47.9	64.9	59.3	47.1	44.4	46.2	47.5	45.5	49.1	58.9	62.3	50.7
6.3	48.4	50.0	53.8	53.3	53.5	63.0	66.4	61.6	61.7	64.0	52.6	48.3	58.7	59.2	64.3	52.3	47.7	64.3	57.6	47.3	45.4	46.2	46.7	45.7	49.2	57.8	60.7	50.4
8	49.7	50.0	52.1	51.7	51.9	61.1	64.9	60.2	60.1	62.5	51.4	49.9	57.3	57.4	62.9	51.5	48.5	63.0	56.1	47.7	46.9	47.2	47.3	46.8	49.9	56.6	59.2	50.6
10	50.4	52.1	53.7	53.3	53.0	59.5	63.3	58.9	58.6	60.5	52.9	52.1	56.0	56.2	60.9	51.6	50.9	61.8	54.7	49.4	49.3	49.2	48.7	49.6	51.3	56.6	57.7	51.7
12.5	52.5	53.0	53.9	53.9	54.1	58.2	61.4	57.6	57.3	59.1	54.3	53.9	55.7	55.7	59.3	52.9	52.9	60.1	54.4	51.9	51.7	51.8	51.6	51.3	52.8	56.4	56.9	53.2
16	52.5	52.6	53.9	53.6	53.4	56.5	58.9	55.6	55.7	57.3	54.0	53.9	54.4	54.2	57.4	52.5	52.3	58.2	53.7	51.2	52.7	50.9	50.8	50.7	52.6	55.3	55.3	52.6
20	53.9	54.9	55.4	54.7	54.8	55.7	57.4	56.4	56.5	56.8	55.0	55.0	55.5	54.4	56.1	52.9	52.7	57.1	56.3	52.4	55.9	51.5	51.2	52.2	54.4	55.7	55.4	53.6
25	55.2	56.3	56.5	55.7	56.0	57.8	57.1	59.7	58.5	56.8	55.7	55.8	58.5	55.8	55.9	53.6	52.8	56.0	55.5	52.2	56.3	51.7	51.2	53.5	55.8	57.0	56.7	53.6
31.5	55.7	57.9	57.7	55.7	55.8	57.6	56.3																					

低周波音 休日 調査結果(秋季)

測定地点: B 対象事業実施区域(北東)
 測定期間: 11月3日(土)~11月4日(日)
 鉄道等の騒音除外値

項目	朝																	昼間																	夕																	夜間																	朝	昼間	夕	夜間																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3					4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4					5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
AP	63.6	65.2	71.8	69.0	69.9	69.9	73.3	73.1	74.1	67.6	67.5	65.9	66.5	64.3	63.6	62.2	61.3	62.0	61.2	60.0	57.9	58.9	58.7	59.0	64.4	70.2	64.8	60.1	44.3	46.7	64.8	61.4	61.7	62.0	67.3	66.0	65.5	56.6	55.4	43.2	53.3	42.2	42.0	42.2	42.2	41.3	41.2	43.5	41.3	41.6	42.6	43.2	45.5	60.4	45.8	42.1	42.7	45.8	63.9	60.5	61.4	61.6	66.1	65.2	66.8	56.3	54.6	42.6	52.6	40.9	40.4	40.0	39.9	39.8	39.5	42.0	39.1	39.5	40.7	41.5	44.3	59.9	44.6	40.2	42.0	45.0	62.0	59.2	60.2	60.8	64.2	64.8	65.1	55.0	53.1	42.0	53.5	39.6	39.7	39.4	39.6	38.9	38.3	41.2	37.4	37.9	39.7	39.8	43.5	58.6	44.3	39.1	40.8	43.5	60.7	58.7	58.9	59.9	63.4	63.7	64.1	54.3	51.1	42.2	50.8	39.8	40.8	38.7	38.9	39.1	36.8	40.6	35.8	36.7	38.2	39.8	42.2	57.7	43.8	38.3	2.5	41.6	43.6	59.3	56.9	57.1	58.1	61.5	62.0	64.5	53.1	50.6	43.5	49.7	40.9	41.9	39.4	39.2	39.6	37.3	39.8	36.1	36.9	37.6	39.3	42.6	56.7	44.2	38.4	3.15	42.2	43.7	57.3	55.1	56.0	56.5	60.5	60.8	62.9	52.1	49.6	45.0	48.4	42.2	43.3	39.8	40.0	40.1	37.5	38.7	37.5	37.2	37.6	38.7	43.0	55.6	44.6	38.6	4	41.8	43.7	55.9	53.4	53.9	54.6	58.5	59.5	60.7	51.0	48.4	44.5	47.1	42.0	42.5	40.5	39.0	40.3	37.2	38.1	36.2	36.1	37.0	37.7	42.8	54.0	43.9	38.0	5	43.3	44.3	54.8	51.8	52.6	53.2	56.9	57.4	59.2	49.3	47.9	45.7	45.9	43.4	43.8	40.9	40.5	42.2	40.7	38.8	36.7	37.4	37.7	37.8	43.8	52.9	44.4	39.2	6.3	44.5	45.0	52.3	50.1	50.8	51.3	54.6	55.8	57.1	48.8	47.2	46.0	45.7	45.3	44.6	42.2	41.9	42.7	41.3	40.2	39.2	40.0	39.4	39.5	44.8	51.4	45.2	40.7	8	46.1	46.8	51.7	49.1	50.3	49.9	53.0	53.8	55.7	49.2	47.7	48.2	47.2	46.5	46.5	44.1	44.0	45.3	43.2	42.4	41.3	42.2	41.7	41.7	46.5	50.9	46.7	42.9	10	48.4	49.1	51.0	49.4	50.3	50.1	52.2	52.6	54.5	50.2	50.0	50.5	49.5	49.2	48.7	47.2	47.3	48.3	46.9	45.8	44.5	45.3	45.0	44.8	48.8	51.1	49.1	46.1	12.5	51.7	52.2	52.6	51.8	52.2	51.3	53.1	53.0	54.6	53.0	53.0	53.6	52.3	52.2	51.2	50.6	50.5	51.6	50.2	49.3	48.4	49.0	48.4	48.3	52.0	52.8	51.9	49.6	16	52.6	53.3	53.0	52.7	53.6	52.3	53.9	53.8	54.9	54.0	54.2	54.8	53.6	53.4	52.3	51.0	51.0	52.1	50.0	49.3	47.7	48.5	47.9	48.3	53.0	53.7	53.1	49.5	20	53.1	54.1	53.2	52.3	54.1	52.6	53.5	54.4	54.5	53.9	54.0	54.9	53.5	53.8	53.9	51.3	51.2	52.2	51.6	50.7	48.1	49.2	49.0	49.9	53.6	53.7	53.7	50.4	25	54.2	56.2	55.1	54.1	55.4	54.3	54.9	55.1	55.6	55.8	56.8	56.1	55.4	55.4	55.1	52.2	52.4	52.9	55.2	52.4	49.3	50.0	49.6	51.9	55.2	55.3	55.3	51.8	31.5	54.3	55.7	55.8	55.6	56.8	55.7	56.1	55.6	55.7	56.6	58.7	56.9	56.1	55.4	54.6	52.2	52.4	53.4	51.8	51.1	48.6	49.6	49.2	50.6	55.0	56.4	55.4	51.0	40	54.0	55.8	56.8	56.6	57.8	55.8	56.3	55.3	56.0	55.7	57.0	56.3	56.0	54.6	53.2	51.8	51.2	52.0	50.3	50.1	46.9	48.4	47.2	48.4	54.9	56.2	54.6	49.6	50	56.0	57.4	61.6	56.6	58.5	57.4	56.0	56.9	58.3	56.7	57.0	56.8	58.0	55.9	55.3	54.4	51.0	51.3	50.0	49.5	45.6	48.2	46.3	46.9	56.7	57.6	56.4	49.2	63	52.5	55.7	58.4	54.9	56.2	55.6	56.3	56.5	56.8	57.1	58.2	57.3	56.9	54.2	52.7	53.2	50.2	51.7	47.9	46.5	44.9	48.9	46.6	45.0	54.1	56.7	54.6	48.3	80	50.6	52.7	55.3	51.8	54.1	53.7	55.2	54.6	54.7	57.5	57.4	54.7	56.2	51.9	50.9	50.9	49.2	47.7	48.8	42.4	47.4	43.7	49.9	41.4	51.7	54.9	53.0	46.8	G特性	L5	68.1	69.0	69.4	68.1	70.0	68.2	70.2	70.3	71.9	69.4	70.7	69.7	69.2	68.8	68.1	67.8	66.9	67.9	67.7	66.9	64.8	65.4	64.9	65.9	68.6	69.8	68.7	66.5	L50	62.8	64.5	64.0	63.6	64.4	64.0	63.9	65.0	64.6	64.2	65.1	66.0	63.8	63.9	63.8	62.6	62.3	62.0	64.2	62.6	60.1	61.2	61.0	61.9	63.8	62.0	62.0	62.0	L95	59.5	61.7	60.9	60.1	60.5	60.7	60.0	61.1	61.2	60.9	61.9	62.9	60.2	60.3	60.0	59.0	58.1	57.3	59.4	58.3	56.6	57.5	56.8	58.1	60.6	61.0	60.2	57.9	Leq	65.9	67.0	66.6	65.8	67.0	65.8	67.0	67.4	68.1	67.2	67.5	67.9	66.7	66.8	66.4	64.2	64.2	65.2	64.7	63.5	61.2	62.1	61.6	62.6	66.5	67.1	66.6	63.5
G特性	L5	68.1	69.0	69.4	68.1	70.0	68.2	70.2	70.3	71.9	69.4	70.7	69.7	69.2	68.8	68.1	67.8	66.9	67.9	67.7	66.9	64.8	65.4	64.9	65.9	68.6	69.8	68.7	66.5	L50	62.8	64.5	64.0	63.6	64.4	64.0	63.9	65.0	64.6	64.2	65.1	66.0	63.8	63.9	63.8	62.6	62.3	62.0	64.2	62.6	60.1	61.2	61.0	61.9	63.8	62.0	62.0	62.0	L95	59.5	61.7	60.9	60.1	60.5	60.7	60.0	61.1	61.2	60.9	61.9	62.9	60.2	60.3	60.0	59.0	58.1	57.3	59.4	58.3	56.6	57.5	56.8	58.1	60.6	61.0	60.2	57.9	Leq	65.9	67.0	66.6	65.8	67.0	65.8	67.0	67.4	68.1	67.2	67.5	67.9	66.7	66.8	66.4	64.2	64.2	65.2	64.7	63.5	61.2	62.1	61.6	62.6	66.5	67.1	66.6	63.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													




項目	朝																	昼間																	夕																	夜間																	朝	昼間	夕	夜間																																																																																																																																																																																																																																																				
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3					4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5																																																																																																																																																																																																																											
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4					5	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5																																																																																																																																																																																																																												
AP	64.8	67.1	72.2	69.7	70.3	70.7	73.3	73.2	73.7	68.5	68.6	68.1	68.0	66.5	65.1	64.6	64.1	64.1	61.2	60.0	57.9	58.9	58.7	62.5	66.0	70.8	66.5	61.3	47.0	46.4	64.5	61.3	61.7	62.4	66.9	65.8	65.0	56.2	54.8	44.9	52.4	42.8	42.3	42.7	42.4	41.9	41.2	43.5	41.3	41.6	42.6	44.4	46.7	60.4	45.8	42.4	43.9	44.8	62.3	59.5	60.1	60.8	63.9	64.5	64.5	54.5	53.0	44.6	52.5	40.2	40.0	40.1	39.9	39.4	38.3	41.2	37.4	37.9	39.7	40.8	44.4	58.8	44.2	39.7	43.0	43.3	60.8	58.9	58.7	59.9	63.2	63.4	63.5	57.1	51.1	44.5	49.9	40.5	40.9	39.8	39.5	39.7	36.8	40.6	35.8	36.7	38.2	40.9	43.2	57.8	43.8	38.4	2.5	43.1	43.7	59.3	57.1	57.0	58.6	61.2	61.8	63.8	52.5	50.5	44.5	48.9	41.4	42.0	40.9	40.1	39.9	37.3	39.8	36.1	36.9	37.6	40.7	43.4	56.6	44.1	38.8	3.15	43.2	43.7	57.4	55.2	55.8	57.1	60.2	60.6	62.3	51.5	49.8	46.1	47.8	42.5	43.2	41.3	40.8	40.8	37.5	38.7	37.5	37.2	37.6	41.4	43.5	55.6	44.5	39.2	4	43.0	43.7	56.0	53.4	54.0	55.1	58.3	59.2	60.1	50.5	48.9	45.7	46.6	42.4	42.6	42.1	40.1	40.7	37.2	38.1	36.2	36.1	37.0	40.3	43.4	54.1	43.9	38.6	5	44.2	44.1	54.7	51.9	52.5	53.9	56.7	57.2	58.6	48.9	48.5	46.6	46.4	44.0	43.9	43.1	41.8	42.9	40.7	38.8	36.7	37.4	37.7	39.7	44.2	53.0	44.8	39.8	6.3	45.2	45.1	52.4	50.1	50.9	51.7	54.5	55.6	56.5	48.5	47.5	46.9	46.2	45.5	44.8	44.1	42.8	43.9	41.3	40.2	39.2	40.0	39.4	40.7	45.2	51.5	45.5	41.3	8	47.0	47.5	52.0	49.7	50.7	50.8	53.0	53.7	55.2	49.2	48.9	49.5	48.2	47.3	47.0	45.9	45.6	46.0	43.2	42.4	41.3	42.2	41.7	43.3	47.3	51.3	47.5	43.5	10	49.3	50.1	51.9	50.3	51.1	51.0	52.3	52.6	54.2	50.6	50.8	51.8	50.4	50.1	49.6	48.8	48.8	49.0	46.9	45.8	44.5	45.3	45.0	46.8	49.7	51.7	50.0	46.8	12.

低周波音 休日 調査結果(秋季)

測定地点: C 対象事業実施区域(南西)
 測定期間: 11月3日(土)~11月4日(日)
 鉄道等の騒音除外値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間	
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5					
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6					
AP	71.3	72.7	75.8	74.9	73.1	74.8	75.6	81.0	79.2	77.9	71.3	70.7	71.9	70.6	64.3	62.9	62.3	64.8	67.5	68.5	62.7	61.5	62.8	66.7	72.0	75.4	68.9	64.4	
1	50.3	49.6	65.7	67.6	62.1	66.2	66.9	73.6	71.9	70.9	62.9	60.5	54.9	47.2	48.4	43.3	47.4	46.2	52.0	45.6	54.2	49.9	51.8	53.0	50.0	66.8	50.2	49.3	
1.25	49.0	48.5	66.1	67.4	62.4	66.3	67.4	72.9	71.6	70.6	62.0	59.6	54.4	45.7	47.0	41.5	44.9	44.5	50.2	43.8	53.0	48.3	50.5	52.7	48.8	66.6	49.0	47.7	
1.6	48.3	47.6	65.3	66.6	61.9	65.2	66.9	72.7	70.1	69.4	61.4	58.7	55.5	44.3	44.4	40.4	44.0	43.2	48.1	42.8	52.0	47.4	49.9	51.5	48.0	65.8	48.1	46.6	
2	47.4	46.5	64.2	65.6	60.8	64.4	66.3	71.0	69.5	68.3	60.6	56.9	53.0	43.8	45.6	40.0	43.4	42.2	48.8	41.7	51.3	45.2	48.9	50.5	47.0	64.8	47.5	45.8	
2.5	47.2	46.2	63.2	64.8	59.5	63.1	64.8	70.3	68.5	67.1	59.2	56.0	52.0	44.6	44.4	40.9	42.4	42.8	47.7	40.8	49.3	44.2	47.1	49.4	46.7	63.7	47.0	45.0	
3.15	46.6	46.8	61.7	63.6	58.8	61.9	63.6	69.2	67.1	66.0	58.2	55.7	51.5	45.6	47.5	43.6	42.9	43.2	46.2	41.4	48.9	44.0	46.1	49.0	46.7	62.6	48.2	45.0	
4	47.4	47.7	60.1	61.3	57.7	60.0	62.3	67.7	65.9	64.8	56.9	53.8	50.8	46.0	46.7	44.4	42.5	43.7	45.5	42.0	46.7	43.3	45.1	47.5	47.6	61.1	47.8	44.5	
5	47.0	47.9	58.9	59.6	55.5	58.7	60.9	66.1	64.5	63.6	55.7	53.0	50.9	47.0	45.2	45.1	42.6	44.2	47.1	43.2	45.9	43.1	44.7	46.1	46.7	49.8	57.0	44.7	
6.3	47.6	48.3	57.1	58.0	54.4	57.0	58.8	64.7	63.1	62.0	54.0	52.0	50.5	47.7	45.3	44.7	43.6	44.7	47.1	45.3	44.0	43.2	43.7	46.5	48.0	58.1	47.8	44.8	
8	49.5	50.0	55.9	56.2	54.3	56.0	57.4	63.3	61.2	60.4	53.2	52.4	51.6	51.3	47.2	46.3	45.0	48.0	47.4	48.0	44.4	44.6	44.7	46.7	46.1	47.5	59.7	46.7	
10	51.4	52.3	54.9	54.8	53.7	55.2	56.7	61.7	60.0	58.9	53.6	54.2	53.3	52.9	50.9	49.8	49.1	51.1	50.9	50.1	47.3	47.8	48.2	49.2	51.9	56.4	52.4	49.3	
12.5	53.5	54.2	55.0	54.8	54.5	55.3	56.6	60.5	59.0	58.3	55.3	56.1	54.8	54.2	52.5	52.7	52.0	53.2	53.3	52.3	50.0	50.2	50.6	51.2	53.9	56.5	53.8	51.7	
16	55.0	55.5	55.9	54.8	56.8	56.5	57.1	59.7	58.8	57.9	56.5	57.3	56.5	55.5	53.3	53.2	52.3	54.1	54.8	54.6	49.9	50.5	50.7	52.5	55.3	57.1	55.1	52.5	
20	57.1	59.6	56.4	54.9	59.5	61.3	61.7	63.2	60.0	58.0	56.5	61.9	60.8	58.4	55.6	53.5	52.7	56.8	60.4	58.3	50.3	51.6	54.8	58.3	58.4	59.3	58.3	55.2	
25	58.9	61.8	59.0	54.9	59.6	59.8	60.1	63.2	59.5	57.6	58.0	60.0	60.6	59.4	55.9	54.3	53.9	56.0	60.2	59.8	51.5	52.0	52.6	58.2	60.4	59.3	58.6	55.4	
31.5	58.5	61.4	58.6	54.3	60.1	61.0	61.3	61.0	58.3	58.3	59.7	59.6	60.6	59.1	53.9	53.2	52.1	58.0	59.5	60.4	50.0	51.7	52.5	59.1	60.0	59.2	57.9	55.2	
40	59.8	60.2	59.0	55.1	61.8	59.6	59.0	62.2	59.7	58.2	57.7	59.0	61.2	62.4	54.3	52.5	51.2	54.5	57.4	63.8	48.4	50.8	50.3	57.2	60.0	59.1	59.3	54.1	
50	68.8	70.2	70.8	54.2	66.3	64.8	58.0	68.0	67.1	58.5	56.5	58.1	67.8	66.7	53.4	52.0	51.9	52.5	55.5	59.0	48.3	49.9	50.6	54.6	69.5	62.2	62.6	52.7	
63	61.1	62.3	62.6	52.5	60.4	58.9	56.8	61.0	60.6	55.7	55.5	56.4	61.0	60.0	53.2	51.0	50.3	51.1	52.5	54.8	46.6	47.6	47.5	51.5	61.7	58.0	58.1	50.3	
80	53.7	54.3	54.7	51.2	55.9	55.0	53.4	56.5	55.2	54.1	53.7	55.2	56.4	55.3	48.7	47.2	47.3	48.4	50.9	50.0	42.3	42.9	43.7	48.9	54.0	54.5	53.5	46.8	
G特性	L5	74.0	76.0	73.1	71.7	77.3	78.0	78.1	80.4	77.9	76.2	74.7	78.2	78.3	74.9	71.2	71.1	70.0	74.0	77.4	75.8	68.2	68.9	71.7	75.5	75.0	76.6	74.8	72.5
	L50	67.3	69.4	68.4	66.3	68.1	69.6	70.2	72.5	70.4	69.3	67.8	70.2	68.9	68.2	66.6	64.3	63.7	64.7	67.7	66.6	61.5	62.2	63.1	65.4	68.4	69.3	67.9	64.4
	L95	63.8	66.2	65.4	62.5	64.0	64.5	63.9	67.5	66.6	64.3	63.9	65.4	64.6	65.0	63.3	60.0	59.2	59.0	60.6	59.2	57.3	57.8	58.9	59.5	65.0	64.8	64.3	59.1
	Leq	69.5	71.6	69.8	67.8	71.4	72.5	73.0	75.3	72.8	71.4	69.7	72.9	72.2	70.4	67.7	66.4	65.6	68.6	71.5	70.2	63.3	64.2	65.9	69.5	70.6	71.7	70.1	67.2




測定値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5				
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6				
AP	71.3	72.6	75.8	75.3	73.6	74.8	77.3	81.0	79.5	77.9	71.6	71.1	72.0	70.5	69.9	66.5	66.4	65.3	67.6	68.9	62.8	61.6	64.4	66.9	72.0	75.8	70.8	65.6
1	50.3	49.6	65.7	67.6	64.4	66.1	69.8	73.5	72.1	70.4	62.7	60.8	54.8	47.2	49.7	43.3	47.1	45.8	51.7	45.4	52.9	48.6	51.5	52.8	50.0	67.3	50.6	48.8
1.25	49.0	48.5	66.2	67.2	63.7	66.2	68.9	72.8	71.8	70.1	61.8	59.5	54.3	45.7	48.4	41.7	45.4	44.3	50.3	43.6	51.8	46.9	50.6	52.4	48.8	66.8	49.5	47.4
1.6	48.3	47.5	65.2	66.6	63.0	65.1	68.2	72.6	70.4	69.2	61.5	58.7	55.4	44.3	47.0	40.7	44.3	43.0	48.1	42.5	50.6	46.1	50.0	51.2	48.0	66.1	48.9	46.3
2	47.4	46.4	64.2	65.1	61.9	64.3	67.7	71.0	69.7	68.0	60.7	57.1	53.0	43.8	47.0	40.4	44.2	42.1	48.9	41.5	50.0	44.0	48.5	50.3	46.9	65.0	47.9	45.5
2.5	47.2	46.1	63.1	64.3	60.5	63.1	66.8	70.3	68.7	66.8	59.5	56.1	52.0	44.6	46.5	42.0	44.3	42.8	47.6	40.6	48.3	42.8	47.2	49.2	46.7	63.9	47.7	45.0
3.15	46.6	46.7	61.6	63.1	59.8	61.8	65.5	69.1	67.4	65.6	58.5	55.7	51.4	45.6	47.0	43.9	44.5	43.4	46.4	41.2	47.8	43.0	46.2	48.8	46.7	62.8	48.0	45.0
4	47.4	47.6	60.1	61.2	58.4	59.9	64.0	67.7	66.3	64.4	57.1	53.9	50.8	46.0	47.3	45.4	44.4	44.1	45.5	41.9	46.2	42.4	45.1	47.4	47.5	61.3	48.0	44.7
5	47.0	47.9	58.8	59.6	56.3	58.6	62.6	66.1	64.8	63.1	55.9	53.1	50.8	47.0	47.1	46.1	45.6	44.8	47.0	43.1	45.1	42.5	44.8	46.4	47.5	59.9	48.3	45.0
6.3	47.6	48.2	57.1	58.0	55.2	56.9	60.6	64.8	63.4	61.4	54.5	52.3	50.5	47.7	47.3	46.1	46.5	45.1	47.0	45.1	43.8	42.9	44.0	46.8	47.9	58.4	48.5	45.3
8	49.5	50.2	55.9	56.6	54.9	56.0	59.0	63.4	61.6	60.9	53.6	52.9	51.6	51.3	49.2	47.9	47.9	48.4	47.6	47.9	44.6	44.8	47.2	47.2	49.9	57.4	48.7	47.1
10	51.4	52.4	54.9	55.5	54.2	55.2	57.9	61.7	60.2	58.4	54.0	54.5	53.3	52.9	51.1	50.5	50.6	51.2	51.3	50.0	47.4	47.9	48.8	49.8	51.9	56.7	52.4	49.7
12.5	53.5	54.4	55.0	55.6	54.8	55.3	57.4	60.6	59.3	58.0	55.9	56.4	54.9	54.2	53.1	53.4	53.7	53.3	53.6	52.2	49.8	50.3	50.1	51.5	54.0	56.8	54.1	52.0
16	55.0	55.6	55.9	56.1	56.7	56.5	57.4	59.7	59.1	57.8	57.0	57.7	56.5	55.5	54.6	54.6	53.8	54.4	54.9	54.5	50.1	50.7	50.9	52.6	55.3	57.4	55.5	52.9
20	57.1	59.8	56.4	56.1	59.5	61.3	60.6	63.1	60.3	58.2	58.0	62.7	60.8	58.4	57.8	55.0	54.3	57.5	60.5	58.1	51.0	51.6	54.8	58.4	58.5	59.6	59.0	55.7
25	58.9	61.8	59.0	57.5	59.5	59.8	59.7	63.1	59.7	58.7	59.0	60.5	60.6	59.4	58.8	56.7	56.6	56.1	60.3	60.3	53.7	52.6	53.8	58.3	60.4	59.7	59.6	56.5
31.5	58.5	61.																										

低周波音 休日 調査結果(秋季)

測定地点: J 高速道路南側
 測定期間: 11月3日(土)~11月4日(日)
 鉄道等の騒音除外値

項目	朝					昼間					夕					夜間					朝	昼間	夕	夜間				
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1					2	3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2					3	4	5	6
AP	64.7	66.8	73.8	70.3	71.0	71.4	74.4	74.7	74.9	71.4	70.2	68.0	66.5	66.4	64.8	66.0	64.6	64.8	63.8	63.3	62.1	62.7	63.4	63.6	65.8	72.0	65.9	63.8
1	48.8	50.6	66.4	62.2	61.6	62.9	66.8	67.5	67.2	61.6	59.9	43.9	45.2	45.0	44.7	44.4	42.5	44.2	44.3	44.2	41.2	46.7	44.0	48.0	49.7	62.0	45.0	44.4
1.25	47.9	48.8	65.8	59.7	61.8	62.3	66.4	66.4	67.8	62.9	60.1	43.1	44.7	43.3	43.7	42.4	40.5	42.5	42.6	41.3	38.3	44.8	42.0	46.5	48.4	61.6	43.9	42.3
1.6	46.5	48.3	64.4	59.8	61.8	62.6	65.8	65.8	65.8	61.5	58.4	43.0	43.2	42.5	42.3	41.6	40.0	42.1	41.2	40.9	37.7	43.5	41.4	46.9	47.4	60.8	42.7	41.7
2	46.0	46.9	64.3	58.3	59.6	60.6	64.9	65.2	64.3	60.2	58.0	43.5	43.3	42.2	42.1	41.6	39.4	41.9	40.0	39.6	36.3	42.2	40.0	44.8	46.5	59.9	42.5	40.6
2.5	44.3	46.1	62.4	57.7	58.6	59.4	63.4	63.7	63.8	58.9	56.4	44.8	43.7	42.5	42.2	41.8	39.6	41.8	39.4	39.1	36.3	41.4	38.8	43.7	45.2	58.9	42.8	40.2
3.15	44.4	46.6	61.5	55.4	58.3	58.6	61.8	62.2	63.2	57.6	55.3	47.3	44.5	43.8	44.1	43.1	40.4	42.5	40.1	39.5	39.3	41.4	39.1	43.6	45.5	58.1	44.1	41.0
4	43.8	47.6	60.0	54.3	56.3	56.9	60.3	61.8	61.6	56.7	54.2	48.3	46.5	45.3	44.4	44.4	40.9	43.0	40.9	39.6	38.9	40.8	39.4	42.2	45.7	57.0	45.4	41.1
5	44.0	48.5	58.1	53.8	56.0	55.0	59.6	59.6	60.0	55.6	53.1	49.4	47.4	46.7	45.4	46.3	42.7	44.7	44.9	41.6	40.7	41.8	41.9	42.3	46.3	56.0	46.5	43.0
6.3	44.8	48.6	57.1	52.2	53.7	54.0	57.7	58.4	58.0	54.9	52.3	49.8	47.8	46.9	45.2	46.5	43.7	44.9	44.5	42.6	41.9	42.7	42.3	42.9	46.7	54.8	46.6	43.6
8	47.2	49.9	55.7	51.8	52.4	52.6	56.3	56.8	56.9	53.8	52.1	51.0	49.9	49.2	47.0	48.4	46.9	47.4	46.5	45.8	45.0	45.8	45.6	46.1	48.6	53.9	48.7	46.4
10	51.6	53.6	55.8	53.4	53.6	53.3	56.2	56.6	56.3	55.0	54.3	54.7	53.8	53.2	51.5	52.2	51.5	51.3	51.4	50.4	49.7	49.9	51.4	50.7	52.6	54.9	52.8	50.9
12.5	54.5	57.2	56.9	56.4	56.1	54.9	57.3	57.7	57.3	57.9	57.0	57.1	55.6	56.6	53.8	55.1	55.1	54.4	54.5	53.3	52.8	52.0	54.9	53.8	55.9	56.9	55.3	54.0
16	55.0	57.2	58.3	57.3	57.5	56.7	57.4	57.5	57.7	58.0	57.8	58.4	56.8	56.7	55.1	56.8	55.5	55.1	54.6	53.8	53.3	53.0	54.6	53.7	56.1	57.7	56.2	54.5
20	55.2	57.6	58.4	57.1	57.5	56.9	57.5	57.9	57.7	57.7	57.8	58.4	56.8	57.0	56.1	58.2	55.3	55.3	55.1	54.7	53.9	54.0	54.4	54.2	56.4	57.7	56.6	55.0
25	56.3	58.3	58.8	58.3	58.5	57.6	58.6	58.2	58.6	58.9	59.1	59.6	57.7	58.9	56.8	58.2	56.6	56.5	56.0	55.3	54.2	54.7	55.3	55.6	57.3	58.6	57.8	55.8
31.5	54.9	57.6	57.5	60.7	59.4	61.1	57.4	57.1	57.4	58.3	60.1	58.9	57.4	57.0	55.2	56.4	54.9	56.2	53.6	53.1	51.9	52.8	54.4	54.3	56.3	58.8	56.5	54.2
40	54.4	56.4	56.6	56.3	56.8	56.3	56.4	56.7	56.6	57.7	58.0	58.5	56.9	55.9	54.8	55.9	54.7	53.8	53.1	53.4	51.1	52.8	51.9	52.8	51.9	52.8	51.9	55.9
50	54.2	55.1	56.0	56.4	56.1	55.5	55.0	56.1	56.2	57.0	57.6	57.6	56.9	55.6	54.1	55.2	53.9	55.2	52.7	52.6	50.6	51.1	50.9	52.4	51.7	56.4	55.5	52.7
63	50.9	52.6	53.7	54.2	55.0	54.2	53.7	54.0	55.4	54.9	56.2	55.3	54.1	53.1	51.9	52.7	51.6	52.9	51.0	50.1	49.4	49.1	49.7	49.0	54.8	52.3	53.0	50.6
80	47.8	49.4	51.7	51.7	50.3	52.8	52.2	52.4	53.8	52.7	52.6	53.1	51.1	50.3	49.0	49.7	49.7	48.6	46.3	49.2	44.5	46.2	44.4	46.2	48.6	52.3	50.1	47.2
G特性	L5	73.1	74.5	76.2	74.7	75.0	73.9	75.6	75.6	75.4	74.9	74.8	73.9	74.5	73.1	75.1	73.6	73.2	72.9	72.4	72.2	71.7	73.5	72.4	73.8	75.2	73.8	73.0
	L50	66.1	67.7	67.6	67.0	67.7	67.2	68.1	67.8	68.3	68.6	69.2	67.5	67.7	65.7	67.4	65.7	65.2	65.6	64.4	62.8	63.9	63.9	64.3	66.9	67.9	67.0	64.8
	L95	61.0	63.0	62.9	63.9	63.2	63.7	63.1	63.9	64.0	63.9	64.2	64.7	63.4	63.0	62.0	62.3	60.5	60.3	60.6	59.7	58.0	58.3	58.0	59.5	62.0	63.8	62.8
	Leq	68.2	70.5	71.3	70.3	70.5	69.9	70.7	71.0	70.9	71.0	71.4	69.8	70.1	68.6	70.4	68.5	68.3	67.9	67.3	66.5	66.5	67.6	67.2	69.5	70.8	69.5	68.0




測定値

項目	朝					昼間					夕					夜間					朝	昼間	夕	夜間				
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1					2	3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2					3	4	5	6
AP	66.3	66.8	73.1	70.1	70.6	71.0	74.4	74.7	74.6	71.1	70.3	68.3	67.0	67.0	65.6	66.3	65.3	65.3	64.0	63.3	62.1	63.2	63.5	63.8	66.6	71.8	66.5	64.1
1	48.6	50.0	65.5	61.4	60.7	62.2	66.9	67.3	66.9	61.0	60.0	44.0	45.3	45.1	44.8	44.6	42.5	44.1	44.6	44.2	41.6	47.4	45.9	47.6	49.3	61.6	45.1	44.7
1.25	47.7	48.9	65.0	59.0	61.0	61.4	66.3	66.4	67.5	62.3	59.9	43.2	44.4	43.6	43.7	42.9	40.5	42.5	42.8	41.2	39.0	45.7	44.3	46.0	48.3	61.2	43.9	42.8
1.6	46.9	48.0	63.5	59.0	61.0	61.0	65.9	65.7	65.5	60.9	58.4	43.0	43.2	42.4	42.0	40.1	42.0	41.3	40.8	38.2	44.7	42.9	46.2	46.2	47.5	60.4	42.9	42.0
2	45.8	46.8	63.4	57.6	58.9	59.9	64.8	65.3	64.0	59.5	57.9	43.6	44.0	42.6	43.1	41.8	39.7	41.9	40.2	39.5	37.2	43.8	42.0	44.2	46.3	59.5	43.2	41.1
2.5	45.0	46.5	61.5	56.9	57.6	58.7	63.5	63.7	63.5	58.2	56.4	45.4	44.5	43.5	43.7	42.4	40.6	42.2	39.7	39.0	36.8	43.1	40.9	43.2	45.8	58.5	43.9	40.9
3.15	45.5	46.7	60.5	54.7	57.1	57.8	62.0	62.4	62.9	56.9	55.4	47.7	45.3	45.0	45.2	43.9	41.9	43.4	40.3	39.4	39.3	42.8	40.7	43.2	46.1	57.7	45.2	41.7
4	46.5	47.4	59.0	53.8	55.2	56.2	60.6	61.7	61.3	56.0	54.3	48.9	47.2	46.7	46.6	45.1	44.0	44.4	41.0	39.5	39.2	41.5	40.4	42.1	47.0	56.7	46.8	41.9
5	47.7	47.8	57.2	53.3	55.0	54.5	59.7	59.7	59.7	55.1	53.2	49.7	47.9	47.9	47.2	47.0	45.3	45.2	44.8	41.7	40.8	42.5	42.2	42.5	47.8	55.7	47.7	43.6
6.3	48.4	48.0	56.3	52.0	53.0	53.5	57.8	58.3	57.7	54.5	52.5	50.1	48.5	48.0	47.5	47.4	45.8	45.5	44.5	42.7	42.0	43.2	42.6	43.0	48.2	54.6	48.0	44.1
8	49.2	49.6	54.9	51.7	52.0	52.2	56.3	56.8	56.6	53.4	52.2	51.5	50.4	49.9	48.5	48.6	47.8	47.8	46.6	45.8	44.9	46.2	45.9	46.0	49.4	53.8	49.6	46.6
10	52.8	53.5	55.3	53.3	53.4	53.3	56.2	56.7	56.1	54.7	54.4	55.0	53.8	53.4	52.3	52.3	52.2	51.6	51.3	50.6	49.7	50.7	51.5	50.4	53.2	54.8	53.2	51.1
12.5	55.8	56.7	56.5	56.3	56.5	55.3	57.2	57.7	57.2	57.6	56.9	57.6	55.8	56.8	54.6	55.2	55.5	54.8	54.4	53.4	53.0	53.1	54.8	53.7	56.3	56.9	55.7	54.2
16	57.0	57.0	57.9	57.3	57.6	57.0	57.4	57.5	57.6	57.9	57.9	58.8	57.2	57.6	56.1	57.0	56.2	55.8	54.6	53.8	53.3	53.5	54.5	54.0	57.0	57.7	57.0	54.7
20	57.3	57.2	57.9	57.3	57.4	57.1	57.5	57.9	57.7	57.8	57.9	58.8	57.1	57.6	56.9	58.3	56.1	55.9	56.4	54.7	53.7	54.7	54.4	54.5	57.3	57.2	55.3	53.3
25	58.3	58.2	58.4	58.6	58.5	58.0	58.7	58.6	58.6	59.4	59.3	59.9	58.2	59.5	57.6	58.8	57.2	56.8	56.3	55.2	54.2	55.0</						

低周波音 休日 調査結果(秋季)

測定地点: M 県営高ヶ原団地
 測定期間: 11月3日(土)~11月4日(日)
 鉄道等の騒音除外

項目	朝																	昼間					夕					夜間					朝	昼間	夕	夜間																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14					15	16	17	18	19	20	21	22	23	0	1	2	3	4	5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5					5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
AP	66.0	63.2	77.6	77.2	71.2	76.4	80.3	85.6	80.9	80.0	71.6	66.3	64.5	62.2	63.6	61.0	60.2	60.3	61.2	59.7	60.8	59.6	63.0	63.5	64.6	76.7	63.4	61.0	53.0	49.6	70.5	69.2	61.7	68.9	72.8	77.7	72.3	71.7	63.2	54.0	52.4	43.4	45.6	44.5	45.9	46.1	46.6	45.0	50.1	46.4	51.1	53.6	51.3	68.2	47.1	47.7	1.25	52.2	48.6	69.9	69.1	61.7	68.3	72.2	77.6	72.3	71.2	62.7	52.7	51.6	42.0	44.0	44.0	46.2	44.7	49.5	43.5	50.2	44.2	50.7	53.8	50.4	67.8	45.9	47.4	1.6	51.9	46.5	69.1	68.6	62.2	67.9	72.1	77.3	71.8	71.1	62.6	54.2	52.8	40.8	42.9	43.3	44.0	43.4	47.3	41.8	49.8	43.4	49.9	52.8	49.2	67.7	45.5	46.2	2	51.2	46.7	68.5	68.3	61.9	67.0	70.7	76.1	71.5	70.3	62.4	53.8	51.7	41.8	43.3	44.6	44.7	43.7	45.5	40.9	48.8	42.7	48.9	52.8	49.0	67.1	45.6	45.8	2.5	50.7	46.3	67.5	67.0	61.1	66.2	70.0	75.4	71.2	69.9	61.6	52.8	51.2	41.7	43.6	43.8	43.1	43.0	45.4	39.7	48.5	42.3	48.5	51.5	48.5	66.3	45.5	45.1	3.15	49.5	46.1	66.2	66.5	60.2	65.3	69.0	74.5	70.5	69.4	60.8	52.7	50.2	42.1	44.7	43.0	42.4	42.5	43.9	40.0	47.6	41.9	47.4	50.5	47.8	65.5	45.7	44.4	4	48.8	46.3	65.1	65.7	59.3	64.1	68.3	73.4	70.0	69.2	59.4	52.3	48.7	43.7	45.1	43.7	42.0	42.0	42.5	39.6	45.8	40.9	45.7	48.6	47.6	64.7	45.8	43.4	5	47.8	45.5	63.8	64.6	57.4	63.1	68.0	72.9	69.3	68.5	57.7	51.4	48.0	44.3	45.4	42.9	42.2	41.7	42.5	40.5	44.3	41.1	44.8	46.8	46.7	63.7	45.9	43.0	6.3	47.2	45.7	62.3	63.0	55.4	62.1	65.6	71.9	67.9	67.2	56.0	50.2	47.0	44.2	45.6	43.3	42.8	42.4	42.7	41.4	43.7	42.4	43.9	45.0	46.5	62.2	45.6	43.1	8	47.3	46.8	60.6	61.1	53.9	60.1	64.4	70.5	66.1	65.3	54.3	50.6	47.4	45.9	46.8	45.0	44.5	44.5	44.0	43.4	43.5	43.3	44.1	44.8	47.1	60.7	46.7	44.1	10	47.7	47.6	58.6	58.9	52.4	57.8	62.8	68.9	64.6	63.6	52.5	50.5	48.4	46.7	47.2	46.3	45.9	46.3	45.7	45.1	44.1	44.6	44.9	45.7	47.7	59.1	47.4	45.4	12.5	50.1	49.1	56.7	57.0	51.9	55.9	61.0	67.2	62.3	61.3	52.4	51.8	50.2	49.1	49.5	49.1	48.7	49.3	48.9	48.1	47.5	48.1	47.9	48.1	49.6	57.8	49.6	48.6	16	51.1	49.6	54.7	54.8	51.0	53.6	58.0	65.4	59.9	59.2	51.9	51.8	49.9	48.5	49.5	48.4	48.1	48.1	47.9	47.4	46.4	47.1	47.5	47.2	50.4	56.0	49.3	47.6	20	53.6	51.9	54.2	54.5	53.1	52.6	56.0	63.5	57.6	57.1	52.8	53.9	51.5	51.0	52.6	51.0	49.7	49.4	51.0	49.9	48.5	49.0	50.6	50.8	52.8	55.5	51.7	50.0	25	58.1	53.0	54.8	54.6	54.1	56.0	55.7	62.1	56.7	56.4	54.9	57.9	53.9	53.1	54.6	52.1	50.1	49.9	52.7	51.0	49.1	49.8	56.7	53.4	55.6	56.3	53.9	51.6	31.5	56.7	53.6	55.2	54.2	54.2	54.2	55.1	59.9	54.9	55.6	56.3	55.1	53.4	52.5	55.7	51.3	50.6	51.3	51.5	50.9	49.9	50.7	53.0	51.9	55.2	55.5	53.9	51.2	40	55.2	54.1	54.2	52.9	54.6	53.2	54.3	57.6	54.3	54.7	54.2	55.2	54.1	53.1	55.3	51.2	50.0	51.2	50.7	50.4	48.6	49.2	52.3	50.6	54.7	54.5	54.2	50.5	50	56.4	54.2	55.1	53.6	59.3	54.1	53.1	57.1	56.1	53.9	53.6	53.7	54.5	54.7	54.7	51.3	48.9	48.5	49.6	49.0	47.4	47.9	49.3	49.1	55.3	55.0	54.6	49.0	63	55.6	52.7	52.8	53.6	54.9	53.4	54.3	55.4	53.1	52.4	54.1	53.5	53.7	53.1	53.1	50.9	50.3	50.1	49.4	48.9	48.7	49.8	50.5	50.3	54.2	53.8	53.3	49.9	80	51.5	47.4	47.8	45.9	47.4	45.9	46.4	48.1	48.1	48.5	50.1	48.1	47.0	46.8	48.3	43.4	43.4	42.6	42.6	41.1	41.0	42.9	46.1	42.1	49.5	47.6	47.4	42.8
G特性	L5	69.7	66.1	75.2	74.3	69.5	73.5	77.4	86.0	79.9	79.0	70.4	71.1	67.6	66.3	67.6	66.7	65.5	65.6	66.2	65.4	63.9	64.6	66.9	66.3	67.9	75.6	67.2	65.7	L50	63.9	62.9	64.7	65.2	63.5	64.9	65.6	69.1	67.4	65.7	64.4	65.2	62.6	62.5	62.9	61.7	61.3	61.2	62.3	61.5	60.2	60.7	63.6	62.1	63.4	65.6	62.7	61.6	L95	60.0	60.5	60.7	60.6	60.3	60.7	60.6	61.3	61.5	61.5	61.4	61.9	60.1	60.0	60.3	59.1	58.5	58.5	59.2	58.4	57.7	58.1	60.2	59.0	60.3	61.1	60.1	58.7	Leq	66.7	64.2	68.8	69.1	65.9	68.0	71.9	78.6	73.5	72.7	66.3	67.0	64.4	63.6	65.0	63.3	62.2	62.2	63.3	62.2	60.9	61.5	64.2	63.2	65.6	72.2	64.4	62.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											




項目	朝																	昼間					夕					夜間					朝	昼間	夕	夜間																																																																																																																																																																																																																																																																																																																																																																																																																																		
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	7	8	9	10	11	12	13	14					15	16	17	18	19	20	21	22	23	0	1	2	3	4	5																																																																																																																																																																																																																																																																																																																																																																																																																			
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5					5	5	5	5	5	5	5	5	5	5	5	5	5	5	5																																																																																																																																																																																																																																																																																																																																																																																																																			
AP	66.3	63.9	78.5	77.1	73.8	75.7	79.7	85.7	80.6	80.0	72.0	68.0	67.0	65.0	63.8	62.0	61.8	61.7	63.2	60.1	61.2	59.7	63.1	64.0	65.1	77.1	65.3	61.9	53.1	49.6	71.4	68.9	64.9	67.6	72.6	78.0	71.9	71.7	63.2	53.8	54.9	45.6	45.9	44.7	45.8	46.2	49.4	46.9	49.7	46.4	51.0	54.1	51.4	68.4	48.8	48.2	1.25	52.4	48.6	70.8	68.8	64.6	67.0	71.4	77.6	71.8	71.0	62.8	52.7	54.8	43.1	44.0	43.7	45.7	44.6	51.4	46.2	49.8	44.2	50.6	53.8	50.5	67.9	47.3	47.8	1.6	52.0	47.1	70.1	68.2	64.6	67.0	71.2	77.1	71.5	70.8	62.7	53.7	55.6	41.4	43.0	43.0	43.7	43.6	49.2	44.4	49.4	43.5	49.7	53.4	49.6	67.7	46.7	46.7	2	51.5	47.2	69.2	67.9	64.7	66.3	70.0	75.9	71.0	70.2	62.7	53.6	53.8	41.9	43.6	44.1	44.2	43.6	48.1	43.9	48.4	42.7	48.7	53.0	49.4	67.2	46.4	46.3	2.5	50.8	46.7	68.2	66.7	63.7	65.7	69.3	75.4	70.9	69.8	61.8	52.6	54.3	42.5	43.6	43.8	43.1	43.3	47.4	43.2	48.1	42.2	48.4	51.7	48.8	66.4	46.8	45.7	3.15	49.8	46.3	67.4	66.2	62.5	64.3	68.5	74.4	70.1	69.4	60.9	52.7	53.2	43.2	44.5	43.3	42.9	43.2	45.5	41.7	47.3	41.9	47.2	50.8	48.1	65.6	47.0	44.9	4	49.1	46.4	65.9	65.4	61.5	63.2	67.7	73.7	69.7	69.3	59.9	52.1	52.3	44.6	45.2	44.1	42.7	43.1	44.0	40.8	45.5	40.9	45.5	49.0	47.8	64.8	47.4	44.0	5	47.8	45.6	64.9	64.3	60.5	61.9	67.1	73.0	68.9	68.4	58.0	51.3	51.2	45.6	44.4	44.0	43.6	43.6	44.9	41.3	44.1	41.1	44.7	47.0	46.7	63.8	47.4	43.8	6.3	47.2	46.0	63.1	62.6	58.6	60.8	65.0	72.2	67.6	67.1	56.3	50.3	50.5	45.9	45.6	44.6	44.1	43.7	44.1	41.8	43.7	42.4	43.8	45.4	46.6	62.4	47.3	43.7	8	47.4	47.2	61.4	60.8	56.8	58.6	63.9	70.8	65.7	65.2	54.6	50.9	49.7	47.1	47.6	46.1	46.1	45.7	44.7	43.6	43.6	43.3	44.1	45.1	47.3	60.9	48.1	44.7	10	48.2	48.7	59.5	58.7	54.9	56.5	62.0	69.1	64.2	63.6	53.2	51.2	49.8	48.3	48.1	47.3	47.5	47.7	46.3	45.2	44.3	44.6	44.9	46.3	48.5	59.3	48.7	46.0	12.5	50.2	49.7	57.6	56.8	53.9	54.9	60.3	67.6	61.9	61.2	53.1	52.3	50.8	50.4	49.8	49.7	49.5	49.7	49.3	48.2	47.8	48.1	48.0	48.1	50.0	58.0	50.3	48.7	16	51.4	50.4	55.6	54.8	53.6	53.4	57.5	65.5	59.5	59.4	52.9	54.2	50.5	50.6	49.8	49.4	49.0	49.0	48.9	47.4	47.0	47.1	47.5	47.8	50.9	56.6	50.3	48.1	20	54.1	53.0	55.5	55.0	54.3	54.0	55.9	63.6	57.4	57.5	54.1	58.9	53.2	53.0	52.6	51.8	51.1	50.6	53.4	49.9	49.6	49.0	50.7	51.4	53.6	56.6	52.9	50.8	25	58.8	54.7	56.0	55.8	56.1	56.9	55.7	62.7	56.5	56.9	56.1	61.0	57.1	55.3	54.6	52.9	52.4	51.8	56.2	51.0

低周波音 平日 調査結果(冬季)

測定地点: B 対象事業実施区域(北東)
 測定期間: 1月23日(水)~1月24日(木)
 鉄道等の騒音除外値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間	
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5					
	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ					
AP	65.2	68.2	68.5	68.8	72.3	74.5	67.8	67.6	67.7	68.0	67.5	66.5	66.7	66.1	65.7	64.3	71.9	77.9	76.4	76.3	71.9	65.5	61.7	62.0	66.7	68.9	66.2	69.8	
1	43.9	47.8	47.5	55.7	64.5	67.6	59.0	51.9	55.3	53.1	47.3	43.7	44.6	45.8	45.1	47.1	64.3	70.9	69.1	70.0	65.1	57.8	49.3	43.5	45.9	54.6	45.2	59.7	
1.25	43.1	46.8	46.9	54.7	63.5	66.6	57.5	50.5	54.3	52.2	47.3	43.8	44.4	45.2	44.7	46.2	64.3	69.8	68.9	69.0	64.6	56.9	47.8	42.0	45.0	53.7	44.8	58.8	
1.6	42.3	45.9	46.1	53.4	62.6	65.4	56.4	49.4	53.0	50.9	46.7	43.5	44.3	44.7	44.5	45.2	63.0	70.0	68.4	67.6	63.6	55.3	46.6	40.7	44.1	52.7	44.5	57.8	
2	42.4	45.1	45.6	52.0	61.7	64.4	55.2	49.2	51.8	49.7	46.6	43.8	43.7	44.0	44.1	44.7	61.9	68.8	67.2	66.9	62.2	53.9	45.1	39.7	43.8	52.0	43.9	56.7	
2.5	43.7	45.8	46.8	51.6	61.4	63.4	53.6	48.7	50.6	48.8	47.7	44.9	45.0	44.8	45.2	45.3	60.9	67.7	66.4	65.7	61.2	53.1	44.6	41.6	44.8	51.8	45.0	56.3	
3.15	45.8	47.3	47.7	51.2	61.4	62.2	52.7	48.6	49.9	48.7	51.2	46.5	46.1	46.3	46.3	46.2	60.0	66.7	65.0	64.5	59.8	52.2	45.0	44.2	46.6	52.0	46.2	56.0	
4	45.6	47.2	48.6	50.7	58.6	60.7	51.4	48.9	49.8	48.8	50.6	46.7	46.2	45.9	46.2	46.0	58.3	65.0	63.3	63.2	58.3	51.5	44.4	44.2	46.4	51.5	46.1	54.9	
5	45.3	47.8	51.8	52.8	57.4	59.5	50.1	51.3	51.5	51.5	52.9	46.3	46.6	46.4	46.5	45.8	56.8	63.5	61.8	61.5	56.5	49.6	43.4	43.2	46.6	52.5	46.5	53.6	
6.3	46.3	48.1	53.6	54.4	55.8	58.0	49.2	53.4	53.2	53.9	53.4	46.9	47.2	47.1	47.4	46.2	55.6	61.5	60.1	59.8	54.9	48.8	44.0	44.0	47.2	53.2	47.2	52.8	
8	47.9	49.2	51.7	52.5	53.7	55.9	49.4	51.7	51.4	51.6	51.4	49.8	49.7	48.7	48.7	47.8	54.0	60.1	58.4	58.3	53.3	48.3	46.2	46.0	48.6	51.9	49.0	52.5	
10	50.5	51.4	58.9	58.1	55.3	56.8	51.4	58.9	56.1	57.3	54.9	52.2	52.3	51.7	51.8	51.3	54.2	59.0	57.4	56.8	53.0	50.0	49.2	49.1	51.0	56.0	51.9	53.3	
12.5	53.8	54.7	56.3	56.9	55.6	56.9	54.5	56.0	56.7	57.0	56.8	56.0	56.0	55.7	56.0	55.5	56.7	59.0	57.9	57.3	54.8	53.3	52.9	53.2	54.3	56.3	55.9	55.6	
16	55.1	55.9	57.3	58.3	56.8	57.8	55.2	57.2	57.2	58.3	58.1	56.7	57.0	56.7	56.8	55.6	56.6	58.2	56.8	56.2	54.3	53.0	53.0	53.4	55.5	57.3	56.8	55.2	
20	55.7	58.0	57.5	57.4	56.2	57.0	56.1	57.3	56.5	57.6	58.2	57.2	57.6	57.2	57.2	55.6	56.2	57.4	56.6	56.2	54.2	53.2	53.1	54.2	56.9	57.1	57.3	55.2	
25	55.9	60.1	58.3	57.6	56.5	57.3	56.1	56.9	56.4	57.4	56.7	57.3	57.7	57.0	56.4	54.4	55.5	55.8	55.7	54.5	53.5	52.0	52.0	53.4	58.0	57.1	57.0	54.1	
31.5	55.0	59.4	58.6	57.1	56.3	56.6	55.8	56.0	56.0	57.1	56.5	57.3	57.2	56.2	55.7	52.6	54.0	54.4	53.0	52.0	51.9	50.5	50.3	51.6	57.2	56.7	56.4	52.3	
40	54.4	58.9	58.3	57.5	56.4	56.7	55.0	55.7	55.9	57.8	56.3	56.7	56.5	55.7	53.7	52.0	52.0	52.2	52.1	50.3	49.9	48.2	48.5	50.1	56.7	56.6	55.3	50.6	
50	56.9	60.0	59.7	58.8	59.0	58.0	55.6	57.0	57.4	56.9	57.1	56.6	57.4	56.0	54.0	51.8	50.9	51.4	49.6	48.6	48.2	47.3	46.7	48.8	58.5	57.6	55.8	49.3	
63	55.1	58.0	57.4	56.7	55.1	56.4	55.5	55.1	55.0	55.1	56.4	55.6	55.2	54.6	53.5	53.0	48.7	49.2	47.4	45.9	45.4	43.8	43.5	46.3	56.6	55.8	54.4	47.0	
80	50.4	55.2	54.1	53.4	51.0	51.7	51.3	54.2	51.6	51.9	53.1	52.0	51.7	52.7	53.7	48.7	47.0	44.3	45.2	39.2	37.7	38.7	36.0	41.3	52.8	52.4	52.7	42.0	
G特性	L5	70.3	73.2	73.1	73.5	72.1	73.5	71.3	72.6	72.1	74.0	73.1	72.5	72.5	72.3	72.1	71.2	72.7	75.6	73.3	73.2	70.7	69.3	69.0	69.5	71.8	72.8	72.3	71.6
	L50	66.3	69.0	69.4	69.6	68.6	69.3	66.9	69.2	68.8	69.1	69.0	68.9	68.6	68.8	68.3	67.7	68.2	69.2	69.2	68.4	66.5	65.3	65.3	66.3	67.7	68.9	68.6	67.3
	L95	63.2	66.2	66.6	67.1	65.8	66.6	66.9	66.2	66.5	66.4	66.5	65.6	65.7	65.3	64.8	64.7	65.5	66.2	64.8	62.9	61.4	61.4	62.7	64.8	66.2	65.6	63.8	
	Leq	68.3	70.5	70.6	70.8	69.4	70.3	68.6	70.2	69.8	70.7	70.7	69.9	70.2	69.8	69.8	68.4	69.4	71.2	70.1	69.5	67.4	66.0	65.9	66.7	69.5	70.1	69.9	68.7




測定値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5				
	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ				
AP	65.5	69.5	69.3	69.1	72.5	75.2	68.2	68.0	68.9	68.3	68.0	68.5	68.1	67.0	66.5	65.7	71.8	77.7	76.4	76.3	71.9	65.5	61.7	64.3	67.5	69.6	67.2	70.1
1	44.2	48.0	47.7	55.6	64.4	68.0	58.8	52.1	55.8	53.0	47.1	44.4	45.1	46.0	45.3	47.4	63.9	70.6	69.1	70.0	65.1	57.8	49.3	44.0	46.1	54.7	45.5	59.7
1.25	43.3	47.0	47.2	54.6	63.3	66.9	57.3	50.8	55.0	52.1	47.1	44.5	45.1	45.4	45.0	46.5	63.9	69.6	68.9	69.0	64.6	56.9	47.8	42.7	45.2	53.9	45.2	58.9
1.6	42.7	46.3	46.3	53.3	62.5	66.1	56.3	49.6	54.0	50.9	46.6	43.9	44.7	44.8	44.5	45.5	62.6	69.7	68.4	67.6	63.6	55.3	46.6	41.7	44.5	53.0	44.7	57.8
2	42.5	45.4	46.0	51.9	61.5	64.9	55.0	49.4	52.2	49.7	46.4	44.4	44.3	44.1	44.3	45.1	61.4	68.6	67.2	66.9	62.2	53.9	45.1	40.7	44.0	52.1	44.2	56.8
2.5	43.7	46.0	46.9	51.5	61.4	63.9	53.5	48.9	51.3	48.8	47.5	45.3	44.9	45.2	45.8	60.5	67.4	66.4	65.7	61.2	53.1	44.6	42.0	44.9	51.9	45.1	56.3	
3.15	45.8	47.3	47.8	51.1	61.0	62.7	52.5	48.9	50.2	48.6	51.0	46.6	46.4	46.2	46.3	46.6	59.6	66.5	65.0	64.5	59.8	52.2	45.0	44.2	46.6	52.0	46.3	55.9
4	45.6	47.4	48.7	50.7	58.5	61.4	51.3	49.0	50.0	48.8	50.4	47.0	46.6	46.6	46.3	46.5	57.9	64.8	63.3	63.2	58.3	51.5	44.4	44.4	46.5	51.6	46.3	54.9
5	45.4	47.9	51.8	52.8	57.3	60.2	49.9	51.3	51.7	51.5	52.7	46.6	46.9	46.3	46.5	46.6	56.4	63.3	61.8	61.5	56.5	49.6	43.4	43.4	46.7	52.6	46.6	53.6
6.3	46.3	48.3	53.6	54.3	56.0	58.8	49.0	53.4	53.5	53.9	53.4	47.3	47.8	47.0	47.3	47.1	55.3	61.3	60.1	59.8	54.9	48.8	44.0	44.2	47.3	53.3	47.4	52.8
8	48.1	50.2	52.0	52.5	54.1	56.8	49.5	51.8	51.9	51.7	51.6	50.7	50.2	49.0	49.0	48.8	53.8	59.9	58.4	58.3	53.3	48.3	46.2	46.9	49.2	52.3	49.4	52.7
10	50.8	52.8	59.4	58.3	55.6	57.4	51.7	59.1	56.0	57.1	54.9	53.2	52.9	52.3	52.2	52.0	54.3	58.9	57.4	56.8	53.0	50.0	49.2	50.1	51.8	56.3	52.5	53.5
12.5	53.9	55.3	56.8	56.9	56.2	57.4	54.5	56.1	56.9	57.0	56.8	56.5	56.3	55.8	56.0	56.0	56.7	59.0	57.9	57.3	54.8	53.3	52.9	53.6	54.6	56.5	56.0	55.7
16	55.1	56.1	57.5	58.3	57.4	58.1	55.1	57.3	57.3	58.2	58.1	56.9	57.1	56.7	56.8	56.4	56.7	58.1	56.8	56.2	54.3	53.0	53.0	53.5	55.6	57.4	56.9	55.3
20	55.8	58.2	57.8	57.6	57.2	57.5	56.1	57.4	57.0	57.5	58.2	57.8	57.7	57.3	57.2	56.4	56.3	57.3	56.6	56.2	54.2	53.2	53.1	54.4	57.0	57.4	57.4	55.3
25	56.0	60.4	59.6	57.8	57.4	58.1	56.8	57.0	57.8	57.5	57.0	57.9	58.3	57.0	56.6	55.5	55.7	55.7	55.7	54.5	53.5	52.0	52.0	53.6	58.2	57.7	57.3	54.2
31.5	55.2	59.5	59.0	57.3	57.0	57.7	55.9	56.2	57.4	57.2	56.8	57.8	57.7	56.3	5													

低周波音 平日 調査結果(冬季)

測定地点: C 対象事業実施区域(南西)
 測定期間: 1月23日(水)~1月24日(木)
 鉄道等の騒音除外値

項目	朝																	昼間					夕					夜間					朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5												
	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ												
AP	68.6	71.0	71.1	69.7	73.4	75.1	70.0	69.6	69.2	68.1	67.9	69.3	69.8	70.4	66.5	66.3	69.3	79.7	79.1	78.5	77.6	69.2	64.9	67.1	69.8	70.2	68.9	72.4								
1	48.3	50.5	51.8	57.2	65.1	67.0	59.5	58.7	56.7	53.0	47.8	52.9	47.7	48.1	46.4	46.7	62.5	72.9	71.7	71.2	70.7	60.7	52.4	51.1	49.4	57.0	47.4	62.2								
1.25	46.9	49.7	50.6	55.6	65.3	66.3	59.1	57.8	56.4	52.1	47.9	51.5	47.0	47.1	46.7	46.2	59.3	72.4	71.7	71.1	70.1	60.8	50.8	49.8	48.3	56.3	46.9	61.4								
1.6	45.6	48.2	49.4	54.6	64.0	66.2	58.4	55.2	55.4	51.2	46.6	49.8	46.9	46.0	45.6	45.4	57.2	71.6	71.0	70.2	69.5	60.1	49.8	48.9	46.9	55.1	46.2	60.4								
2	45.0	47.4	49.3	53.7	63.5	64.7	57.0	54.1	54.8	50.7	47.3	49.2	47.2	45.7	45.2	45.1	56.7	70.2	69.1	69.2	68.2	58.9	48.5	47.6	46.2	54.4	46.0	59.3								
2.5	45.4	47.5	50.0	53.3	62.3	63.2	56.2	53.5	54.7	50.5	48.8	48.8	48.1	46.2	45.5	45.7	55.7	69.3	68.2	68.3	67.2	57.3	47.4	46.6	46.5	54.1	46.6	58.4								
3.15	48.0	49.2	50.7	52.5	61.2	62.3	55.5	52.6	53.6	50.6	52.3	50.0	51.5	48.2	47.6	47.5	54.3	67.9	67.4	67.3	66.1	57.3	47.7	48.3	48.6	54.1	49.1	58.2								
4	48.7	50.0	52.7	53.7	60.5	61.1	55.2	53.2	54.0	52.3	52.7	50.4	51.8	49.2	48.3	48.4	55.3	67.0	65.9	65.9	64.8	55.6	47.6	48.7	49.4	54.6	49.8	57.7								
5	48.0	49.8	54.6	55.8	60.0	60.3	53.7	54.7	55.1	54.3	54.8	49.4	51.9	49.1	47.7	48.3	53.0	64.7	64.3	64.4	63.1	54.5	46.8	47.4	48.9	55.3	49.6	56.3								
6.3	48.8	50.3	55.2	56.4	58.6	59.5	52.6	54.8	55.6	54.8	54.3	49.7	51.8	50.2	48.3	48.4	52.7	63.2	62.6	62.7	61.5	51.8	46.6	47.3	49.6	55.2	50.1	55.2								
8	50.1	51.1	53.1	53.5	57.4	57.7	52.7	53.5	53.1	52.6	52.4	51.5	53.9	51.7	49.9	49.9	53.1	61.9	60.8	60.9	60.1	51.6	48.2	48.9	50.6	53.8	51.8	55.0								
10	52.5	53.4	56.5	57.5	58.3	58.3	54.0	57.0	55.8	56.3	55.1	54.8	55.9	54.6	54.0	53.5	54.1	60.5	59.8	59.5	58.6	53.0	51.8	52.3	53.0	56.4	54.8	55.9								
12.5	56.3	55.8	57.6	56.8	57.7	58.9	56.8	57.1	57.9	58.0	57.8	58.0	59.6	58.1	58.2	57.7	57.6	60.5	60.2	59.5	58.7	54.9	54.6	55.3	55.6	57.7	58.6	57.7								
16	56.2	57.3	57.9	56.9	57.3	58.9	56.9	57.2	57.7	57.9	58.0	59.1	58.1	58.5	58.0	58.1	59.7	59.4	58.5	57.7	55.1	55.2	56.4	56.8	57.7	59.2	57.6	57.6								
20	58.0	61.1	58.6	57.9	57.8	63.3	61.4	60.7	58.9	58.8	59.3	63.4	60.9	61.2	58.5	58.2	57.5	59.0	62.3	57.7	57.2	55.1	55.2	60.2	59.6	60.0	60.2	58.0								
25	58.5	62.4	59.3	56.7	57.3	60.9	58.8	60.9	58.3	57.5	57.6	59.5	59.9	60.6	57.0	56.3	56.2	57.4	61.8	56.6	56.4	54.0	54.7	58.8	60.5	58.7	59.2	56.9								
31.5	57.6	60.1	59.5	56.6	56.0	59.6	58.0	58.5	58.2	56.8	56.8	59.4	60.0	60.5	56.2	54.2	54.0	55.8	59.4	54.8	54.2	53.0	53.3	57.2	58.9	57.9	58.9	55.1								
40	57.2	60.2	59.3	57.7	55.0	58.0	57.2	55.6	57.5	56.7	56.6	58.2	60.6	62.3	53.8	56.1	53.5	54.9	58.6	54.9	53.5	51.7	52.9	56.3	58.7	57.2	58.9	54.7								
50	63.9	66.7	67.4	55.1	52.6	57.7	56.5	54.8	57.2	55.9	56.0	56.7	59.8	64.0	53.9	54.0	52.8	54.2	57.1	55.3	53.0	53.4	52.4	56.0	65.3	57.0	59.2	54.2								
63	57.7	57.3	57.1	53.3	52.4	55.5	54.8	54.2	53.8	53.1	54.7	55.5	56.5	57.3	51.8	51.9	50.8	52.2	54.3	53.0	52.4	52.0	52.2	53.0	57.5	54.4	55.2	52.4								
80	52.1	54.0	54.0	48.9	50.6	53.9	52.2	50.2	51.4	50.6	51.1	53.1	54.3	46.3	46.7	45.8	48.0	53.1	48.6	46.8	47.2	46.8	49.0	53.1	51.6	51.6	48.0	48.0								
G特性	L5	74.0	76.6	74.4	74.1	74.0	78.7	77.0	76.0	75.3	74.9	75.1	78.8	78.5	77.0	74.7	74.5	74.5	77.0	78.6	75.9	75.5	72.1	72.1	76.5	75.3	75.8	76.7	75.2							
	L50	68.7	71.8	70.5	69.6	70.2	72.8	70.6	71.3	70.1	70.1	70.4	72.2	71.8	71.7	70.7	69.9	69.5	71.3	72.9	70.2	69.2	66.7	66.7	69.2	70.3	70.8	71.5	69.5							
	L95	65.4	68.1	67.9	66.7	67.5	68.8	66.1	68.9	67.1	66.8	66.6	66.6	67.6	67.8	66.1	65.7	65.0	66.0	68.1	65.9	64.2	62.6	62.3	64.6	66.8	67.3	67.2	64.9							
	Leq	70.2	73.1	71.5	70.5	70.8	74.4	72.4	72.4	71.4	71.3	71.5	74.1	73.4	73.1	71.3	70.8	70.6	72.7	74.3	71.6	70.9	68.0	68.1	71.5	71.9	72.2	72.7	71.3							




測定値

項目	朝																	昼間					夕					夜間					朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5												
	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ	レ								
AP	68.7	71.0	71.1	70.9	73.9	76.7	70.0	70.7	70.0	69.4	68.0	69.5	69.9	70.6	68.0	66.8	68.1	78.7	79.0	79.7	78.9	72.0	65.3	67.4	69.9	71.0	69.5	74.0								
1	48.0	50.0	51.8	59.0	63.2	68.9	59.0	58.0	56.9	54.2	47.6	52.6	48.9	48.2	46.5	46.5	70.4	71.9	71.7	72.6	72.0	64.0	50.7	51.2	49.0	57.1	47.9	63.4								
1.25	46.9	49.3	50.6	57.9	63.3	67.9	58.1	56.8	56.8	53.3	47.7	51.3	48.2	47.1	46.2	46.2	70.9	71.2	71.7	72.7	71.3	64.3	49.2	49.9	48.1	56.4	47.2	63.0								
1.6	45.7	47.8	49.4	56.9	62.3	67.5	57.7	55.8	55.4	52.2	46.6	49.7	46.9	46.0	45.3	45.4	69.1	70.3	70.9	71.1	70.4	63.4	48.1	49.0	46.8	55.4	46.1	62.0								
2	44.8	47.1	49.3	55.9	62.0	66.4	56.3	54.7	54.9	51.8	47.1	49.1	46.5	45.6	45.2	45.4	68.4	69.1	69.1	70.2	69.5	62.5	46.9	47.7	46.0	54.8	45.8	61.0								
2.5	45.5	47.3	50.0	54.9	61.4	65.2	55.5	54.1	54.7	51.2	48.7	48.7	46.7	46.2	45.9	45.8	67.3	68.2	68.2	69.5	68.8	61.2	46.0	46.7	46.4	54.4	46.3	60.2								
3.15	48.1	49.3	50.7	54.2	61.0	64.2	54.8	53.4	53.6	51.0	52.1	49.9	48.7	48.1	48.0	47.7	66.4	66.8	67.3	68.1	67.4	60.3	47.1	48.3	48.3	54.3	49.3	59.9								
4	48.8	50.3	52.7	54.4	60.2	63.3	54.3	53.7	53.9	52.5	52.6	50.5	49.5	49.2	49.0	49.1	64.8	65.7	65.9	66.6	66.0	59.0	47.3	48.7	49.6	54.8	49.2	59.2								
5	48.1	50.1	54.6	55.7	58.7	62.4	53.1	55.0	55.0	54.4	54.8	49.5	49.5	49.1	48.6	48.9	63.5	63.7	64.2	64.9	64.7	57.4	46.4	47.6	49.1	55.3	49.1	57.9								
6.3	48.8	50.5	55.2	56.2	57.3	61.1	52.0	55.3	55.5	55.2	54.4	49.8	49.9	50.2	49.1	48.8	61.7	62.2	62.5	63.4	63.1	55.5	46.5	47.7	49.7	55.2	49.7	56.8								
8	50.4	51.5	53.1	54.1	56.0	59.5	52.2	53.4	53.5	52.8	52.5	51.7	51.8	51.8	50.7	50.4	60.2	60.8	60.8	61.7	61.4	54.2	48.5	49.3	51.0	53.9	51.4	56.4								
10	52.8	53.8	56.5	57.4	57.4	59.8	53.9	57.6	55.8	56.1	55.2	55.1	55.1	54.7	54.1	54.1	59.7	59.8	59.8	60.2	60.0	54.6	52.1	52.6	53.3	56.5	54.6	57.0								
12.5	55.3	56.0	57.6	57.8	57.6	59.6	56.4	57.9	57.8	57.9	57.8	58.1	58.5	58.1	57.8	58.0	60.3	60.2	60.2	60.0	59.5	55.9	54.8	55.4	55.7	57.9	58.1	58.3								
16	56.3	57.4	57.9	58.4	57.9	59.6	56.9	57.9	57.7	58.1	58.2	58.6	59.3	59.1	58.7	58.4	59.5	59.4	59.5	59.1	58.3	55.7	55.3	56.5	56.5	56.9	58.1	59.0	58.0							
20	57.9	61.0	58.6	60.3	59.5	62.9	61.7	62.0	59.5	59.0	59.4	63.6	62.4	61.3	60.0	58.6	58.9	59.2	62.3	59.6	57.7	55.6	57.3	60.2	59.5	60.7	61.2	58.8								
25	58.6	62.4	59.3	59.6	59.5	60.8	58.8	60.3	58.6	60.5	57.7	59.8	60.6	60.6	58.0	57.1	59.2	57.6	61.8	59.5	57.0	54.6	55.5	59.0	60.5	59.5	59.7	57.9								
31.5	58.4	60.1	59.5	59.5	61.6	60.0	57.8	60.0	59																											

低周波音 平日 調査結果(冬季)

測定地点: J 高速道路南側
 測定期間: 1月23日(水)~1月24日(木)
 鉄道等の騒音除外値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2					3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2	3					4	5	
AP	68.1	68.8	70.1	71.1	71.4	72.0	68.9	70.2	70.0	70.2	69.6	69.0	68.4	68.1	68.1	67.4	72.8	76.1	72.7	76.2	73.1	68.4	66.9	67.7	68.5	70.3	68.2	71.3						
1	45.5	47.2	48.9	57.7	55.2	61.1	53.0	51.8	54.5	52.0	48.2	50.4	46.1	48.7	47.6	46.2	64.7	68.8	65.1	69.4	66.1	59.8	45.9	51.1	46.4	53.3	47.5	59.7						
1.25	44.0	46.4	49.5	56.5	54.8	60.3	52.2	50.8	52.6	51.7	47.8	49.1	45.0	47.6	46.6	45.3	64.0	68.5	64.2	68.6	65.7	58.9	43.8	49.9	45.2	52.5	46.4	58.8						
1.6	43.5	46.0	49.4	55.1	56.4	59.3	51.2	49.9	51.5	51.3	46.5	48.1	45.2	47.5	46.2	44.9	62.7	67.2	63.6	67.5	64.0	57.7	44.0	48.6	44.8	51.9	46.3	57.8						
2	43.5	45.5	48.2	53.8	56.6	58.8	50.2	49.0	50.5	51.0	47.5	47.3	44.8	46.6	45.7	44.2	61.8	66.2	62.3	66.9	62.7	56.4	43.3	47.3	44.5	51.3	45.7	56.8						
2.5	44.6	46.0	48.7	53.8	57.1	58.4	49.2	49.6	50.3	49.8	48.8	47.4	45.5	46.1	46.1	44.7	62.0	65.9	60.9	64.8	61.3	55.0	43.1	46.5	45.3	51.3	45.9	56.0						
3.15	47.3	48.1	50.3	53.3	59.0	57.1	49.8	50.5	51.1	50.2	52.9	48.9	47.1	47.8	47.8	47.6	60.9	64.1	59.3	63.8	59.5	53.2	45.6	47.7	47.7	52.3	47.6	55.7						
4	47.7	48.9	51.6	53.2	56.3	56.3	50.4	51.1	51.2	50.7	52.1	50.0	48.2	47.9	48.1	47.8	58.0	62.7	57.9	62.6	58.4	52.6	46.5	47.6	48.3	52.3	48.1	54.9						
5	48.5	49.1	53.3	54.3	55.7	55.7	49.8	52.4	52.3	52.4	54.1	49.4	48.5	48.6	48.4	48.3	56.7	61.0	57.2	61.4	57.3	51.0	46.9	47.1	48.8	52.9	48.5	54.1						
6.3	49.3	49.9	54.0	54.7	53.7	54.9	49.6	53.2	53.1	52.9	52.7	50.0	49.4	49.5	49.5	49.3	55.4	59.7	55.3	59.0	55.6	50.4	47.9	48.0	49.6	52.9	49.5	53.4						
8	51.0	51.6	53.8	55.2	53.8	54.2	51.3	54.7	52.8	53.2	53.6	52.3	51.0	50.9	50.8	50.7	54.8	58.1	54.6	57.8	54.0	50.4	50.4	50.2	51.3	53.5	50.9	53.4						
10	55.7	55.8	57.9	57.5	56.4	56.8	55.3	57.3	56.6	56.4	56.1	55.4	55.8	55.9	57.0	58.7	56.4	57.9	55.7	54.5	55.7	55.1	55.1	55.1	55.1	56.7	55.8	56.3						
12.5	59.4	59.0	60.3	60.5	60.0	59.6	59.3	60.4	59.5	59.7	59.5	59.5	59.5	58.8	59.3	59.4	60.3	60.2	59.5	59.5	58.1	56.8	58.6	58.6	59.2	59.8	59.2	59.0						
16	59.7	59.5	60.9	61.0	60.1	60.1	58.7	60.4	59.6	60.1	60.5	60.0	60.1	59.3	59.6	59.0	59.9	59.2	58.7	59.0	58.1	56.7	58.4	58.5	59.6	59.1	59.7	58.6						
20	59.2	59.6	60.6	60.4	60.0	59.8	58.9	59.8	59.8	59.6	59.9	59.8	59.2	59.3	59.3	58.8	59.2	59.0	58.1	58.0	57.1	56.7	58.2	58.6	59.4	59.9	59.3	58.2						
25	60.1	59.9	61.1	62.5	62.8	62.1	61.1	61.6	60.3	60.2	60.3	60.7	59.2	58.8	59.0	57.9	58.4	58.3	58.8	57.9	58.9	56.4	58.1	58.7	60.0	61.3	59.0	58.2						
31.5	57.8	59.2	60.0	61.0	61.0	61.0	59.6	59.8	59.4	60.0	59.7	58.9	58.6	58.4	58.0	56.5	57.2	57.3	56.9	55.9	55.7	55.4	56.5	59.0	58.5	60.0	58.3	56.7						
40	56.9	59.5	59.4	61.6	62.6	62.4	58.4	61.6	62.6	63.3	60.0	58.4	58.0	57.1	57.1	55.9	56.3	56.8	56.0	55.3	54.6	53.8	55.4	56.1	56.2	61.0	57.7	55.6						
50	55.7	57.6	58.9	57.8	57.7	57.0	58.9	59.4	59.6	58.6	57.8	57.1	57.1	56.2	55.2	56.3	56.0	55.5	54.6	53.7	53.5	55.1	55.1	56.7	58.4	56.8	55.0							
63	54.5	56.8	59.0	56.5	56.1	57.7	55.1	57.5	56.7	57.2	56.9	56.2	55.6	54.9	54.3	53.3	54.2	53.4	53.0	52.6	51.9	51.3	53.3	54.4	56.7	56.9	54.9	53.0						
80	49.3	51.3	53.1	51.7	51.8	52.7	50.8	52.5	51.9	52.1	52.3	51.5	50.0	50.5	49.5	49.2	49.5	48.3	48.4	47.1	46.5	46.5	47.3	48.5	50.3	52.0	50.0	47.9						
G特性	L5	76.9	76.8	77.9	78.0	77.3	76.9	76.1	77.4	76.4	76.5	77.1	76.6	76.5	75.7	76.5	76.1	76.8	76.8	76.0	76.3	75.5	74.0	76.1	75.9	76.9	77.0	76.2	75.9					
	L50	70.7	71.1	72.2	72.7	72.6	72.4	71.1	72.0	71.9	71.9	71.9	71.3	71.2	71.0	70.3	70.9	70.6	70.2	70.0	69.1	67.9	69.4	70.0	70.9	72.1	71.2	69.8						
	L95	66.6	67.2	68.5	69.3	68.9	69.0	67.6	68.8	68.5	68.2	67.8	68.1	67.2	67.6	66.9	66.3	66.3	66.3	65.8	65.3	64.8	63.3	64.5	65.2	66.9	68.5	67.2	65.3					
	Leq	72.4	72.5	73.7	74.0	73.6	73.3	72.3	73.4	72.8	72.9	73.1	72.9	72.5	72.1	72.3	71.8	72.5	72.3	71.6	71.7	70.8	69.6	71.2	71.5	72.5	73.2	72.3	71.5					




測定値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2					3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2	3					4	5	
AP	68.6	69.7	70.6	71.6	71.7	73.2	69.4	70.6	70.4	70.7	70.0	69.8	69.2	68.9	68.8	68.5	74.1	77.1	74.0	77.3	73.1	68.9	67.4	68.0	69.2	70.8	69.0	72.0						
1	45.6	47.5	48.2	57.7	55.1	63.2	52.7	51.8	54.1	51.5	47.6	50.2	46.3	48.7	47.6	46.6	66.3	70.0	66.7	70.2	65.8	59.7	46.6	50.9	46.6	53.2	47.5	60.3						
1.25	44.2	46.7	48.6	56.5	54.8	61.8	51.8	50.9	52.3	51.2	47.2	49.1	45.3	48.1	46.7	45.5	65.2	69.7	66.0	70.0	65.6	58.7	44.3	49.7	45.5	52.4	46.7	59.4						
1.6	43.7	46.4	48.5	55.2	55.7	61.1	50.7	49.9	51.3	50.7	46.1	48.1	45.5	47.5	46.2	45.4	64.6	67.9	65.5	68.9	64.0	57.4	44.1	48.4	45.1	51.7	46.4	58.5						
2	43.8	46.1	47.7	53.9	55.7	60.7	49.9	49.1	50.3	50.5	47.0	47.5	45.2	46.7	46.0	45.0	63.5	67.2	63.5	68.0	62.4	56.1	43.4	47.1	45.0	51.2	46.0	57.4						
2.5	45.1	46.9	48.8	53.9	56.2	59.3	49.1	49.8	50.3	49.7	48.5	47.8	46.3	46.6	46.8	45.5	62.9	66.5	62.0	65.9	61.3	55.2	43.3	46.4	46.0	51.3	46.6	56.6						
3.15	48.0	48.9	50.4	53.5	58.1	58.3	49.9	50.8	51.1	50.5	52.3	49.2	48.3	48.4	48.5	48.4	62.7	65.2	60.5	64.8	59.4	53.1	45.7	47.6	48.5	52.4	48.4	56.4						
4	48.8	50.2	51.8	53.6	55.8	57.5	50.8	51.6	51.3	51.4	52.2	50.3	49.6	49.1	49.4	49.3	60.0	63.3	59.1	64.3	58.5	52.5	46.8	47.6	49.5	52.6	49.4	55.7						
5	49.9	50.5	53.6	54.8	55.6	56.7	50.7	53.0	52.7	53.2	53.9	50.2	50.4	49.7	50.0	49.7	58.0	62.4	58.2	62.5	57.2	51.5	46.9	47.2	50.0	53.6	50.0	54.8						
6.3	50.8	51.2	54.3	55.4	54.3	55.8	51.0	53.7	53.5	53.7	53.1	50.7	51.1	50.8	50.8	50.5	57.5	60.7	57.1	60.8	55.5	50.6	48.0	48.0	51.0	53.8	50.9	54.3						
8	51.6	52.4	54.2	55.7	54.3	55.2	51.9	54.9	53.3	54.0	53.9	52.8	52.1	51.5	51.8	51.7	56.5	59.4	56.1	59.8	54.0	51.0	50.6	50.4	52.0	54.0	51.8	54.4						
10	55.9	56.1	58.0	58.0	56.8	57.6	55.7	57.6	56.6	56.9	56.8	56.9	56.4	56.2	56.4	56.6	58.1	59.5	57.5	59.4	56.0	55.4	56.1	55.3	56.0	57.1	56.3	57.1						
12.5	59.6	59.7	60.7	61.2	60.5	60.7	59.5	60.6	60.1	60.2	59.8	60.0	59.8	59.8	60.0	60.4	60.8	60.8	60.4	60.5	58.9	58.1	59.2	59.0	59.7	60.3	59.9	59.8						
16	60.2	60.4	61.3	61.8	60.9	61.3	59.6	60.9	60.1	60.8	60.6	60.8	60.6	60.4	60.3	60.3	60.7	59.9	59.9	59.8	58.9	58.2	59.4	59.1	60.3	60.8	60.4	59.6						
20	59.9	60.6	61.3	61.4	61.0	60.8	59.9	60.5	60.3	60.6	60.4	60.7	60.2	60.3	60.2	60.1	59.9	59.6	58.8	58.7	57.7	57.8	58.5	58.8	60.3	60.7	60.2	58.9						
25	60.9	60.9	61.8	63.0	63.3	63.1	61.8	62.2	60.8	61.2	61.0	61.8	60.2	59.7	59.9	59.5	59.2	58.9	59.3	58.4	59.3	57.4	58.3	59.0	60.9	60.9	60.9	59.8						

低周波音 平日 調査結果(冬季)

測定地点:M 県宮高ヶ原団地
 測定期間:1月23日(水)~1月24日(木)
 鉄道等の騒音除外値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2					3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2	3					4	5	
AP	62.4	64.9	67.8	69.6	76.4	79.5	72.9	68.6	69.7	66.6	65.2	64.2	64.5	63.7	63.1	62.9	63.0	77.6	81.2	76.2	75.4	67.2	62.3	62.4	63.7	70.1	63.8	69.8						
1	44.6	47.2	58.3	61.0	68.6	72.1	65.4	59.9	61.3	55.8	45.4	49.3	46.0	48.8	47.0	45.4	46.9	69.3	72.9	69.2	67.8	59.7	51.8	48.8	45.9	59.7	47.3	59.1						
1.25	43.6	47.0	58.1	60.9	68.2	71.0	64.5	59.4	61.0	55.3	45.1	48.3	44.9	46.9	46.4	44.9	45.7	69.2	73.1	68.9	67.9	58.5	49.8	47.8	45.3	59.2	46.1	58.4						
1.6	42.6	46.2	57.3	60.0	67.9	70.8	64.5	58.8	60.3	55.7	45.3	47.4	44.5	46.0	45.2	43.9	44.8	69.3	72.2	67.2	67.0	57.2	48.8	46.6	44.4	58.6	45.2	57.4						
2	42.8	45.8	56.4	58.7	67.3	70.5	63.8	57.3	59.8	53.1	45.1	46.5	44.9	45.6	45.0	44.5	44.9	68.5	72.1	67.3	66.4	56.4	47.8	45.3	44.3	57.9	45.2	57.0						
2.5	43.7	46.5	55.8	57.0	66.8	69.9	62.8	56.5	58.3	51.7	46.0	46.5	45.6	45.6	45.5	45.1	45.1	68.3	71.7	66.4	65.7	56.6	46.3	45.1	45.1	57.1	45.6	56.7						
3.15	45.9	47.5	54.9	56.0	65.7	68.9	61.6	54.9	56.9	50.8	47.0	47.5	46.9	46.8	47.0	46.6	46.4	67.1	71.0	64.9	64.7	55.3	46.6	46.1	46.7	56.4	46.9	56.5						
4	45.9	48.1	53.7	54.6	63.9	67.5	60.0	53.4	55.4	50.8	48.5	48.1	47.7	46.5	47.0	47.0	46.3	66.2	69.9	63.5	63.1	54.7	46.2	45.9	47.0	55.6	47.1	55.9						
5	45.4	48.4	53.4	54.1	62.5	66.2	58.2	53.2	54.1	51.1	49.4	47.8	47.4	47.1	46.8	46.8	46.4	64.3	68.6	62.0	61.4	52.4	45.1	45.5	46.9	55.0	47.1	54.7						
6.3	45.6	47.9	53.2	53.9	60.3	64.4	56.1	52.3	53.5	52.0	50.3	47.6	46.9	47.3	46.9	46.8	46.8	62.7	66.9	60.8	59.5	50.7	45.0	45.4	46.8	54.4	47.0	53.8						
8	47.2	48.6	51.4	52.4	58.6	62.2	54.1	51.4	52.1	50.6	50.4	49.9	49.6	48.6	48.3	48.3	48.1	60.5	64.8	58.3	57.5	50.2	46.8	46.7	47.9	53.3	48.8	53.5						
10	48.8	49.5	53.4	54.3	57.7	60.3	53.0	54.0	53.3	52.6	52.1	51.2	51.1	51.3	50.6	50.6	50.6	59.0	63.2	56.5	55.7	50.5	49.0	48.5	49.0	54.5	51.0	53.7						
12.5	50.6	51.2	52.6	54.0	56.0	58.7	52.6	53.2	53.0	53.0	53.3	53.1	53.0	53.3	53.0	53.2	53.3	57.8	61.3	55.3	54.8	51.4	50.9	51.2	50.9	54.0	53.1	54.4						
16	51.1	51.9	52.8	53.8	54.6	57.1	52.2	52.8	53.2	53.1	53.5	53.2	53.2	53.4	53.0	53.0	53.1	56.0	59.1	54.0	53.5	50.7	50.5	51.3	51.5	53.6	53.2	53.5						
20	52.7	55.4	55.0	55.9	55.3	57.1	54.6	55.2	55.4	54.9	55.2	54.9	55.6	54.7	54.3	53.9	54.0	55.4	57.6	54.3	53.6	52.0	52.1	53.1	54.1	55.4	54.9	54.0						
25	53.1	58.8	54.9	56.2	55.3	56.5	54.0	54.9	54.8	54.7	55.6	54.7	56.0	53.1	53.2	52.7	53.3	53.8	55.4	53.5	53.0	51.3	51.7	52.9	56.0	55.2	54.1	53.1						
31.5	55.1	55.9	55.5	55.6	55.6	56.0	54.9	55.2	55.2	55.4	56.7	54.3	55.5	53.3	53.3	52.6	53.0	53.4	53.9	53.1	52.3	51.7	51.9	52.9	55.5	55.4	54.0	52.8						
40	49.3	53.4	54.3	54.1	53.0	52.0	51.8	52.7	52.9	53.1	53.7	52.0	53.6	51.9	49.9	50.3	50.4	50.3	50.9	49.6	49.2	48.0	48.6	49.2	51.4	53.1	51.8	49.6						
50	51.7	53.1	53.4	56.4	56.3	56.2	55.1	55.8	56.4	56.1	55.3	52.4	53.5	52.8	51.6	51.0	50.8	51.0	50.9	50.4	50.5	50.1	49.8	50.6	52.4	55.3	52.6	50.6						
63	50.3	51.7	50.6	54.4	54.6	54.6	53.5	53.9	54.3	54.7	54.4	52.6	52.8	51.9	51.1	51.2	51.1	51.3	51.0	51.2	51.0	50.8	50.6	51.0	51.0	53.8	51.9	51.0						
80	45.4	48.5	46.7	49.9	54.3	56.8	53.7	50.8	50.8	51.2	50.0	46.5	47.0	45.0	43.8	44.3	44.4	46.3	43.9	43.0	43.6	42.5	42.0	43.2	47.0	51.1	45.3	43.7						
G特性	L5	67.7	70.6	69.4	70.8	72.6	75.7	69.5	69.6	69.6	69.3	70.1	69.6	70.9	69.7	69.3	69.0	69.2	74.4	78.1	71.8	70.8	67.9	67.5	68.2	69.2	70.6	70.0	70.8					
	L50	64.8	67.4	67.1	67.6	67.7	69.3	66.4	67.2	67.3	66.9	67.0	66.9	66.9	66.6	66.1	66.0	66.2	67.5	70.0	66.7	66.4	63.8	63.9	64.8	66.1	67.3	66.5	66.1					
	L95	62.3	64.2	64.7	65.6	65.4	66.4	63.9	65.2	65.4	65.1	64.6	64.0	63.6	63.6	63.2	63.3	62.9	64.0	65.4	63.4	62.7	60.4	60.7	61.5	63.3	65.0	63.5	62.7					
	Leq	65.2	68.0	67.3	68.2	68.8	71.1	66.9	67.5	67.6	67.2	67.6	67.2	67.7	67.0	66.7	66.4	66.6	69.6	72.7	68.0	67.3	64.6	64.5	65.4	66.8	68.1	67.2	68.1					




測定値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2					3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2	3					4	5	
AP	63.8	66.3	68.5	69.8	77.1	79.8	73.3	69.3	69.7	67.0	66.4	66.2	67.0	68.0	64.1	64.1	80.1	79.6	81.1	82.7	77.5	68.0	62.7	62.9	65.1	70.7	66.4	73.2						
1	48.7	49.3	58.0	61.1	69.2	72.4	65.7	60.8	60.7	55.6	48.7	49.6	50.6	48.6	47.3	46.1	71.1	71.2	72.9	74.3	69.6	60.8	52.4	49.8	49.0	60.2	48.8	63.1						
1.25	46.3	48.2	57.8	60.5	68.6	71.3	64.9	60.0	60.4	54.8	48.1	48.7	47.0	46.9	46.5	45.8	71.1	71.0	73.1	74.1	69.5	59.5	50.8	48.5	47.3	59.5	46.8	62.6						
1.6	44.5	47.5	57.6	59.7	68.4	70.9	64.6	59.1	59.8	53.4	47.3	47.9	45.2	46.1	45.4	44.7	71.1	70.9	72.2	73.7	68.9	58.5	49.7	47.4	46.0	58.9	45.6	61.9						
2	44.3	46.8	56.9	58.5	67.9	70.7	63.8	57.9	59.0	52.7	47.8	47.0	45.4	45.6	45.3	45.0	71.5	70.3	72.1	73.7	68.3	57.3	48.8	46.3	45.6	58.2	61.5							
2.5	45.1	47.0	55.8	57.2	67.5	70.1	62.8	57.0	57.7	51.6	49.2	47.3	46.2	45.9	45.9	45.7	70.7	70.1	71.7	73.1	67.8	57.4	47.2	45.7	46.1	57.6	46.0	61.0						
3.15	46.8	48.4	55.1	55.6	66.7	69.2	61.6	55.4	56.5	50.8	53.2	48.1	47.5	47.1	47.5	47.0	69.6	69.5	71.0	72.5	67.1	56.2	47.7	46.4	47.6	57.2	47.4	60.8						
4	47.0	48.4	53.8	54.3	65.0	68.1	60.5	54.0	54.9	50.6	52.2	48.6	48.1	47.3	47.4	47.4	68.8	68.6	69.8	71.7	66.0	55.4	47.3	46.0	47.7	56.2	47.6	60.1						
5	46.8	48.6	53.7	54.0	63.6	66.8	59.2	53.6	53.9	51.4	53.8	48.4	48.4	47.8	47.6	47.7	67.9	67.2	68.6	70.4	64.1	53.2	45.9	45.7	47.7	55.8	47.9	59.0						
6.3	47.3	48.6	53.6	53.9	61.9	64.8	56.9	53.0	53.4	52.1	51.6	48.3	48.1	47.9	47.8	47.6	66.8	65.6	66.8	68.8	62.4	51.6	45.7	45.6	48.0	55.0	47.9	57.9						
8	48.4	49.4	52.1	52.7	59.8	62.7	55.0	52.0	52.2	50.8	51.3	50.6	50.3	49.5	49.2	48.9	64.9	63.6	64.8	67.4	60.7	50.7	47.1	46.9	48.9	53.9	49.7	57.2						
10	49.9	51.0	54.1	54.8	58.7	60.9	54.1	54.3	53.2	52.8	52.3	52.7	52.2	52.3	51.3	51.1	63.4	61.9	63.1	65.6	58.6	50.8	49.1	49.2	50.5	54.8	51.9	57.0						
12.5	51.4	52.0	53.7	54.3	56.8	59.1	53.8	53.5	53.3	53.4	53.4	54.3	53.7	54.3	53.4	53.5	61.8	60.2	61.2	63.6	57.0	51.7	51.0	51.5	51.7	54.6	53.8	56.8						
16	52.6	53.2	54.6	54.6	55.8	57.5	53.3	53.4	53.6	53.9	53.9	54.4	54.6	54.7	53.9	53.9	60.4	58.2	59.1	61.5	55.1	50.9	51.0	51.4	52.9	54.5	54.4	55.7						
20	54.2	56.4	57.1	56.7	56.4	57.3	55.9	55.9	55.9	55.9	55.9	56.8	57.4	57.4	55.4	55.5	58.8	57.0	57.6	59.6	54.4	52.2	52.2	53.3	55.3	56.4	56.7	55.6						
25	54.1	59.6	56.8	56.8	56.0	56.7	55.4	55.7	56.2	55.4	56.1	58.5	57.9	58.2	54.4	55.2	57.3	55.1	55.4	57.1	53.4	51.4	51.8	53.										

低周波音 休日 調査結果(冬季)

測定地点:日対象事業実施区域(北東)
 測定期間:2月2日(土)~2月3日(日)
 鉄道等の騒音除外値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間						
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2					3	4	5			
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2	3					4	5				
AP	69.5	72.1	73.0	78.2	81.3	79.0	80.4	81.2	77.9	76.6	72.0	66.9	63.5	71.8	78.8	77.0	78.0	87.6	84.4	86.5	81.6	81.7	75.9	74.0	70.8	76.7	71.4	80.7	70.1	67.9	64.8	70.5	64.0	74.6			
1	63.2	66.3	66.5	72.2	74.5	73.1	74.1	76.0	72.1	69.4	66.4	60.2	52.2	66.1	73.8	70.9	71.9	81.7	77.5	80.5	75.3	75.7	70.1	67.9	64.8	70.5	64.0	74.6	60.8	67.0	59.9	71.3	60.1	65.8	57.6	70.4	
1.25	62.4	64.7	66.7	71.3	74.6	72.0	73.4	73.4	71.1	69.3	64.5	57.6	50.7	65.2	73.0	70.0	70.9	80.3	77.8	78.7	74.8	75.6	68.7	67.4	63.6	69.4	63.0	73.8	63.6	69.4	63.0	73.8	63.6	69.4	63.0	73.8	
1.6	60.8	64.1	64.8	69.5	73.1	70.6	72.8	72.8	69.6	68.4	63.2	56.1	49.8	62.6	69.8	68.5	69.6	79.1	76.1	78.3	73.9	73.1	67.7	65.9	62.5	68.1	60.7	72.5	62.5	68.1	60.7	72.5	62.5	68.1	60.7	72.5	
2	59.8	61.7	63.2	68.9	72.1	69.4	70.8	71.4	68.6	68.3	62.8	54.3	48.5	61.6	69.5	68.2	68.1	78.3	74.8	77.2	71.7	71.8	66.7	64.8	60.8	67.0	59.9	71.3	60.8	67.0	59.9	71.3	60.8	67.0	59.9	71.3	
2.5	58.9	61.2	60.9	67.9	71.0	68.6	70.0	70.9	67.0	66.5	60.7	54.0	46.8	60.0	66.1	66.5	67.9	77.2	74.5	76.4	70.7	70.8	65.8	63.4	60.1	65.8	57.6	70.4	60.1	65.8	57.6	70.4	60.1	65.8	57.6	70.4	
3.15	56.9	59.6	60.3	66.6	69.0	66.9	67.6	69.3	65.2	65.1	59.3	51.5	46.1	58.9	64.8	64.5	66.0	75.7	72.8	74.7	69.9	69.2	63.7	61.3	58.3	64.1	56.6	68.6	58.3	64.1	56.6	68.6	58.3	64.1	56.6	68.6	
4	54.9	58.4	58.0	64.8	68.3	65.1	66.1	66.8	64.0	63.2	56.9	51.1	44.5	56.1	62.3	62.7	64.2	74.2	71.8	73.6	68.1	68.2	62.1	59.6	56.7	62.4	54.3	67.2	56.7	62.4	54.3	67.2	56.7	62.4	54.3	67.2	
5	53.1	55.9	56.4	62.7	66.3	64.0	65.6	66.2	62.4	61.4	54.5	48.1	43.1	55.0	60.8	61.4	63.1	72.6	69.7	72.3	65.9	66.3	60.9	58.0	54.5	60.8	53.0	65.6	54.5	60.8	53.0	65.6	54.5	60.8	53.0	65.6	
6.3	51.6	53.8	54.4	61.4	64.4	61.5	63.5	63.3	59.7	59.6	53.0	47.1	43.2	53.7	59.0	59.7	61.8	70.9	67.5	69.6	64.7	64.3	58.3	55.7	52.7	58.8	52.0	63.6	52.7	58.8	52.0	63.6	52.7	58.8	52.0	63.6	
8	49.0	51.6	53.4	59.1	62.4	60.3	62.1	62.4	57.6	57.7	51.6	47.3	45.0	51.5	56.3	57.6	58.7	69.3	66.2	67.7	62.9	62.2	56.0	53.9	50.3	57.4	50.9	61.6	50.3	57.4	50.9	61.6	50.3	57.4	50.9	61.6	
10	49.1	50.4	51.7	56.7	59.9	58.8	59.2	59.8	55.9	56.5	51.0	49.6	48.5	50.3	54.0	55.4	56.7	68.0	63.7	65.8	61.1	60.5	54.0	52.1	49.4	55.9	49.7	59.7	49.4	55.9	49.7	59.7	49.4	55.9	49.7	59.7	
12.5	50.4	50.7	51.7	54.9	58.2	56.8	57.6	58.2	54.6	55.1	52.6	52.6	52.4	51.3	53.3	54.5	55.5	64.9	61.8	63.9	59.5	58.8	52.7	51.3	50.6	55.2	52.3	58.1	50.6	55.2	52.3	58.1	50.6	55.2	52.3	58.1	
16	50.3	50.8	52.0	53.6	56.7	54.8	56.0	56.6	53.1	54.5	52.9	52.4	52.4	51.3	51.8	52.8	54.0	63.2	59.7	61.7	57.4	56.9	51.3	50.6	50.6	54.3	51.8	56.4	50.6	54.3	51.8	56.4	50.6	54.3	51.8	56.4	
20	50.9	52.1	52.1	52.5	56.4	54.2	55.3	55.6	52.8	52.9	53.1	53.7	52.1	52.4	52.8	52.9	52.4	61.4	58.0	59.6	55.0	54.6	50.4	50.9	51.5	53.9	52.4	55.0	51.5	53.9	52.4	55.0	51.5	53.9	52.4	55.0	
25	51.2	51.5	52.5	53.0	55.1	53.5	55.2	55.3	52.8	53.5	53.1	53.6	52.1	52.4	51.9	51.6	51.0	59.4	55.9	57.1	53.0	52.7	49.6	50.9	51.4	53.8	52.3	53.5	51.4	53.8	52.3	53.5	51.4	53.8	52.3	53.5	
31.5	49.7	51.9	53.0	53.4	54.5	53.5	54.5	54.8	54.2	54.5	52.9	53.3	53.6	52.2	51.8	50.2	50.6	57.5	54.1	55.1	51.2	51.2	49.0	49.1	50.8	53.9	52.5	52.0	50.8	53.9	52.5	52.0	50.8	53.9	52.5	52.0	
40	48.9	52.1	54.0	53.6	54.6	53.2	53.4	53.3	55.3	52.7	53.5	53.1	52.6	52.1	48.9	49.8	51.2	54.9	51.4	53.2	48.9	48.7	46.4	48.0	50.5	53.7	51.2	50.3	50.5	53.7	51.2	50.3	50.5	53.7	51.2	50.3	
50	50.0	52.3	55.0	52.8	53.9	53.7	52.9	53.6	54.5	53.4	53.0	54.4	52.5	53.4	50.2	51.7	49.0	54.2	50.6	53.2	49.0	49.8	46.8	47.2	51.2	53.7	52.0	50.2	51.2	53.7	52.0	50.2	51.2	53.7	52.0	50.2	
63	47.5	51.3	55.0	52.6	52.9	52.2	51.4	51.7	54.7	52.0	52.7	53.0	52.0	53.6	48.7	50.3	46.8	52.8	48.9	51.6	46.9	46.7	44.4	43.4	49.4	52.8	51.4	48.0	49.4	52.8	51.4	48.0	49.4	52.8	51.4	48.0	
80	44.0	47.2	52.1	51.7	50.5	49.5	49.3	51.8	51.7	48.8	49.2	49.2	48.4	51.6	45.4	46.2	43.3	51.0	45.4	46.4	42.4	43.3	41.4	39.6	45.6	50.4	48.5	44.3	45.6	50.4	48.5	44.3	45.6	50.4	48.5	44.3	
G特性	L5	67.6	67.4	69.0	73.1	76.6	74.4	74.5	76.0	71.7	71.9	69.0	68.9	68.7	68.4	70.5	71.7	73.1	83.6	80.0	82.3	76.6	76.0	69.7	68.1	67.5	72.5	69.2	75.7	67.5	72.5	69.2	75.7	67.5	72.5	69.2	75.7
	L50	62.8	64.0	64.4	64.5	66.7	65.7	65.9	66.8	65.1	65.5	65.4	65.8	64.7	64.1	64.3	64.8	63.5	68.0	67.4	67.3	64.1	64.7	62.3	63.2	63.4	65.6	64.4	65.0	63.4	65.6	64.4	65.0	63.4	65.6	64.4	65.0
	L95	58.2	61.0	60.9	60.7	61.6	61.3	61.5	62.4	61.9	62.0	62.6	62.8	60.9	61.3	61.1	59.9	59.3	62.0	62.8	61.4	60.1	60.3	58.5	59.7	59.6	61.8	61.1	60.4	59.6	61.8	61.1	60.4	59.6	61.8	61.1	60.4
	Leq	63.9	64.7	65.4	67.3	70.5	68.8	69.9	70.2	67.0	67.6	66.2	66.2	65.3	65.1	66.1	66.7	67.3	76.7	73.3	75.2	70.6	70.2	64.8	64.4	64.3	68.3	65.5	71.9	64.3	68.3	65.5	71.9	64.3	68.3	65.5	71.9




測定値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間					
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2					3	4	5		
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2	3					4	5			
AP	72.9	75.5	78.0	84.0	85.3	87.3	89.1	84.8	82.3	78.7	76.1	71.4	70.3	76.8	84.9	84.2	83.1	89.5	91.8	90.7	88.7	86.7	83.0	78.7	74.2	81.7	77.3	86.3	74.2	81.7	77.3	86.3	74.2	81.7	77.3	86.3
1	66.6	69.0	71.6	77.6	78.2	80.6	82.0	78.6	75.7	72.1	69.6	64.1	61.3	69.7	78.5	78.5	77.0	82.9	84.7	83.7	81.6	80.5	76.4	72.0	67.8	75.0	69.8	79.7	67.8	75.0	69.8	79.7	67.8	75.0	69.8	79.7
1.25	65.4	67.6	70.2	76.6	77.9	79.3	81.7	77.4	75.2	71.2	68.9	62.4	60.2	69.2	77.5	76.7	75.8	81.9	84.4	83.2	81.2	79.3	75.9	71.2	66.5	74.1	69.0	78.8	66.5	74.1	69.0	78.8	66.5	74.1	69.0	78.8
1.6	64.9	67.0	69.9	75.6	77.3	78.8	81.0	76.1	74.0	70.0	67.4	61.2	59.6	68.9	76.8	76.0	75.0	81.1	83.6	82.8	80.5	78.2	74.8	70.8	66.0	73.1	68.4	78.1	66.0	73.1	68.4	78.1	66.0	73.1	68.4	78.1
2	63.1	65.2	68.9	74.9	76.2	78.0	79.9	75.6	72.8	69.5	66.3	60.4	58.3	67.9	75.0	74.4	73.7	80.5	82.3	81.4	79.7	77.4	73.5	69.9	64.2	72.3	67.1	77.0	64.2	72.3	67.1	77.0	64.2	72.3	67.1	77.0
2.5	62.2	64.6	67.2	73.7	74.7	77.4	78.9	74.5	71.8	68.4	65.3	58.7	57.2	66.4	74.7	74.0	72.6	79.2	81.5	80.0	78.7	76.5	72.5	68.4	63.4	71.1	66.1	75.9	63.4	71.1	66.1	75.9	63.4	71.1	66.1	75.9
3.15	60.1	62.9	66.0	72.3	74.1	76.3	78.0	73.6	70.6	67.0	64.1	56.9	55.1	64.8	73.5	72.2	71.2	78.2	80.2	80.0	77.8	75.0	71.4	67.7	61.5	69.9	64.5	74.9	61.5	69.9	64.5	74.9	61.5	69.9	64.5	74.9
4	58.4	61.4	64.5	71.0																																

低周波音 休日 調査結果(冬季)

測定地点: C 対象事業実施区域(南西)
 測定期間: 2月2日(土)~2月3日(日)
 鉄道等の騒音除外値

項目	昼間																		夜間					朝	昼間	夕	夜間		
	朝						夕						夜間																
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4					5	
AP	86.5	77.9	80.6	84.0	81.4	88.5	88.5	88.6	88.2	83.9	79.7	74.6	74.5	79.7	87.4	87.1	86.9	94.3	94.3	91.8	94.1	89.7	88.0	85.3	82.2	83.8	80.5	90.2	
1	78.3	71.8	73.8	77.0	74.2	81.1	81.2	82.6	80.3	76.4	73.0	67.1	67.2	72.7	80.7	79.5	79.4	86.7	86.3	83.8	86.1	82.3	81.0	78.4	75.1	76.7	73.5	82.6	
1.25	79.3	70.5	73.0	76.5	73.8	80.9	80.8	80.7	80.6	76.7	72.5	66.5	66.7	72.2	79.3	79.3	79.5	86.2	85.9	83.6	86.1	81.4	80.2	77.9	74.9	76.2	72.7	82.2	
1.6	78.7	69.7	72.8	75.9	73.7	80.2	80.0	79.8	80.4	76.1	71.5	65.0	65.5	71.2	79.0	78.3	78.5	85.4	85.9	83.3	85.3	81.7	79.8	77.2	74.2	75.5	71.9	81.7	
2	78.0	68.5	71.8	75.4	72.6	79.5	79.6	79.5	79.6	75.5	70.6	64.1	64.2	70.6	78.8	79.3	78.1	85.0	85.3	83.3	85.2	80.9	79.0	76.3	73.3	74.8	71.2	81.4	
2.5	76.6	67.5	69.8	73.8	71.1	78.7	78.4	78.4	78.4	73.4	69.1	62.3	62.9	69.8	77.4	77.6	76.8	84.2	84.8	82.2	84.3	80.1	78.0	75.7	72.1	73.3	70.0	80.4	
3.15	75.7	67.3	68.4	73.0	69.9	77.6	77.3	77.2	77.4	72.9	67.9	60.8	60.8	67.7	76.0	75.7	76.2	83.5	83.8	80.9	83.5	78.8	77.0	74.1	71.5	72.2	68.2	79.3	
4	73.3	64.1	66.9	70.9	68.5	76.2	76.3	75.6	75.6	71.1	66.2	59.3	59.0	66.4	75.1	75.2	74.6	82.6	82.6	80.0	82.6	77.5	75.8	72.7	68.7	70.7	66.8	78.2	
5	72.5	62.3	65.1	69.5	66.3	74.6	74.8	74.2	74.2	69.2	64.6	57.7	57.1	64.3	73.5	72.5	72.8	81.5	81.3	78.6	81.4	76.1	74.2	71.0	67.4	69.0	65.0	76.6	
6.3	70.1	60.8	62.6	67.3	64.7	72.9	73.4	72.5	71.9	67.4	62.4	56.0	55.6	62.8	71.5	71.7	70.9	80.0	80.1	77.1	79.9	74.4	72.1	69.0	65.5	67.1	63.3	75.0	
8	68.8	58.5	60.7	65.9	62.6	71.4	71.5	71.0	70.3	65.3	60.9	54.9	54.3	60.5	70.2	69.1	69.5	78.6	78.3	75.5	78.2	72.8	70.5	67.1	63.7	65.5	61.7	73.5	
10	66.2	57.6	59.0	64.2	61.8	69.5	69.7	68.6	68.4	63.7	59.5	55.4	54.5	58.8	68.1	68.1	67.9	76.9	76.8	73.5	76.3	70.5	68.4	65.0	61.9	64.0	60.5	71.3	
12.5	64.4	55.9	57.9	62.3	60.3	67.4	67.8	66.7	66.8	61.6	58.8	56.8	55.5	58.1	66.1	65.6	65.7	75.1	74.9	72.0	74.6	68.9	66.8	63.0	60.2	62.6	59.9	69.6	
16	62.6	54.5	57.5	60.4	59.0	66.0	66.0	65.1	65.1	59.7	57.1	55.7	55.9	57.4	64.4	64.0	63.8	73.2	73.1	69.9	72.8	66.9	64.9	61.5	58.6	61.5	59.2	67.8	
20	61.6	55.1	58.2	59.1	57.5	67.1	65.5	64.3	64.6	58.5	58.4	64.1	60.4	61.7	63.1	62.1	61.9	71.4	71.2	67.9	70.8	64.8	64.0	61.8	58.4	61.7	61.7	66.2	
25	59.8	53.6	58.4	57.8	58.7	63.6	63.4	62.2	61.6	61.0	57.4	60.0	58.8	58.8	61.5	59.8	60.1	69.5	69.3	66.1	68.8	62.8	61.8	59.4	56.7	60.5	59.7	64.2	
31.5	58.5	52.1	58.3	58.4	55.8	62.2	61.7	62.3	60.1	59.7	57.3	60.6	58.3	57.4	59.5	57.8	58.0	67.7	67.6	64.0	66.8	60.6	59.9	59.7	55.3	59.4	58.4	62.5	
40	56.0	50.8	57.4	54.8	54.0	60.8	61.3	59.2	59.7	53.9	57.2	59.1	58.7	57.0	57.3	55.8	55.9	65.6	65.5	61.9	65.1	58.6	59.0	56.7	53.4	57.7	57.7	60.5	
50	54.7	53.3	63.9	55.0	54.8	60.8	60.7	57.1	57.6	56.0	56.3	58.5	61.8	63.5	65.0	53.9	54.3	63.4	63.3	59.7	62.5	56.7	56.6	56.0	54.0	58.1	60.4	58.5	
63	52.8	50.1	58.9	53.4	52.3	57.6	56.7	54.7	54.1	55.8	55.2	57.0	57.7	56.8	53.9	51.3	51.7	60.6	60.5	56.6	59.6	53.8	52.9	53.1	51.5	55.6	56.1	55.6	
80	50.3	49.2	55.4	50.3	50.4	55.2	53.6	55.9	51.9	53.5	55.8	55.4	55.3	52.3	49.4	48.8	58.0	58.0	52.6	56.1	49.9	50.9	50.3	49.8	53.6	54.3	52.7		
G特性	L5	81.9	72.2	76.0	79.4	77.6	85.3	84.8	84.2	83.6	79.2	76.5	79.5	76.7	78.7	83.5	83.0	82.9	92.1	91.8	89.0	91.7	86.5	84.8	81.3	77.1	80.6	79.6	87.0
	L50	72.8	67.2	69.8	70.8	69.9	77.9	77.2	76.1	77.1	70.9	69.6	71.0	69.1	70.3	74.0	71.7	73.7	83.1	83.0	79.5	83.0	76.0	73.5	72.0	70.0	73.0	71.1	77.3
	L95	65.1	63.8	65.4	63.5	65.0	69.7	70.4	68.4	69.5	65.0	63.8	64.0	64.5	65.8	65.4	65.4	65.8	73.4	74.0	70.3	72.1	66.7	64.5	63.9	64.5	66.6	65.2	68.5
	Leq	76.3	68.5	71.5	74.0	72.3	80.1	79.7	78.7	78.7	73.7	71.7	74.4	71.6	72.9	77.9	77.3	77.2	86.5	86.3	83.2	86.0	80.2	78.5	75.5	74.0	76.7	75.0	83.0




測定値

項目	昼間																		夜間					朝	昼間	夕	夜間	
	朝						夕						夜間															
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4					5
AP	82.5	82.7	84.8	86.9	87.1	88.3	88.3	89.0	89.0	86.3	79.7	74.6	75.2	79.7	88.9	90.1	89.5	94.3	94.3	93.8	94.2	90.7	88.0	85.4	82.6	85.4	81.3	91.1
1	75.3	75.9	77.5	79.6	79.8	80.9	81.0	81.8	81.5	78.2	73.0	67.0	68.1	72.7	81.7	82.2	82.0	86.7	86.3	85.6	86.2	83.0	81.0	78.4	75.6	78.0	74.2	83.5
1.25	75.2	75.1	77.0	79.4	79.5	80.6	80.7	81.1	81.0	78.6	72.5	66.5	67.3	72.2	81.2	82.2	81.5	86.2	85.9	85.6	86.2	82.5	80.2	77.9	75.2	77.7	73.6	83.1
1.6	74.5	74.4	76.8	78.8	78.7	80.0	79.8	80.7	80.7	78.0	71.5	65.0	66.1	71.2	80.5	81.8	81.1	85.5	85.9	85.3	85.4	82.4	79.8	77.3	74.5	77.0	72.6	82.7
2	73.5	73.9	76.0	77.9	78.3	79.3	79.4	80.3	80.3	77.5	70.6	64.1	64.9	70.6	79.8	81.3	80.2	85.0	85.2	84.8	85.2	81.9	79.0	76.3	73.7	76.4	71.8	82.1
2.5	72.7	72.7	75.0	76.9	77.5	78.5	78.3	79.0	79.3	76.6	69.0	62.3	63.5	69.8	78.9	80.3	79.7	84.2	84.7	84.2	84.4	81.1	78.0	75.8	72.7	75.2	70.7	81.4
3.15	71.1	71.7	73.2	75.9	75.9	77.3	77.2	78.0	77.9	75.7	67.9	60.7	61.8	67.7	77.9	79.2	78.5	83.5	83.7	83.2	83.6	79.9	77.0	74.1	71.4	74.0	69.1	80.3
4	69.0	69.7	71.6	74.4	74.2	75.8	76.1	76.8	76.8	74.0	66.2	59.3	60.0	66.4	76.7	78.3	77.6	82.6	82.5	82.3	82.8	78.7	75.8	72.7	69.4	72.5	67.7	79.3
5	67.6	67.8	70.4	72.4	72.9	74.2	74.6	75.3	75.2	72.2	64.5	57.7	58.1	64.3	75.2	76.8	76.4	81.5	81.2	80.8	81.5	77.2	74.2	71.1	67.7	70.9	65.9	77.9
6.3	65.5	65.4	68.3	70.9	71.3	72.5	73.1	73.7	73.3	70.5	62.4	55.9	56.4	62.8	73.5	75.2	74.8	80.0	80.0	79.3	80.0	75.5	72.1	69.0	65.5	69.2	64.2	76.2
8	63.8	63.9	66.4	69.1	69.3	70.9	71.2	71.8	71.3	68.4	60.8	54.9	55.4	60.5	71.9	73.6	72.9	78.6	78.2	77.7	78.3	73.9	70.5	67.1	63.9	67.4	62.6	74.5
10	61.8	62.2	64.4	67.3	67.8	69.0	69.5	69.8	69.5	66.6	59.4	55.4	55.3	58.8	70.1	71.9	71.1	76.9	76.8	75.9	76.4	72.0	68.4	65.1	62.0	65.9	61.4	72.7
12.5	60.4	60.7	62.7	65.5	65.9	67.0	67.6	68.1	67.5	64.8	58.7	56.8	56.8	58.1	68.2	70.1	69.4	75.1	74.9	74.2	74.7	70.2	66.8	63.1	60.6	64.5	60.8	70.9
16	59.0	59.3	61.5	63.8	64.2	65.5	65.9	66.0	65.8	63.5	58.1	57.6	56.9	57.4	66.6	68.0	67.6	73.2	73.1	72.3	72.9	68.1	64.9	61.5	59.2	63.2	60.3	69.1
20	59.7	60.2	64.0	62.4	63.3	66.5	65.7	65.0	65.1	62.1	58.4	64.0	61.5	61.7	64.8	66.5	65.8	71.5	71.1	70.5	70.9	66.1	64.0	61.8	60.0	63.7	62.7	67.6
25	59.3	59.6	60.2	61.3	62.5	63.4	63.9	63.8	62.8	64.4	57.4	60.5	59.8	58.8	63.0	64.5	64.2	69.5	69.2	68.5	68.9	64.2	61.8	59.5	59.5	62.0	60.5	65.6
31.5	58.8	59.9	59.5	60.7	60.6	62.3	62.1	60.8	62.3	62.1	60.8	57.3	59.9	59.5	57.4	61.4	62.5	62.1	67.7	67.5	66.6	66.9	62.0	59.9	59.7	59.4	60.7	63.9
40	56.5	58.2	59.9	59.8	59.6	60.6	61.3	60.3	61.8	59.7	57.2	59.1	59.3	57.0	59.3	61.1												

低周波音 休日 調査結果(冬季)

測定地点: J 高速道路南側
 測定期間: 2月2日(土)~2月3日(日)
 鉄道等の騒音除外値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間
	朝					昼					夜							朝													
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8				
AP	71.8	74.0	78.5	85.2	83.6	91.5	92.0	89.7	80.5	85.7	78.7	74.0	69.4	76.9	85.4	86.7	82.5	90.7	91.3	90.4	92.4	83.3	78.6	76.6	72.9	83.9	77.2	85.8			
1	66.3	68.2	72.8	79.4	77.2	84.7	84.9	83.4	75.7	78.6	72.3	67.1	61.7	70.5	79.6	80.9	76.6	84.6	85.3	84.2	86.1	77.4	72.9	71.0	67.3	77.6	70.6	79.9			
1.25	64.0	67.2	71.5	77.8	76.3	84.1	84.1	82.6	73.8	78.3	71.3	65.7	60.5	69.8	77.9	79.8	75.9	83.2	84.0	83.7	85.4	76.5	71.9	70.0	65.6	76.6	69.4	78.9			
1.6	62.7	65.7	70.4	77.4	75.3	83.0	83.7	81.3	72.2	77.5	70.6	64.2	60.3	68.7	77.7	78.4	74.1	82.4	82.9	82.0	84.1	74.8	70.3	68.0	64.2	75.6	68.9	77.4			
2	60.8	63.6	67.8	76.0	74.2	82.3	83.1	80.5	70.3	76.2	69.3	63.3	57.8	67.0	75.5	77.1	72.7	81.5	82.1	81.0	83.0	73.7	67.9	66.2	62.2	74.3	66.8	76.1			
2.5	59.4	61.1	67.9	74.3	73.1	81.2	81.9	78.9	69.1	75.7	67.3	61.5	55.9	66.0	74.6	75.7	71.6	80.1	80.5	79.6	81.5	72.9	67.4	65.1	60.3	73.1	65.5	74.9			
3.15	58.3	59.9	65.9	72.8	72.0	80.2	80.9	78.2	66.9	74.6	66.4	60.4	54.6	64.2	73.4	74.6	70.5	79.0	79.6	78.3	80.5	71.2	66.0	64.0	59.1	71.8	64.1	73.7			
4	56.3	58.8	64.9	71.3	70.3	78.8	79.5	76.6	65.1	72.9	64.4	59.0	53.6	63.0	72.1	72.9	68.5	77.4	77.9	76.8	79.1	69.6	64.7	62.0	57.6	70.3	62.9	72.1			
5	54.5	57.1	62.4	69.5	67.9	77.8	78.4	75.4	63.1	71.5	63.2	57.8	51.8	61.0	70.2	71.5	66.3	75.9	76.6	75.9	78.0	67.7	63.0	60.5	55.8	68.7	61.0	70.6			
6.3	53.0	55.2	60.2	67.7	66.8	76.1	76.7	73.5	61.0	70.6	61.4	56.2	50.5	59.7	68.2	70.0	64.5	73.9	75.8	74.3	76.5	66.3	61.2	59.0	54.1	67.0	59.5	69.1			
8	51.7	54.5	58.8	66.1	66.3	74.7	75.1	71.8	59.3	68.4	59.6	55.4	50.6	58.2	66.4	68.3	63.2	72.6	73.8	72.4	75.0	64.5	59.6	57.3	53.1	65.6	58.4	67.4			
10	53.7	53.8	57.5	64.5	64.1	72.9	73.5	70.4	57.8	66.9	59.0	57.0	53.7	56.9	64.9	66.6	61.6	71.1	72.3	71.0	73.4	63.3	58.3	56.1	53.8	64.4	58.5	66.0			
12.5	56.0	55.6	57.6	63.2	62.3	71.3	71.7	69.0	57.4	65.8	59.1	58.8	55.1	57.1	63.3	64.6	60.6	69.4	70.4	69.0	71.3	62.1	58.2	56.4	55.8	63.6	58.5	64.7			
16	55.3	55.8	56.9	61.7	60.8	69.5	70.2	67.0	56.9	64.1	58.9	59.1	55.0	56.6	61.9	62.9	59.0	67.7	68.6	67.3	69.7	60.6	56.6	55.7	55.6	62.5	57.8	63.1			
20	56.6	57.0	57.3	60.4	60.2	67.6	68.3	65.3	57.3	63.0	59.5	59.9	56.2	57.0	60.9	61.8	58.8	65.6	66.6	65.4	68.0	59.0	56.1	55.9	56.8	61.9	58.0	61.9			
25	55.0	55.4	55.9	58.8	58.7	65.4	66.2	63.2	56.1	61.3	58.5	59.1	55.0	55.5	58.5	59.9	56.5	63.4	64.6	63.1	65.6	56.9	53.9	54.6	55.2	60.3	56.3	59.8			
31.5	54.3	55.3	55.4	57.1	58.0	63.4	64.0	61.0	56.6	59.6	57.8	58.4	55.2	54.7	56.8	58.2	55.1	61.1	62.3	60.8	63.2	55.1	53.4	53.3	54.8	59.1	55.6	58.1			
40	54.5	54.7	55.3	55.6	56.1	60.7	61.6	58.8	56.4	58.1	57.0	58.4	55.7	55.9	55.4	56.4	54.5	58.6	59.9	58.3	60.6	54.1	51.8	52.6	54.6	57.8	55.7	56.3			
50	54.5	54.6	54.9	55.6	55.8	58.5	59.2	57.3	55.4	57.8	57.1	58.6	55.7	55.4	54.8	56.0	55.0	56.8	57.7	56.5	58.0	54.5	52.3	52.1	54.6	57.0	55.3	55.4			
63	52.7	53.9	54.4	54.6	54.8	56.3	57.2	55.9	55.7	56.1	55.7	56.8	55.5	54.3	53.8	54.3	53.4	54.8	55.6	54.2	54.8	52.7	51.9	50.8	53.3	55.8	54.5	53.6			
80	49.6	51.0	51.4	52.0	52.6	53.8	54.0	53.7	53.3	54.3	53.1	54.7	52.3	52.8	51.6	52.3	50.3	52.3	52.5	50.7	51.5	50.2	47.5	48.3	50.3	53.3	52.2	50.6			
G特性	L5	74.4	74.1	75.2	81.5	80.0	89.4	83.3	87.3	75.1	84.0	77.1	76.7	72.6	74.9	81.8	83.1	78.6	87.4	88.6	87.3	90.2	79.2	75.6	74.5	74.3	81.0	76.4	82.7		
	L50	66.1	67.2	67.7	69.5	68.7	76.7	76.9	71.9	68.2	70.5	69.3	69.9	67.3	68.0	69.3	70.6	68.9	73.0	74.0	72.7	73.6	69.3	66.1	66.1	66.1	70.9	68.2	70.5		
	L95	61.2	62.4	62.9	63.2	63.2	66.4	65.9	65.3	63.9	64.0	64.5	65.2	63.3	63.4	63.2	63.3	62.6	65.0	65.7	64.6	64.2	61.7	60.4	61.1	61.8	64.5	63.3	63.2		
	Leq	68.9	69.3	70.4	74.9	74.5	82.7	83.3	80.3	70.5	77.4	72.4	72.4	68.6	70.0	75.2	76.4	72.6	80.8	81.8	80.5	82.9	73.6	69.9	69.1	69.1	78.3	72.2	78.8		




測定値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間
	朝					昼					夜							朝													
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8				
AP	72.1	75.9	81.3	87.6	90.1	92.2	92.7	89.9	86.0	85.6	78.6	74.1	70.2	78.8	89.8	89.8	88.5	94.6	93.7	92.6	94.8	86.8	86.4	78.0	74.0	85.8	79.6	89.5			
1	66.3	68.8	75.1	81.3	82.8	85.2	85.5	83.4	79.4	78.5	72.3	67.3	61.2	72.2	83.8	84.0	82.8	88.0	88.2	80.4	79.9	72.5	67.6	79.1	72.4	83.2	71.4	82.2			
1.25	64.0	67.7	74.1	80.4	82.6	84.5	84.7	82.7	78.6	78.2	71.2	65.8	60.1	71.8	82.3	82.4	81.1	87.1	86.3	85.8	87.3	79.4	79.6	71.2	65.9	78.3	71.4	82.2			
1.6	62.8	68.4	73.0	79.4	81.6	83.7	84.4	81.3	77.6	77.5	70.5	64.4	59.8	70.5	81.3	81.1	79.5	86.1	85.0	84.5	86.4	78.7	78.1	69.4	65.6	77.3	70.5	81.0			
2	61.2	65.8	71.2	78.3	81.1	83.1	83.6	80.6	76.5	76.1	69.2	63.4	57.4	69.1	80.1	80.2	78.9	85.3	84.9	83.2	85.3	77.4	76.6	67.6	63.5	76.3	68.9	79.9			
2.5	59.6	63.8	70.4	77.1	80.4	81.9	82.7	79.4	75.6	75.6	67.2	61.6	56.6	68.3	79.2	79.2	77.8	84.1	83.1	81.6	83.9	75.9	76.5	66.7	61.7	75.2	67.7	78.8			
3.15	58.4	63.1	69.1	75.7	79.2	80.9	81.8	78.7	74.9	74.5	66.3	60.5	54.5	66.7	77.8	78.0	76.5	83.1	81.8	80.6	83.8	75.0	74.3	65.5	60.8	74.2	66.3	77.6			
4	56.7	63.5	68.8	74.6	77.7	79.6	80.4	77.3	73.0	72.8	64.3	59.2	54.0	65.3	77.4	76.6	74.6	81.8	80.5	79.1	82.5	73.4	73.6	63.6	60.1	72.8	65.6	76.2			
5	54.9	61.8	66.3	73.0	76.2	78.6	79.4	75.7	71.7	71.4	63.1	57.9	52.6	63.6	75.1	75.3	73.8	80.8	79.3	78.3	81.0	72.5	71.4	61.9	58.4	71.3	63.8	74.9			
6.3	53.6	59.3	64.3	71.0	74.7	76.9	77.6	73.9	70.7	70.5	61.4	56.2	51.9	62.1	73.8	73.9	73.0	79.2	78.0	76.8	79.4	71.3	70.4	60.5	56.5	69.7	62.6	73.6			
8	52.5	58.9	63.1	69.6	73.3	75.4	76.0	72.5	68.7	68.3	59.5	55.5	52.0	60.3	72.4	72.1	71.2	77.8	76.4	75.2	78.2	69.3	68.5	58.5	55.7	68.2	61.6	71.9			
10	54.2	58.0	61.2	68.0	71.5	73.7	74.6	70.9	67.2	66.8	58.9	57.0	54.8	58.9	70.8	70.7	70.1	76.1	75.0	73.7	76.7	67.7	67.3	57.4	56.1	67.0	61.5	70.5			
12.5	56.5	58.3	60.6	66.3	69.9	72.0	72.8	69.3	65.7	65.7	59.0	58.8	56.9	58.7	69.2	68.9	67.8	74.4	73.2	72.2	74.9	66.7	65.3	57.3	57.4	66.0	61.6	69.0			
16	56.4	58.1	60.3	64.8	68.4	70.4	71.1	67.5	63.9	64.1	58.9	59.1	57.3	58.0	67.3	67.3	66.2	72.7	71.3	70.2	73.6	65.5	63.8	56.4	57.3	64.9	60.9	67.4			
20	58.0	58.7	60.1	63.3	66.9	68.5	69.3	65.7	62.8	62.9	59.5	59.9	58.7	58.2	65.7	65.6	65.3	71.0	69.7	68.4	71.8	63.5	62.1	56.6	58.4	63.9	60.9	66.0			
25	56.7	57.7	59.0	61.2	64.8	66.5	67.3	63.7	61.3	61.3	58.4	59.1	58.1	58.1	56.9	63.7	63.8	62.5	68.9	67.6	66.4	69.9	61.7	59.9	55.1	57.2	62.3	64.0			
31.5	55.7	57.2	57.7	59.3	62.7	64.3	65.0	61.4																							

低周波音 休日 調査結果(冬季)

測定地点: M 県営高ヶ原団地
 測定期間: 2月2日(土)~2月3日(日)
 鉄道等の騒音除外値

項目	昼間																		夕					夜間					朝	昼間	夕	夜間
	朝						夕						夜間																			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5								
AP	80.4	80.9	84.3	88.1	85.8	89.5	89.2	88.8	89.3	83.8	77.0	71.3	73.1	75.5	85.0	84.2	87.1	91.3	90.7	91.8	92.0	87.5	82.5	79.4	80.7	84.7	77.9	87.4				
1	72.2	73.2	77.6	80.0	78.6	82.1	81.8	80.7	81.4	77.0	70.0	63.2	65.9	67.9	77.1	77.0	78.9	83.6	81.8	83.7	82.8	79.3	74.8	72.4	72.7	77.2	70.3	79.4				
1.25	71.7	73.0	75.9	79.5	77.2	81.0	80.6	80.3	81.5	75.9	69.4	63.4	65.7	67.3	77.3	75.7	78.6	82.3	82.2	82.9	83.0	78.7	74.7	71.5	72.4	76.5	70.1	78.8				
1.6	71.6	72.4	75.0	79.3	76.8	80.7	79.7	80.5	80.1	74.9	68.5	62.7	64.4	66.8	75.8	75.1	79.3	82.4	81.3	82.2	82.9	78.9	73.4	70.9	72.0	75.8	69.0	78.5				
2	71.5	71.6	75.3	78.6	76.6	79.8	79.9	79.2	79.4	74.5	67.4	62.0	64.1	66.5	75.7	74.6	77.8	81.5	80.9	82.4	82.7	77.8	73.1	69.9	71.6	75.3	68.8	77.9				
2.5	71.1	70.9	74.1	78.4	75.7	79.2	79.3	78.6	79.4	73.6	66.4	61.6	62.9	65.3	74.7	74.2	76.7	81.5	81.2	82.0	82.0	77.8	72.6	69.2	71.0	74.6	67.6	77.5				
3.15	70.5	69.9	73.6	77.3	75.1	79.1	78.2	77.5	78.7	72.9	65.2	60.0	62.0	65.2	74.2	73.5	76.2	80.7	80.1	81.1	81.6	76.7	71.9	68.7	70.2	73.8	67.1	76.7				
4	69.1	69.6	72.4	77.0	74.4	77.9	77.6	77.1	77.7	71.9	64.8	59.1	60.4	64.0	73.7	72.7	75.5	79.4	79.6	80.3	80.7	76.4	70.9	67.4	69.4	73.0	66.0	75.9				
5	68.5	68.0	71.3	75.9	73.1	77.1	76.6	76.8	76.9	70.5	63.3	57.2	58.5	62.0	72.5	71.4	75.0	78.6	78.7	79.6	80.1	75.2	69.6	66.4	68.3	71.9	64.3	75.0				
6.3	66.2	66.3	69.9	74.7	71.7	75.8	75.4	75.5	75.7	69.0	61.6	55.1	56.6	60.1	71.9	70.2	73.5	78.3	77.8	78.8	79.6	74.7	68.7	64.5	66.3	70.4	62.9	74.0				
8	64.4	64.8	68.4	73.5	70.3	74.7	74.0	74.1	74.5	67.1	59.2	53.5	55.0	58.8	69.9	68.4	72.1	77.4	76.7	77.6	78.1	72.9	67.0	62.5	64.6	68.9	61.2	72.5				
10	62.1	63.8	66.2	71.3	68.3	72.9	72.7	72.6	73.0	65.0	57.4	52.3	53.7	57.1	67.8	66.9	70.3	75.6	75.4	76.2	76.6	71.3	64.9	60.3	63.0	67.2	59.5	70.8				
12.5	59.9	61.3	64.0	69.7	66.2	71.1	71.3	71.0	71.0	62.6	57.7	52.2	52.5	55.2	65.7	65.2	68.3	74.0	73.8	74.7	75.6	69.9	62.6	58.4	60.6	65.7	57.8	69.2				
16	57.2	58.8	62.6	67.4	64.4	69.3	69.3	68.6	68.9	60.3	56.7	51.3	51.1	53.4	63.4	62.7	66.0	72.3	71.6	72.7	74.3	67.5	60.8	56.0	58.0	63.9	56.0	67.1				
20	55.3	57.2	59.9	65.0	62.5	67.3	67.5	66.7	66.9	58.0	54.7	53.5	52.0	53.1	61.9	59.9	63.5	70.2	69.7	70.8	71.9	65.4	58.7	54.2	56.3	62.2	55.7	64.9				
25	53.7	55.4	57.5	62.6	60.4	64.8	65.9	64.3	64.4	55.6	55.7	52.3	51.2	51.9	59.1	57.7	61.3	68.2	67.7	68.6	69.4	62.4	56.3	52.1	54.6	60.4	54.1	62.6				
31.5	54.3	55.4	56.1	59.8	58.2	63.0	63.3	61.7	61.6	56.1	55.1	52.5	52.0	53.5	56.9	55.0	58.2	65.4	65.4	66.2	67.2	60.2	55.1	51.9	54.9	58.7	54.1	60.5				
40	50.5	53.6	53.3	56.7	56.0	59.7	60.8	58.7	58.4	52.0	54.3	51.0	51.2	52.2	53.4	51.4	54.5	62.2	62.7	62.8	64.3	56.3	52.2	48.3	52.1	56.1	52.3	57.2				
50	52.5	54.3	54.4	55.5	55.8	57.4	58.9	56.5	57.1	53.7	54.6	52.8	53.7	52.5	54.5	53.2	53.8	59.5	59.8	59.9	61.4	55.0	52.9	51.7	53.4	55.7	53.6	56.4				
63	50.3	52.5	51.8	53.1	53.8	55.6	57.9	54.2	54.3	52.0	52.9	51.5	51.2	52.0	52.1	51.2	53.2	56.3	56.8	56.5	58.1	52.5	50.2	49.5	51.4	53.7	51.8	53.8				
80	46.0	47.9	48.5	49.7	51.7	52.3	53.4	50.4	51.8	47.6	49.1	47.0	45.2	47.1	46.6	45.7	51.2	51.9	52.7	52.0	53.5	47.4	45.0	42.9	47.0	50.2	46.3	49.1				
G特性	L5	77.3	78.5	81.1	86.6	83.8	88.0	88.0	87.3	88.6	79.0	73.6	68.5	68.7	71.7	82.1	81.3	84.8	90.9	90.2	91.4	93.0	86.3	80.3	75.3	77.9	82.5	74.2	85.9			
	L50	66.6	66.9	70.3	76.8	73.3	78.9	79.5	77.1	77.0	71.2	65.8	65.3	64.3	64.9	73.8	72.4	76.7	82.5	80.8	82.7	81.1	77.8	70.5	66.7	66.8	73.5	67.7	76.8			
	L95	61.1	61.3	63.5	66.6	64.3	69.2	66.8	67.9	66.4	64.0	62.2	62.7	61.7	61.6	64.4	64.3	68.1	72.4	70.8	73.8	70.7	69.3	62.4	62.0	61.2	65.4	62.6	68.2			
	Leq	71.1	72.6	75.6	80.6	77.8	82.4	82.5	82.0	82.2	73.9	69.6	65.9	65.3	67.3	77.1	75.9	79.3	85.3	84.9	85.9	86.9	80.8	74.1	69.7	71.9	79.7	73.0	83.0			




測定値

項目	昼間																		夕					夜間					朝	昼間	夕	夜間
	朝						夕						夜間																			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5								
AP	85.9	87.9	89.2	88.9	91.0	91.4	91.8	91.5	93.7	89.9	82.9	75.8	77.5	80.3	89.6	91.9	91.7	94.2	94.1	94.7	94.5	91.8	89.4	87.3	86.9	88.6	82.5	92.2				
1	76.8	79.7	81.1	81.2	83.3	83.2	83.6	83.2	85.0	82.3	75.4	68.2	69.8	72.6	81.5	83.3	83.0	85.5	85.2	85.7	85.6	83.4	81.1	79.0	78.3	80.7	74.6	83.5				
1.25	77.3	79.4	80.9	80.5	82.6	82.8	83.7	83.4	85.0	81.6	74.6	67.8	69.3	72.3	81.0	83.1	83.3	85.2	85.2	85.5	85.5	82.8	80.8	78.4	78.4	80.3	74.2	83.4				
1.6	76.5	78.6	80.4	80.2	82.1	82.5	83.0	82.5	84.8	81.0	74.1	67.3	68.9	71.6	80.7	82.6	82.7	85.2	85.1	85.4	85.1	82.7	80.3	78.4	77.6	79.8	73.7	83.1				
2	76.7	78.4	79.9	79.1	81.5	82.0	82.3	82.0	83.9	79.9	73.6	66.5	68.2	71.2	80.3	82.7	82.0	84.5	84.6	85.0	85.1	82.3	80.0	77.6	77.6	79.1	73.2	82.6				
2.5	76.2	78.1	78.9	78.7	80.8	81.3	81.9	81.3	83.3	79.4	72.7	65.7	67.8	70.5	79.2	81.6	81.6	84.2	84.1	84.6	84.3	81.8	79.2	77.4	77.2	78.4	72.5	82.1				
3.15	75.6	77.3	78.4	78.1	80.1	80.6	80.9	80.7	82.9	79.3	71.8	64.8	66.8	69.5	78.8	81.0	81.0	83.3	83.6	84.2	83.8	81.3	78.5	76.5	76.5	77.8	71.7	81.5				
4	75.1	76.7	77.6	77.6	79.1	79.9	80.0	80.0	82.5	78.2	71.3	63.6	65.7	68.6	77.9	80.4	80.4	82.8	82.7	83.5	83.3	80.6	78.1	75.9	75.9	77.0	70.7	80.9				
5	73.8	75.6	76.6	76.5	78.3	79.1	79.1	79.2	82.0	77.7	70.0	62.1	64.5	67.3	77.3	80.0	79.7	82.0	82.0	82.7	82.7	80.0	77.3	75.1	74.7	76.1	69.7	80.2				
6.3	73.1	74.9	75.8	75.4	77.3	78.0	78.2	78.3	81.0	76.6	68.9	60.2	62.5	65.8	76.6	79.2	79.0	81.3	81.2	82.2	81.8	78.9	76.3	74.2	74.0	75.0	68.3	79.3				
8	71.9	73.6	74.6	74.0	76.1	76.9	76.9	76.9	80.2	75.1	67.2	58.1	60.7	63.9	75.3	78.1	78.0	80.3	80.4	81.1	81.0	77.8	75.2	72.8	72.8	73.6	66.6	78.3				
10	69.7	72.2	72.8	72.3	74.8	75.4	75.5	75.5	78.8	73.6	65.5	56.6	58.8	62.1	73.7	76.8	76.5	79.1	79.2	80.0	79.8	76.4	73.6	71.4	71.0	72.1	64.9	77.0				
12.5	67.8	70.1	71.0	70.6	73.1	73.8	74.0	73.9	77.1	71.8	63.7	55.7	56.8	60.1	72.1	75.1	74.8	77.7	77.6	78.5	78.1	75.0	71.9	69.6	69.0	70.5	63.0	75.4				
16	65.3	67.8	69.0	68.6	71.3	72.2	72.3	72.0	75.2	70.2	61.9	55.1	55.1	58.1	70.2	73.2	73.2	76.2	76.0	76.8	76.6	73.3	69.8	67.4	66.6	68.8	61.1	73.6				
20	63.5	65.7	66.7	66.5	69.4	70.1	70.5	70.1	73.1	67.8	59.8	56.5	55.2	57.0	68.1	71.4	70.9	74.4	74.4	75.0	74.8	71.3	68.0	65.3	64.6	67.1	60.1	71.7				
25	61.5	63.3	64.3	64.0	67.4	68.1	68.8	67.9	70.8	65.6	58.3	57.3	54.8	56.6	65.8	69.4	69.0	72.5	72.4	73.1	72.9	69.2	65.6	62.7	62.4	65.3	59.1	69.6				
31.5	59.4	60.8	61.7	61.5	65.1	65.9	66.5	65.4	68.4	63.3	58.2	57.5	55.3	56.2	63.2	66.8	66.3	70.4	70.2	71.0	70.6	66.6	63.1	60.1	60.1	60.1	63.4	67.2				
40	55.8	57.7	58.5	58.8	62.4	63.1	64.0	62.5																								

低周波音 平日 調査結果(春季)

測定地点: B 対象事業実施区域(北東)
 測定期間: 4月16日(火)~4月17日(水)
 鉄道等の騒音除外値

項目	朝					昼間										夕					夜間					朝	昼間	夕	夜間				
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6					7	8	9	10
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5					5	5	5	5
AP	65.7	68.6	69.2	71.2	72.9	72.1	72.0	69.9	96.7	93.8	96.6	95.2	94.3	93.1	94.3	95.2	88.4	87.2	73.2	65.1	62.7	64.3	62.5	63.4	67.2	80.0	93.9	73.6					
1	51.8	51.1	58.2	62.5	64.8	63.9	64.0	60.4	79.0	86.1	88.7	87.7	86.6	84.4	85.9	86.8	80.6	79.4	65.5	54.5	51.4	54.7	46.2	48.0	51.5	71.5	85.6	63.0					
1.25	51.0	49.8	57.9	61.8	63.9	63.5	63.4	59.2	78.5	85.3	88.4	86.8	85.8	84.4	85.8	86.3	79.8	78.8	65.2	53.5	49.4	53.8	44.4	46.9	50.4	70.9	85.3	62.0					
1.6	49.7	49.5	56.9	60.9	63.4	62.2	62.8	58.7	77.9	85.0	87.7	86.5	85.2	84.1	85.2	86.3	79.8	78.5	64.1	52.9	48.4	52.4	44.6	46.1	49.6	70.2	84.8	61.5					
2	48.7	48.1	55.1	60.1	62.9	61.2	61.8	57.2	77.3	84.7	87.2	85.5	84.6	83.9	84.8	85.9	78.7	78.1	64.1	51.8	47.4	51.2	42.1	44.0	48.4	69.3	84.4	60.4					
2.5	47.9	48.1	54.1	58.9	61.1	59.7	60.8	56.0	76.5	83.8	86.6	84.9	84.3	83.2	84.2	85.1	78.5	77.4	62.6	50.5	47.1	50.0	43.1	44.5	48.0	68.2	83.9	59.9					
3.15	48.1	48.5	53.0	57.7	59.4	58.9	59.9	55.3	75.9	83.2	85.6	84.3	83.8	82.3	83.9	84.5	78.0	76.7	61.5	49.8	47.2	49.9	44.8	45.7	48.3	67.3	83.3	59.8					
4	47.8	48.1	52.6	56.2	58.4	57.3	58.1	54.1	75.0	82.2	84.8	83.5	82.9	81.8	82.9	84.0	77.3	75.6	60.6	48.6	46.3	48.3	45.1	45.6	48.0	66.2	82.5	59.0					
5	46.9	48.6	53.5	55.5	58.2	56.9	56.8	54.3	73.8	81.0	83.8	82.6	82.0	80.9	82.1	83.1	76.0	74.3	59.1	47.4	44.9	46.9	44.0	45.0	47.8	65.6	81.7	57.9					
6.3	46.9	49.6	53.6	55.2	57.6	56.5	55.6	54.7	72.6	80.0	82.9	81.4	81.0	79.8	81.1	82.0	74.6	73.0	57.7	46.8	45.0	46.3	44.0	45.2	48.3	65.0	80.6	57.2					
8	48.1	49.4	51.6	53.0	55.0	54.5	54.1	52.5	70.8	78.3	81.4	80.0	79.5	78.6	79.8	81.0	73.2	71.2	56.1	47.4	46.0	47.0	45.5	46.7	48.8	63.1	79.3	57.1					
10	50.3	51.9	52.9	54.0	56.2	58.8	53.7	55.2	69.0	76.9	80.0	78.4	78.0	78.8	78.1	79.4	71.6	69.8	55.5	50.2	49.1	49.4	48.9	49.9	51.1	63.5	77.6	58.2					
12.5	53.9	54.5	55.6	56.0	56.3	56.6	54.9	55.9	67.7	75.1	78.1	76.6	76.3	75.2	76.5	77.7	70.1	68.2	56.3	54.3	53.4	53.3	53.3	54.0	54.2	63.3	76.0	60.1					
16	54.7	55.5	56.1	56.5	57.3	57.5	55.4	57.3	65.8	73.4	76.5	75.1	74.5	73.5	74.8	75.9	68.4	66.4	55.9	54.4	52.9	53.6	53.8	54.3	55.1	63.1	74.3	59.5					
20	55.3	57.6	57.3	56.9	57.6	57.8	55.7	57.1	64.5	71.7	74.9	73.2	72.9	71.7	73.3	74.4	66.7	64.8	56.0	55.4	53.4	53.6	53.8	55.2	56.5	62.7	72.6	59.3					
25	55.2	58.6	57.1	56.8	57.9	56.4	55.9	56.7	63.0	69.9	73.1	71.6	71.2	70.1	71.6	72.5	65.1	62.8	55.0	54.1	52.0	52.4	52.7	53.7	56.9	61.8	71.0	57.8					
31.5	54.8	58.4	57.3	56.9	57.8	56.4	55.8	56.7	61.6	68.2	71.3	70.0	69.3	68.3	69.9	70.8	63.2	60.9	52.6	52.2	50.6	50.6	50.9	52.2	56.6	61.2	69.2	56.0					
40	54.9	59.6	57.8	57.8	57.7	56.5	55.7	57.3	60.8	66.3	69.3	68.1	67.6	66.4	68.0	68.9	61.2	58.9	51.2	54.4	50.0	49.3	49.6	51.4	57.3	60.7	67.3	55.0					
50	55.6	61.2	59.2	58.6	58.4	57.8	57.3	58.7	60.9	64.6	67.4	66.1	65.4	64.2	65.8	66.8	59.1	56.8	51.0	50.6	49.1	51.0	49.4	51.4	58.4	60.9	65.1	53.9					
63	56.1	59.7	58.1	58.0	57.7	56.4	56.0	57.4	58.7	62.5	65.0	63.9	63.2	62.1	63.4	64.3	57.1	54.6	50.6	49.5	48.5	49.5	51.8	50.5	57.9	59.4	62.9	52.9					
80	52.9	57.0	56.4	55.4	54.3	53.2	54.6	53.6	55.1	58.9	61.7	60.9	60.9	58.6	60.4	61.4	53.5	51.3	46.2	45.6	44.6	48.7	47.9	45.8	55.0	56.4	60.0	49.4					
G特性	L5	69.9	72.3	72.9	72.2	73.8	73.1	71.7	72.6	85.8	92.5	95.1	93.9	93.0	91.8	93.4	84.4	88.8	86.3	72.9	70.6	68.9	69.1	69.4	70.2	71.1	80.4	92.7	76.7				
	L50	66.2	68.3	67.8	68.5	69.2	69.1	67.0	68.6	82.5	86.6	85.0	85.0	84.2	85.2	86.6	73.4	72.1	67.7	67.2	65.5	66.0	66.0	66.9	67.3	77.3	84.8	70.2					
	L95	63.3	65.1	64.8	65.9	66.1	66.6	63.5	66.1	67.4	72.0	75.8	74.4	76.4	76.9	77.5	77.6	65.8	66.0	64.8	63.9	62.2	62.9	62.8	64.0	64.2	68.3	76.9	65.6				
	Leq	67.9	69.8	69.8	69.7	70.5	70.5	68.6	69.9	79.2	86.6	89.7	88.2	87.8	86.7	88.0	89.2	81.6	79.7	69.1	67.7	66.0	66.4	66.6	67.6	69.0	83.4	87.5	80.9				




測定値

項目	朝					昼間										夕					夜間					朝	昼間	夕	夜間				
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6					7	8	9	10
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5					5	5	5	5
AP	66.4	69.8	70.4	71.5	73.0	72.3	72.0	69.9	86.8	93.8	96.4	95.1	94.4	93.3	94.4	95.3	88.3	88.0	72.8	65.1	62.7	64.3	62.5	65.2	68.1	80.1	94.0	73.8					
1	51.9	51.0	60.2	62.8	64.8	63.7	63.8	60.2	79.3	86.1	88.5	87.5	86.5	84.7	86.0	87.0	80.6	80.1	65.2	54.5	51.4	54.7	46.2	48.0	51.5	71.7	85.7	63.1					
1.25	50.9	49.8	58.9	62.0	63.8	63.2	63.2	59.0	78.6	85.3	88.2	86.8	85.9	84.6	85.8	86.4	79.6	79.8	64.8	53.5	49.4	53.8	44.4	46.9	50.4	70.9	85.4	62.1					
1.6	49.6	49.4	58.1	61.1	63.3	61.8	62.7	58.5	77.9	85.1	87.5	86.4	85.3	84.2	85.2	86.3	79.6	79.5	63.7	52.9	48.4	52.4	44.6	46.1	49.5	70.2	84.9	61.5					
2	48.5	48.0	56.1	60.3	62.7	60.9	61.6	57.0	77.4	84.7	87.1	85.6	84.7	84.1	84.8	85.9	78.5	78.9	63.7	51.8	47.4	51.2	42.1	44.2	48.3	69.3	84.5	60.4					
2.5	47.9	48.1	55.6	59.1	61.0	59.5	60.6	55.9	76.6	83.8	86.4	84.9	84.3	83.4	84.3	85.1	78.3	78.4	62.2	50.5	47.1	50.0	43.1	44.7	48.0	68.3	84.0	59.9					
3.15	48.1	48.4	54.7	57.9	59.4	58.6	59.7	55.1	75.9	83.1	85.4	84.2	83.7	82.6	84.1	84.5	77.8	77.4	61.1	49.8	47.2	49.9	44.8	45.8	48.3	67.4	83.5	59.8					
4	47.8	48.1	53.6	56.3	58.3	57.1	57.9	54.0	75.1	82.2	84.7	83.5	82.9	82.0	83.1	84.1	77.0	76.4	60.2	48.6	46.3	48.3	45.1	45.8	48.0	66.3	82.7	59.1					
5	46.9	48.7	54.5	56.6	58.1	56.9	56.6	54.2	73.9	81.1	83.6	82.5	82.1	81.2	82.3	83.3	75.7	75.1	58.6	47.4	44.9	46.9	44.0	45.2	47.8	65.7	81.9	57.9					
6.3	46.9	49.8	54.3	57.5	59.5	56.5	55.4	54.6	72.7	79.9	82.7	81.4	81.1	80.0	81.2	82.2	74.4	73.7	57.3	46.8	45.0	46.3	44.0	45.4	48.4	65.0	80.8	57.2					
8	48.3	50.0	52.9	53.3	55.0	54.5	54.0	52.5	71.0	78.3	81.2	80.0	79.6	78.8	79.9	81.1	73.0	72.1	55.8	47.4	46.0	47.0	45.5	47.3	49.2	63.3	79.4	57.2					
10	50.7	52.5	53.8	54.4	56.2	59.2	53.8	55.2	69.3	76.8	79.8	78.4	78.1	77.0	78.2	79.5	71.3	70.8	55.2	50.2	49.1	49.4	48.9	49.6	50.6	61.6	63.7	77.8	58.3				
12.5	54.0	54.7	55.9	56.1	56.4	56.6	54.9	55.8	67.8	75.0	77.9	76.5	76.3	75.4	76.6	77.9	69.8	69.1	56.2	54.3	53.4	53.3	53.3	54.2	54.4	63.3	76.1	60.2					
16	54.8	55.5	56.2	56.6	57.5	57.7	55.3	57.3	66.0	73.4	76.4	75.0	74.5	73.7	75.0	76.0	68.2	67.2	55.9	54.4	52.9	53.6	53.8	54.5	55.2	63.1	74.4	59.6					
20	55.9	58.1	57.5	57.0	58.0	58.0	55.7	57.3	64.6	71.6	74.7	73.2	72.9	71.8	73.4	74.5	66.5	65.6	56.1	55.4	53.4	53.6	53.8	55.3	57.0	62.8	72.7	59.4					
25	55.8	59.0	57.3	56.9	58.2	57.0	55.8	56.8	63.4	69.8	72.9	71.5	71.2	70.3	71.7	72.6	64.9	63.9	55.0	54.1	52.0	52.4	52.7	53.9	57.4	62.0	71.1	57.9					
31.5																																	

低周波音 平日 調査結果(春季)

測定地点: C 対象事業実施区域(南西)
 測定期間: 測定期間: 4月16日(火)~4月17日(水)
 鉄道等の騒音除外値

項目	朝					昼間					夕					夜間					朝	昼間	夕	夜間				
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1					2	3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2					3	4	5	6
AP	68.5	69.7	71.4	72.0	72.7	74.0	75.3	71.3	88.3	93.7	95.1	95.0	94.7	93.2	90.1	94.1	89.1	91.5	72.6	68.0	67.1	67.4	64.9	68.1	69.1	80.9	92.7	75.9
1	50.1	51.8	60.1	63.4	65.0	65.4	67.9	60.8	81.2	86.5	87.5	87.7	87.1	86.5	83.2	87.4	81.9	84.8	63.5	56.5	57.0	57.6	48.3	50.8	51.0	72.6	85.6	65.3
1.25	50.4	50.4	59.1	61.7	64.2	65.0	66.9	59.3	80.2	85.4	87.3	87.1	86.6	85.2	82.5	86.1	81.6	84.2	63.5	55.1	57.0	56.5	46.8	48.3	50.4	71.6	84.8	64.3
1.6	48.4	48.9	57.4	60.6	62.1	63.8	65.9	58.2	78.7	85.2	86.4	86.4	86.3	85.0	81.6	85.3	80.8	83.3	61.5	53.2	55.3	55.5	45.9	49.1	48.7	70.5	84.3	63.3
2	47.6	48.4	56.5	59.0	60.6	62.4	64.9	57.7	79.6	84.2	85.6	85.7	85.6	84.1	80.1	84.7	79.8	81.8	60.2	52.3	54.7	54.9	44.5	47.2	48.0	69.6	83.3	62.2
2.5	47.9	49.7	55.3	58.1	59.7	61.7	63.2	55.8	78.4	83.1	84.6	84.7	85.0	82.7	79.6	83.7	79.2	81.0	59.3	51.1	53.9	53.6	44.5	45.5	48.8	68.5	82.4	61.3
3.15	49.6	50.9	54.6	57.4	58.3	60.7	62.6	55.8	77.4	82.5	83.4	83.8	83.5	81.8	78.7	82.9	77.8	79.6	58.3	50.9	53.1	53.2	47.0	48.5	50.3	67.7	81.3	61.3
4	52.0	52.0	55.4	57.2	57.9	59.8	61.4	56.2	76.2	81.8	82.8	82.5	82.2	80.7	78.0	82.0	76.5	78.5	57.2	50.7	52.4	52.5	48.4	49.2	52.0	67.1	80.3	60.8
5	50.2	53.7	56.5	57.9	57.7	59.3	60.2	57.2	74.6	80.8	81.9	81.9	81.0	79.2	76.5	80.6	74.9	77.1	55.9	49.1	51.2	51.3	47.6	48.5	52.0	66.8	78.9	59.6
6.3	49.6	53.9	56.0	57.1	57.1	58.1	58.8	57.7	73.3	79.4	80.7	80.4	79.7	78.0	74.8	79.0	73.7	76.0	55.3	48.8	50.1	50.3	47.1	48.9	51.8	65.9	77.5	58.8
8	50.9	52.4	53.5	54.6	54.7	56.2	57.6	55.6	72.1	78.1	79.6	79.3	78.7	76.2	73.8	78.1	72.2	74.7	54.2	49.2	49.9	50.2	48.0	50.2	51.7	64.1	76.2	58.5
10	54.0	54.3	56.4	57.0	56.6	57.6	57.4	58.5	71.0	77.0	78.3	77.6	77.3	74.8	72.2	76.5	71.0	73.3	55.3	52.7	52.5	52.7	51.7	53.8	54.2	64.7	74.8	59.9
12.5	56.6	56.1	57.6	57.9	57.5	58.1	57.9	58.4	69.3	75.4	77.0	76.2	75.7	73.4	71.1	74.9	69.3	71.6	57.8	56.5	55.5	55.9	55.2	56.6	56.4	64.5	73.4	61.5
16	58.0	57.4	57.8	58.4	58.9	59.0	58.4	59.6	67.9	73.9	75.5	74.7	74.2	71.9	69.6	73.6	67.8	70.0	58.3	56.2	55.3	56.3	56.1	57.6	57.7	64.4	71.9	61.2
20	60.7	61.6	59.2	60.6	60.4	62.1	62.6	61.4	66.5	72.5	74.1	73.5	72.9	71.3	68.3	72.4	66.4	68.4	62.1	56.9	56.2	56.3	56.3	60.9	61.2	65.3	70.8	61.8
25	59.0	59.5	59.5	59.3	58.5	59.9	59.9	59.4	65.6	71.1	72.5	72.0	71.2	69.4	66.5	70.6	65.2	67.0	63.9	57.0	54.7	55.2	55.3	59.6	59.3	63.8	69.0	60.9
31.5	58.4	58.8	59.9	58.4	57.8	59.4	60.0	59.0	64.0	69.7	71.2	70.4	69.9	68.1	64.8	68.9	62.7	65.3	59.6	55.0	53.1	53.5	53.9	58.5	58.6	63.0	67.6	58.9
40	58.2	60.4	60.6	58.3	57.3	59.2	58.4	57.8	62.8	67.8	69.8	68.9	68.2	67.2	63.7	67.2	61.3	63.6	58.0	60.8	53.0	53.7	53.5	56.9	59.3	62.1	66.4	58.7
50	58.6	61.2	62.9	58.5	57.9	60.6	58.5	58.4	62.1	68.2	68.2	67.2	67.8	64.7	62.6	65.7	60.4	62.2	56.6	56.6	55.2	54.6	53.0	57.5	59.9	62.3	65.0	58.0
63	57.7	59.0	58.7	58.3	58.3	57.8	56.3	57.3	60.2	64.9	66.7	65.4	64.9	62.5	60.1	63.5	59.1	60.3	55.4	55.3	52.6	53.0	52.2	55.8	58.4	60.4	62.5	56.4
80	52.7	55.7	57.7	56.7	55.1	56.3	54.8	56.7	56.9	61.4	63.6	62.7	62.0	59.0	56.4	60.3	55.5	57.4	53.1	52.0	48.1	49.4	49.0	51.9	54.2	58.2	59.1	53.0
G特性	L5	76.6	77.2	75.3	76.4	75.8	77.3	79.1	76.9	87.0	92.4	93.9	93.2	93.0	91.0	87.7	92.4	87.1	89.5	79.5	73.1	72.2	72.6	72.7	76.2	76.9	82.7	79.5
	L50	69.8	70.9	70.5	71.1	71.1	72.0	71.6	72.0	77.4	84.5	86.0	85.0	84.4	82.2	80.2	83.7	76.1	76.9	71.7	68.6	67.8	68.3	67.7	70.6	70.4	76.1	82.3
	L95	64.7	67.2	67.8	68.1	68.1	68.7	66.9	68.9	69.9	75.8	78.1	76.6	76.0	74.4	73.6	75.0	67.2	68.3	67.0	64.7	63.3	63.9	63.0	65.7	66.0	70.9	74.7
	Leq	72.2	72.7	71.7	72.6	72.4	73.5	73.7	73.2	81.1	87.1	88.6	87.9	87.4	85.4	82.7	86.6	81.0	83.2	74.2	69.6	68.6	69.1	68.9	72.3	72.5	83.2	85.6




測定値

項目	朝					昼間					夕					夜間					朝	昼間	夕	夜間				
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1					2	3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2					3	4	5	6
AP	69.1	69.8	71.4	72.7	73.7	73.3	74.6	72.5	87.5	92.9	95.1	95.0	94.7	92.7	92.3	94.2	89.1	91.5	72.6	71.2	67.0	67.4	66.1	68.1	69.5	80.9	93.2	76.4
1	52.3	51.4	60.1	63.6	64.5	63.8	66.9	62.6	80.6	85.6	87.5	87.7	87.1	85.7	85.0	87.4	81.9	84.8	63.5	55.9	55.4	57.6	49.8	50.8	51.9	72.3	85.9	65.2
1.25	51.0	50.2	59.1	61.8	63.3	63.2	65.9	61.3	79.6	84.8	87.3	87.1	86.6	84.6	84.4	86.3	81.6	84.2	63.5	54.6	55.2	56.5	47.9	48.3	50.6	71.3	85.2	64.2
1.6	49.7	49.0	57.4	60.5	62.0	61.9	64.9	60.1	78.1	84.2	86.4	86.4	86.3	84.3	84.0	85.8	80.8	83.3	61.5	53.2	53.7	55.5	46.8	49.1	49.4	70.2	84.9	63.3
2	48.7	48.4	56.5	59.0	60.8	60.8	63.6	59.2	78.2	83.4	85.6	85.7	85.6	83.9	83.1	84.7	79.8	81.8	60.2	52.0	52.9	54.9	44.8	47.2	48.6	69.3	84.2	62.0
2.5	48.3	49.0	55.3	58.2	59.6	59.9	62.2	58.0	77.3	82.5	84.6	84.7	85.0	82.3	81.8	83.8	79.2	81.0	59.3	50.9	52.2	53.6	44.8	45.5	48.7	68.2	83.0	61.1
3.15	49.7	50.6	54.6	57.3	58.2	59.1	61.4	57.4	76.2	81.7	83.4	83.8	83.5	81.3	81.1	83.0	77.8	79.6	58.3	50.9	51.8	53.2	47.5	48.5	50.2	67.3	82.0	61.2
4	50.8	51.1	55.4	57.2	57.8	58.6	60.3	57.1	75.0	80.8	82.8	82.9	82.2	80.0	80.3	81.8	76.5	78.5	57.2	50.6	51.3	52.5	48.9	49.2	51.0	66.8	80.8	60.7
5	49.8	51.9	56.5	57.7	57.8	58.6	59.1	57.6	73.7	79.7	81.9	81.5	81.2	80.8	78.8	80.8	74.9	77.1	55.9	49.6	50.2	51.3	48.1	48.5	50.6	66.5	79.6	59.6
6.3	49.6	51.8	56.0	56.9	57.1	57.5	57.8	57.2	72.5	78.4	80.7	80.4	79.8	77.7	77.4	79.2	73.7	76.0	55.3	49.3	49.3	50.3	47.5	48.9	50.7	65.5	78.3	58.8
8	51.3	51.7	53.5	54.6	55.4	55.6	56.7	55.3	71.1	77.3	79.6	79.3	78.7	76.2	76.2	78.0	72.2	74.7	54.2	49.8	49.6	50.2	48.6	50.2	51.5	63.8	77.0	58.6
10	54.0	54.4	56.4	56.8	57.1	58.1	56.9	59.1	70.0	76.1	78.3	77.6	77.3	74.8	75.0	76.5	71.0	73.3	55.3	53.4	52.5	52.7	51.9	53.8	54.2	64.6	75.7	60.0
12.5	56.2	56.1	57.6	58.0	58.3	58.6	57.7	58.4	68.7	74.5	77.0	76.2	75.7	73.4	73.5	75.2	69.3	71.6	57.8	56.7	55.6	55.9	55.5	56.6	56.2	64.5	74.2	61.6
16	57.2	57.5	57.8	58.8	59.3	59.5	58.2	58.8	67.3	72.9	75.5	74.7	74.2	72.0	72.0	73.5	67.8	70.0	58.3	57.4	55.7	56.3	56.5	57.6	57.4	64.3	72.7	61.5
20	60.1	60.7	59.2	60.5	61.0	62.5	62.1	61.1	66.2	71.6	74.1	73.5	72.9	70.8	70.6	72.3	66.4	68.4	62.1	59.5	57.4	56.3	58.2	60.9	60.4	65.2	71.4	62.4
25	58.9	59.7	59.5	60.2	60.8	60.5	59.7	59.8	65.2	70.3	72.5	72.0	71.2	69.2	68.8	70.7	65.2	67.0	63.9	60.0	55.4	5						

低周波音 平日 調査結果(春季)

測定地点: J 高速道路南側
 測定期間: 4月16日(火)~4月17日(水)
 鉄道等の騒音除外値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間
	朝					昼					夜							朝													
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8				
AP	68.3	68.6	70.7	72.0	72.1	72.3	72.3	70.6	85.0	91.1	93.9	93.5	93.4	91.1	90.7	92.3	88.9	90.4	74.2	66.6	65.8	67.2	66.0	67.3	68.5	79.4	91.7	75.4			
1	52.3	51.0	58.6	62.9	63.5	63.5	65.1	59.7	78.8	84.8	87.6	87.2	87.1	84.7	84.6	86.0	82.6	84.0	68.3	52.3	52.4	54.7	47.9	48.4	51.7	71.2	85.5	64.1			
1.25	51.7	50.3	57.2	61.6	62.4	62.0	63.8	58.6	77.7	83.9	86.8	85.8	85.9	83.9	83.6	85.2	81.5	83.0	66.3	51.2	51.2	52.6	46.0	47.3	51.0	70.0	84.5	62.7			
1.6	50.7	49.6	55.8	59.9	61.2	61.1	62.5	56.7	76.5	83.0	85.8	85.3	85.2	83.0	82.5	84.1	80.5	82.0	65.3	50.6	50.3	51.9	45.7	46.9	50.2	68.8	83.6	61.9			
2	49.3	48.5	55.0	58.7	59.4	59.5	61.0	55.8	75.4	81.3	84.4	84.2	83.8	81.9	81.5	82.8	79.3	81.0	63.0	49.4	48.8	49.9	43.8	45.1	48.9	67.5	82.4	60.3			
2.5	48.9	48.6	53.7	57.8	58.1	58.5	59.4	54.6	74.6	80.6	83.1	83.0	82.8	80.4	79.8	81.6	78.8	80.1	62.8	48.7	47.7	48.5	43.8	44.9	48.8	66.3	81.0	59.7			
3.15	50.0	50.4	54.0	56.4	57.0	57.5	57.9	53.9	72.9	79.4	81.6	82.1	81.5	79.2	78.2	80.4	77.2	78.9	61.8	49.1	48.4	49.3	46.5	47.0	50.2	65.3	79.6	59.8			
4	50.8	50.6	53.9	55.4	55.8	56.6	57.0	53.4	71.4	78.3	80.5	80.6	80.2	77.6	77.2	78.8	75.7	77.3	60.2	48.6	48.3	48.6	47.7	48.0	50.7	64.3	78.3	59.2			
5	50.5	50.7	54.1	54.8	55.5	56.0	55.7	53.4	69.9	76.5	79.4	79.1	79.0	76.0	75.6	77.1	74.1	76.5	58.4	47.9	47.3	48.0	47.0	48.1	50.6	63.4	76.9	58.3			
6.3	50.9	51.3	54.0	54.5	54.8	55.3	54.6	53.8	68.4	75.0	77.8	77.7	77.5	74.8	74.0	75.8	72.7	74.5	57.3	48.2	47.8	48.4	47.4	48.4	51.1	62.6	75.4	57.8			
8	51.4	51.4	53.4	54.7	55.4	55.3	53.7	53.2	66.9	73.3	76.4	76.4	75.9	73.5	72.4	74.2	71.0	73.0	55.7	49.1	48.6	50.0	48.9	50.2	51.4	61.9	73.9	57.9			
10	55.1	56.2	56.8	56.5	56.7	57.3	55.5	55.9	65.7	71.8	74.6	74.9	74.2	71.7	71.0	72.8	69.6	71.2	56.4	54.3	53.5	54.5	54.1	55.2	55.7	62.6	72.3	60.2			
12.5	58.5	58.5	59.2	59.7	59.3	60.0	58.3	58.9	64.7	70.2	73.1	73.2	72.6	70.3	69.7	71.1	67.9	70.2	58.2	58.0	56.9	58.0	57.3	58.6	58.5	63.7	70.9	61.8			
16	58.9	59.2	59.7	60.3	59.6	59.6	58.6	59.2	63.5	68.8	71.6	72.1	71.3	68.7	67.8	69.6	66.7	68.5	57.9	57.8	56.6	58.3	57.8	58.9	59.1	63.3	69.3	61.3			
20	59.0	59.5	59.8	59.9	59.7	60.1	58.6	59.7	62.3	67.1	69.9	70.4	69.4	66.9	66.1	67.9	64.9	66.6	57.2	57.1	56.0	57.3	57.1	58.5	59.3	62.8	67.5	60.3			
25	59.0	58.9	61.2	61.9	60.1	61.1	60.1	60.9	62.3	65.4	68.2	68.6	67.6	64.9	64.2	65.6	63.1	64.7	56.4	56.3	55.6	56.7	56.7	57.3	59.0	63.0	65.6	59.2			
31.5	57.5	57.6	59.4	59.6	59.3	58.7	56.8	60.0	61.2	63.6	66.0	66.7	65.4	63.0	61.8	63.3	61.0	62.4	54.5	54.2	53.2	54.7	54.1	55.5	57.6	61.1	63.4	57.0			
40	57.1	57.8	60.0	59.9	59.6	59.0	57.4	59.4	61.0	62.7	64.9	65.5	63.7	61.8	60.3	61.5	59.4	60.5	55.3	55.3	54.6	55.6	54.9	55.8	57.5	60.9	61.9	57.0			
50	57.0	57.7	59.7	59.6	58.2	60.1	58.3	59.9	60.6	62.2	62.6	61.4	59.6	58.3	59.2	57.7	58.9	55.2	54.6	53.8	55.7	54.5	56.2	57.4	59.7	59.8	56.2				
63	55.8	56.3	57.8	57.1	58.0	58.0	54.8	56.5	58.4	58.2	59.9	60.3	59.1	56.9	56.0	56.7	55.5	56.6	54.2	53.3	52.6	54.2	53.2	55.8	56.1	57.9	57.3	54.7			
80	53.9	54.1	55.3	54.5	54.6	54.8	53.0	54.6	55.9	55.8	56.9	58.0	56.7	54.9	53.6	54.2	54.2	53.8	50.7	49.9	49.3	50.3	50.4	52.2	54.0	55.3	55.1	51.7			
G特性	L5	75.1	75.4	76.1	76.5	75.9	76.3	75.3	75.5	82.1	87.8	90.6	91.3	90.5	87.7	86.5	88.7	85.9	87.6	74.6	74.5	73.3	74.6	74.6	75.6	75.3	80.7	88.2	78.8		
	L50	70.0	70.5	71.5	71.9	71.6	71.6	70.5	71.5	73.1	77.7	80.3	80.0	79.0	77.2	77.1	77.3	73.4	74.4	69.3	69.1	68.0	69.5	68.8	69.8	70.3	74.0	77.8	71.1		
	L95	65.9	66.8	67.4	68.9	68.6	68.3	67.0	68.5	69.1	71.2	72.0	71.5	70.9	70.5	70.3	69.8	67.2	66.6	65.2	64.4	63.4	65.0	63.8	65.9	66.4	69.3	70.6	65.7		
	Leq	71.8	72.2	72.9	73.3	72.7	73.1	71.8	72.7	76.7	81.9	84.7	85.1	84.3	81.8	81.0	82.7	79.7	81.5	70.6	70.4	69.3	70.6	70.2	71.5	72.0	79.7	82.6	77.3		




測定値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間
	朝					昼					夜							朝													
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8				
AP	68.4	68.7	70.7	71.9	72.6	72.4	72.3	70.6	84.9	91.1	94.1	93.9	93.4	91.3	91.2	92.8	89.0	90.6	74.2	66.7	65.8	67.2	66.0	67.5	68.6	79.5	92.0	75.5			
1	52.4	51.0	58.6	62.6	64.1	63.4	64.9	59.6	78.7	84.8	87.5	87.4	87.1	84.7	85.1	86.2	82.6	84.2	68.3	52.2	52.4	54.7	47.9	48.6	51.7	71.2	85.6	64.1			
1.25	51.8	50.3	57.3	61.4	62.9	61.9	63.7	58.5	77.7	84.0	87.0	86.2	86.0	83.9	84.2	85.5	81.7	83.1	66.3	51.1	51.2	52.6	46.0	47.3	51.1	70.1	84.7	62.8			
1.6	50.7	49.6	55.9	59.5	61.6	61.0	62.4	56.7	76.3	82.9	85.9	85.8	85.2	83.3	82.7	84.8	80.5	82.2	65.3	50.5	50.3	51.9	45.8	47.1	50.2	68.8	83.7	62.0			
2	49.3	48.4	55.0	58.4	60.2	60.2	61.6	55.7	75.2	81.3	84.6	84.6	83.8	82.2	81.9	83.5	79.5	81.2	63.0	49.2	48.8	49.9	43.8	45.2	48.9	67.5	82.6	60.5			
2.5	48.9	48.6	53.8	57.4	59.0	58.5	59.2	54.6	74.5	80.6	83.4	83.4	82.8	80.7	80.6	82.4	78.8	80.2	62.8	48.5	47.7	48.5	43.8	45.0	48.8	66.4	81.4	59.7			
3.15	50.0	50.3	54.0	56.2	57.7	57.4	57.9	53.9	72.8	79.4	82.0	82.3	81.6	79.8	79.0	81.2	77.3	79.1	61.8	48.9	48.4	49.3	46.5	47.1	50.2	65.4	80.1	60.0			
4	50.8	50.5	53.8	55.4	56.6	56.5	57.0	53.4	71.3	78.3	81.1	80.8	80.2	78.0	77.9	79.7	76.0	77.4	60.2	48.6	48.3	48.6	47.7	48.2	50.7	64.4	78.7	59.4			
5	50.5	50.7	54.1	54.7	56.2	56.0	55.8	53.4	69.9	76.5	79.9	79.5	78.9	76.8	76.6	78.1	74.3	76.5	58.4	47.9	47.3	48.0	46.9	48.1	50.6	63.8	77.4	58.4			
6.3	50.9	51.2	54.0	54.5	55.5	55.5	54.6	53.8	68.3	75.2	78.1	78.0	77.5	75.3	74.9	76.7	72.9	74.7	57.3	48.2	47.8	48.4	47.4	48.5	51.1	62.8	75.9	58.0			
8	51.5	51.4	53.4	54.9	55.8	55.4	53.8	53.2	66.9	73.4	76.7	76.8	76.0	73.7	73.4	75.0	71.2	73.1	55.7	49.2	48.6	50.0	48.9	50.2	51.5	62.0	74.4	58.0			
10	55.2	56.1	56.8	56.7	57.1	57.4	55.6	55.9	65.5	71.9	74.9	75.1	74.2	72.1	71.9	73.6	69.7	71.4	56.4	54.5	54.5	54.5	54.0	55.2	55.7	62.7	72.7	60.3			
12.5	58.5	58.5	59.1	59.7	59.6	60.2	58.4	58.9	64.6	70.3	73.4	73.5	72.7	70.7	70.6	71.9	68.3	70.3	58.2	58.1	56.9	58.0	57.3	58.5	58.5	63.8	71.3	61.9			
16	58.9	59.2	59.7	60.3	60.0	59.9	58.9	59.2	63.4	68.9	71.9	72.3	71.4	69.1	68.6	70.7	66.9	68.6	57.9	58.0	56.6	58.3	57.8	58.9	59.1	63.5	69.7	61.5			
20	59.0	59.4	59.8	60.0	60.3	60.3	58.9	59.7	62.4	67.3	70.2	70.6	69.5	67.2	67.0	68.9	65.2	66.7	57.2	57.3	56.0	57.3	57.0	58.6	59.2	63.0	67.9	60.5			
25	59.0	58.9	61.1	62.0	60.8	61.2	60.4	60.9	62.5	65.7	68.4	68.9	67.5	66.7	63.4	64.8	66.4	66.3	55.6	56.3	55.6	56.7	56.6	57.4	59.0	63.2	66.1	59.3			
31.5	57.7	57.7	59.3	59.7	59.8	59.1	57.3	60.0	61.4	63.9	66.4																				

低周波音 平日 調査結果(春季)

測定地点:M 県営高ヶ原団地
 測定期間:4月16日(火)~4月17日(水)
 鉄道等の騒音除外値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2					3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2	3					4	5	
AP	65.4	66.8	67.7	70.6	72.8	76.6	79.4	73.5	87.6	95.0	96.9	95.8	94.9	94.4	95.9	96.1	83.2	85.1	72.3	63.8	65.1	66.4	62.6	64.0	66.1	81.6	95.1	73.2						
1	55.7	57.6	57.9	62.4	65.1	68.6	71.6	66.0	79.7	86.3	88.3	87.1	86.1	85.5	87.1	87.1	75.0	76.9	64.7	51.4	56.4	57.9	50.5	51.0	56.7	73.3	86.2	63.4						
1.25	54.4	55.9	57.2	62.0	65.1	67.9	71.3	64.8	79.1	86.2	88.0	87.0	86.3	85.7	87.1	87.3	75.1	77.0	63.9	50.3	55.5	57.4	49.0	50.1	55.2	72.9	86.4	62.8						
1.6	53.5	55.2	55.9	60.5	63.8	67.8	71.0	63.9	78.9	85.9	87.4	86.8	85.7	85.3	86.7	87.1	74.5	76.3	63.7	49.5	55.5	56.3	48.1	49.9	54.4	72.2	85.9	62.3						
2	52.7	54.2	55.2	59.9	62.8	67.1	70.2	64.5	78.2	85.5	87.4	86.3	85.3	85.1	86.5	87.0	73.9	75.6	62.4	47.9	53.9	55.7	46.7	48.5	53.5	71.7	85.6	61.3						
2.5	51.7	53.5	54.5	59.2	61.7	67.0	69.6	62.8	78.0	84.9	86.8	85.6	84.8	84.4	85.9	86.4	72.9	75.3	61.5	47.3	52.8	55.3	46.1	47.3	52.6	71.0	85.0	60.5						
3.15	51.1	52.3	53.9	58.0	60.5	65.6	68.7	62.2	76.7	84.6	86.4	85.4	84.2	83.8	85.4	85.6	72.7	74.5	60.2	47.8	51.7	54.1	47.0	47.8	51.7	70.2	84.5	60.2						
4	50.2	51.6	53.2	57.0	59.7	64.7	67.7	60.9	76.0	83.9	85.7	84.8	83.6	83.1	84.4	84.7	71.8	73.5	60.0	47.0	50.4	52.7	47.0	48.5	50.9	69.4	83.7	59.5						
5	49.4	50.8	52.9	56.1	58.7	63.4	66.6	59.6	75.2	82.9	84.9	83.8	82.6	82.2	83.6	83.8	70.3	72.5	58.6	46.8	48.9	50.8	46.2	47.8	50.1	68.4	82.8	58.4						
6.3	48.9	50.1	52.7	55.3	57.3	61.9	64.7	58.3	73.7	82.1	83.9	82.5	81.8	81.4	82.6	82.9	69.5	71.2	56.9	46.6	48.0	49.8	45.7	47.8	49.5	67.2	81.9	57.6						
8	48.8	49.7	51.3	53.2	55.6	59.9	62.6	56.4	72.3	80.7	83.0	81.5	80.7	80.3	81.7	81.8	68.0	70.1	56.2	47.1	47.8	49.6	46.3	48.8	49.3	65.7	80.9	57.3						
10	49.9	51.1	51.8	53.1	54.9	58.4	60.9	56.5	70.9	79.2	81.7	80.0	79.6	79.2	80.5	80.8	66.8	68.7	55.4	49.6	49.1	49.6	48.2	50.1	50.5	65.4	79.8	57.6						
12.5	51.7	51.7	52.8	53.7	54.6	57.4	59.3	55.1	69.2	77.6	80.1	78.6	78.3	78.1	79.4	79.6	65.7	67.2	55.1	52.3	51.4	51.4	51.0	52.0	51.7	63.8	78.6	58.4						
16	52.3	52.4	53.2	54.3	54.8	56.6	58.0	55.0	67.4	75.7	78.3	77.0	76.9	76.5	77.9	78.2	63.8	65.4	54.4	52.6	51.2	51.9	52.0	52.8	52.4	63.0	77.1	58.0						
20	53.5	55.2	55.5	56.4	56.1	57.2	57.0	56.4	65.5	73.9	76.6	75.2	75.1	74.6	76.4	76.6	62.1	63.5	54.7	53.7	52.1	52.9	52.8	54.3	54.4	63.0	75.4	58.1						
25	52.9	54.5	55.1	54.6	55.3	55.8	55.3	55.3	63.6	71.8	74.6	73.3	73.1	72.5	74.2	74.5	59.6	61.2	53.0	52.1	50.2	51.6	51.4	53.4	53.7	61.5	73.3	56.3						
31.5	53.5	55.7	56.2	56.0	56.5	56.7	56.0	56.5	61.4	69.3	72.4	71.1	70.8	70.1	71.9	72.2	57.9	59.0	53.5	53.1	51.7	52.1	52.5	54.0	54.6	61.2	70.9	56.2						
40	52.1	54.6	56.0	54.8	54.0	54.0	53.7	58.8	66.7	69.9	68.5	68.1	67.2	69.2	69.5	69.5	55.2	56.5	51.4	53.8	49.7	49.8	49.7	51.2	53.4	59.1	68.2	54.1						
50	53.8	54.9	54.2	56.4	56.4	57.3	55.5	55.8	58.4	64.4	67.2	65.5	65.2	64.3	66.0	66.0	66.3	54.4	55.2	51.8	52.1	50.7	51.0	50.7	51.8	54.4	65.2	53.8						
63	54.0	54.5	54.6	55.1	55.6	55.8	55.2	55.6	56.8	61.3	64.6	62.8	62.2	60.6	62.5	62.8	54.0	53.9	52.3	52.1	51.8	52.0	51.7	53.0	54.3	57.7	61.8	53.7						
80	49.3	49.9	52.9	51.8	51.8	51.9	51.4	51.6	53.1	57.1	60.7	59.1	58.4	56.6	58.4	59.0	49.8	50.2	47.6	47.8	46.9	46.2	48.3	49.6	54.1	57.8	49.1							
G特性	L5	68.2	69.6	69.6	70.8	71.4	74.8	77.1	72.3	87.2	94.1	96.7	95.5	94.8	94.3	95.8	96.4	84.1	85.4	70.1	68.8	67.6	68.0	68.0	69.3	86.9	95.0	75.3						
L50	65.1	66.0	66.4	67.8	68.0	67.9	67.9	67.8	74.3	86.2	88.9	87.4	87.4	87.3	88.5	87.4	68.9	66.2	65.6	64.0	64.9	64.6	65.8	65.6	67.4	87.8	98.8	68.4						
L95	62.8	63.8	63.9	65.7	65.7	65.4	64.3	65.2	66.3	77.8	80.6	79.2	79.2	79.7	79.9	79.1	63.1	63.7	63.1	62.2	60.9	62.2	61.6	63.0	63.3	69.4	79.6	64.3						
Leq	65.9	67.0	67.6	68.4	68.7	70.3	71.4	69.0	80.5	88.9	91.4	90.0	89.8	89.4	90.9	91.1	76.9	78.5	67.8	66.0	64.6	65.3	65.2	66.5	66.5	85.2	90.1	82.0						




測定値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2					3	4	5
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	0	1	2	3					4	5	
AP	65.7	68.0	68.8	70.8	73.1	76.5	79.3	73.3	89.1	95.6	97.1	96.2	94.9	94.6	95.9	96.2	83.2	85.1	72.1	63.9	65.2	66.9	62.8	65.7	66.9	82.0	95.1	73.5						
1	55.6	59.4	59.3	62.4	65.2	68.4	71.4	65.7	81.4	86.9	88.4	87.5	86.2	85.6	87.1	87.1	74.9	76.9	64.5	52.0	56.7	58.6	49.6	53.1	57.5	73.7	86.3	63.7						
1.25	54.4	57.2	57.5	61.9	65.1	67.8	71.2	64.5	80.2	86.7	88.3	87.3	86.3	85.8	87.2	87.3	75.1	76.9	63.7	50.7	55.8	58.2	48.4	50.8	55.8	73.1	86.4	63.0						
1.6	53.4	56.0	56.0	60.3	64.0	67.5	70.9	63.7	80.4	86.4	87.6	87.0	85.7	85.3	86.8	87.1	74.5	76.4	63.5	49.7	55.5	56.9	47.5	50.1	54.7	72.4	85.9	62.4						
2	52.6	54.5	55.5	59.8	63.0	66.9	70.2	64.2	79.7	86.0	87.5	86.5	85.3	85.3	86.6	86.9	73.8	75.6	62.1	48.1	54.2	56.3	46.0	48.7	53.6	71.9	85.7	61.3						
2.5	51.7	53.9	54.5	59.1	62.0	66.7	69.5	62.5	79.4	85.5	87.0	86.0	84.8	84.6	86.0	86.3	72.9	75.3	61.2	47.5	53.1	55.7	45.7	47.8	52.8	71.2	85.1	60.6						
3.15	51.1	52.7	53.8	57.9	60.7	65.4	68.6	61.9	78.1	85.1	86.8	85.7	84.3	83.9	85.4	85.6	72.7	74.4	59.9	48.0	52.0	54.4	46.7	48.1	51.9	70.4	84.5	60.2						
4	50.3	51.8	53.2	56.8	59.8	64.4	67.6	60.6	77.7	84.4	86.1	85.1	83.7	83.1	84.5	84.7	71.8	73.4	59.8	47.1	50.5	53.0	47.0	48.4	51.1	69.6	83.8	59.5						
5	49.5	51.2	53.0	56.0	58.9	63.0	66.4	59.3	76.8	83.5	85.2	84.2	82.8	82.3	83.6	83.8	70.3	72.3	58.4	46.9	49.0	51.2	46.1	47.8	50.4	68.6	82.9	58.4						
6.3	49.1	50.6	52.8	55.2	57.5	61.6	64.6	58.0	75.4	82.8	84.2	83.1	81.9	81.5	82.7	82.9	69.5	71.1	56.6	46.6	48.2	50.2	46.0	48.1	49.9	67.5	82.0	57.7						
8	49.0	50.2	51.7	53.2	55.9	59.6	62.5	56.1	74.3	81.4	83.3	82.0	80.8	80.5	81.8	81.8	68.0	69.9	55.9	47.1	47.9	49.8	46.5	48.9	49.6	66.0	81.0	57.3						
10	50.5	52.0	52.6	53.3	55.2	58.3	60.9	56.4	72.8	80.0	82.1	80.6	79.7	79.4	80.6	80.8	66.8	68.5	55.2	49.6	49.2	49.9	48.4	50.5	51.3	65.2	79.9	57.7						
12.5	51.8	52.2	53.6	53.8	55.0	57.3	59.3	55.0	71.0	78.3	80.5	79.1	78.5	78.2	79.5	79.6	65.7	67.0	55.0	52.3	51.4	51.7	51.4	52.3	52.0	64.3	78.7	58.5						
16	52.5	53.4	55.2	54.5	55.3	56.4	57.9	55.0	69.4	76.6	78.8	77.6	77.1	76.7	78.0	78.2	63.8	65.2	54.4	52.6	51.4	52.2	52.3	53.3	53.0	63.7	77.3	58.2						
20	54.0	56.5	57.5	56.6	56.7	57.1	57.1	56.6	67.4	74.9	77.1	75.9	75.2	74.8	76.5	76.7	62.1	63.3	55.0	53.9	52.3	53.0	53.2	55.2	55.3	63.7	75.5	58.3						
25	53.4	56.1	56.5	55.0	56.1	56.0	55.4	55.8	65.6	72.9	75.1	73.9	73.2	72.7	74.4	74.6	59.6	61.0	53.6	52.2	50.3	51.7	52.0	54.3	54.8	62.2	73.4	56.6						

低周波音 休日 調査結果(春季)

測定地点: B 対象事業実施区域(北東)
 測定期間: 4月13日(土)~4月14日(日)
 鉄道等の騒音除外値

項目	昼間																		夜間						朝	昼間	夕	夜間	
	朝						夕						夜間																
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5					
AP	72.6	73.2	75.3	74.6	74.4	73.2	86.7	90.3	89.1	85.4	85.6	89.6	78.9	65.1	64.1	61.0	62.2	61.3	65.1	76.5	76.5	68.1	64.4	69.4	72.9	82.4	69.4	67.2	
1	65.1	65.3	67.7	67.0	67.7	65.4	77.9	81.8	80.1	77.2	78.1	82.4	71.7	53.7	43.0	42.9	50.7	47.4	55.6	68.5	69.4	60.7	57.3	62.4	65.2	74.5	56.1	57.2	
1.25	65.1	65.1	67.3	66.7	67.1	65.0	77.8	81.3	79.9	76.7	77.0	81.7	70.9	52.2	42.8	42.1	50.1	46.4	55.3	68.5	68.8	61.0	56.3	61.5	65.1	74.1	55.3	56.7	
1.6	64.5	64.9	66.7	65.8	65.8	64.1	77.4	81.1	79.9	76.8	76.5	80.9	70.6	51.5	42.8	41.9	49.2	46.3	54.9	68.5	67.8	58.9	55.0	60.9	64.7	73.5	55.0	55.9	
2	63.5	63.7	66.0	65.4	64.5	63.6	77.4	80.7	79.8	75.9	76.2	79.9	69.3	50.0	43.6	40.9	47.9	45.7	52.7	67.7	67.1	58.8	54.0	59.5	63.6	72.9	54.3	54.9	
2.5	62.1	62.7	64.9	64.4	64.0	62.8	77.0	80.3	79.5	75.7	75.5	78.9	68.9	48.9	44.2	41.0	47.0	44.6	52.6	66.5	66.5	57.2	52.4	58.7	62.4	72.3	54.0	54.1	
3.15	60.7	61.5	64.0	63.5	61.8	61.4	76.3	80.0	78.7	75.1	74.8	78.2	67.6	48.2	44.3	41.0	46.3	44.1	51.8	65.5	65.4	55.8	50.9	57.2	61.1	71.4	53.4	53.1	
4	59.5	60.5	62.7	61.7	60.0	60.9	75.6	79.5	78.3	74.2	74.0	77.8	66.4	47.7	43.5	40.4	45.4	42.9	50.4	64.5	64.5	55.1	49.3	55.7	60.0	70.5	52.5	52.0	
5	58.1	58.9	61.1	60.4	59.1	59.3	74.8	78.5	77.4	72.7	73.2	77.0	65.0	46.7	42.8	40.4	43.7	42.1	48.6	63.2	63.1	54.2	47.8	54.0	58.5	69.4	52.2	50.8	
6.3	56.5	57.4	59.4	58.4	58.7	56.9	73.5	77.5	75.9	71.5	71.8	75.8	63.2	46.4	45.3	41.3	43.6	42.2	47.6	61.3	61.9	52.4	46.5	52.5	57.0	67.9	51.6	49.9	
8	54.9	55.7	57.7	56.9	56.3	55.2	72.4	76.0	74.9	70.2	70.9	74.6	61.9	47.3	46.4	43.4	44.4	44.0	47.4	59.9	59.9	51.4	45.6	50.9	55.3	66.5	51.9	49.7	
10	53.8	54.5	56.2	55.6	54.6	54.0	70.7	74.7	73.3	68.7	69.1	73.0	59.9	49.1	48.5	47.0	47.2	46.9	48.2	58.3	58.2	49.6	46.8	50.4	54.2	65.0	52.5	50.3	
12.5	53.7	54.2	55.7	55.3	54.4	54.0	69.3	73.1	71.8	67.0	67.4	71.5	58.4	51.7	52.0	50.3	50.9	50.8	51.2	56.6	57.1	50.1	49.8	51.0	54.0	64.0	54.0	52.0	
16	53.6	53.9	55.3	54.7	53.9	53.9	67.6	71.5	70.2	65.5	65.8	69.5	57.2	53.0	53.4	50.7	50.9	50.8	51.6	55.1	55.5	49.9	49.6	50.8	53.8	62.8	54.5	51.7	
20	53.3	54.7	54.9	54.4	54.1	54.5	66.0	69.7	68.4	63.7	64.0	67.5	56.2	54.3	54.7	51.2	51.7	51.6	53.2	55.0	54.3	50.6	50.3	52.4	54.0	61.7	55.1	52.3	
25	53.2	54.7	54.9	55.0	54.9	54.8	64.0	67.8	66.5	61.9	62.4	65.6	56.2	54.1	54.8	51.0	51.2	50.9	53.1	52.8	52.4	50.2	49.5	51.9	54.0	60.8	55.0	51.4	
31.5	52.8	53.9	55.5	55.5	55.5	55.5	62.0	65.7	64.5	60.3	61.0	63.4	55.0	54.3	55.0	51.1	50.9	50.4	51.6	51.4	50.8	49.2	49.3	50.2	53.4	59.9	55.1	50.5	
40	51.9	54.5	55.2	55.4	55.6	55.7	60.1	63.4	62.3	58.6	59.5	61.6	55.5	53.5	53.9	51.1	50.3	49.5	51.1	50.2	49.2	47.7	47.8	49.5	53.2	58.7	54.3	49.6	
50	51.6	54.8	56.3	55.9	56.0	56.6	59.2	61.2	60.9	58.5	59.7	60.5	56.8	53.8	54.7	50.7	50.5	49.3	51.6	49.2	47.6	47.3	47.7	50.6	53.2	58.5	55.1	49.4	
63	51.2	54.9	57.3	54.9	55.4	55.7	57.1	59.0	58.7	57.1	58.2	58.2	57.1	54.0	53.8	50.5	49.9	50.9	51.8	47.7	48.0	45.4	46.8	49.3	53.1	57.2	55.0	48.9	
80	48.0	52.9	54.7	52.0	52.6	53.1	54.8	56.5	56.3	55.7	55.1	55.3	53.5	54.6	51.5	50.3	48.7	47.6	50.4	45.6	44.7	41.7	45.1	46.8	50.5	54.6	53.2	46.8	
G特性	L5	70.3	71.1	72.4	72.5	70.9	70.9	87.0	90.5	89.1	84.1	84.8	89.0	76.1	69.3	68.7	67.4	67.6	67.5	68.8	74.8	74.7	67.8	66.4	68.7	70.7	81.1	71.4	69.3
L50	65.1	66.4	66.5	66.1	65.5	65.3	71.6	80.9	79.6	75.2	73.8	76.6	66.1	64.7	64.2	62.9	63.5	63.2	65.0	65.2	64.0	62.1	62.3	63.8	65.8	72.1	65.0	63.6	
L95	60.7	62.0	62.0	62.3	61.0	61.6	62.9	70.3	68.0	67.1	67.3	61.6	60.9	60.3	59.4	59.7	59.5	60.7	59.7	59.5	60.7	58.7	58.1	58.1	59.9	61.4	69.1	60.9	59.3
Leq	66.8	67.7	68.6	68.1	67.6	67.6	80.7	84.6	83.3	78.6	78.9	82.6	70.7	66.6	67.0	63.9	64.3	64.2	65.6	68.8	68.8	63.5	63.0	64.9	67.3	79.9	68.5	65.8	




測定値

項目	昼間																		夜間						朝	昼間	夕	夜間
	朝						夕						夜間															
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5				
AP	72.9	73.4	75.4	74.8	74.4	73.2	86.7	90.3	89.1	85.4	85.8	89.6	78.9	66.0	65.2	64.6	64.9	64.1	65.3	76.5	76.5	68.1	64.4	69.6	73.2	82.5	70.0	68.2
1	65.1	65.1	67.6	67.0	67.4	65.4	78.0	81.7	80.3	77.2	78.3	82.4	71.8	54.0	43.2	43.5	51.0	47.4	55.6	68.5	69.4	60.7	57.3	62.2	65.1	74.5	56.3	57.3
1.25	65.1	64.9	67.2	66.7	66.8	64.8	77.7	81.3	80.2	76.7	77.0	81.6	71.0	52.6	43.0	42.8	50.8	46.4	55.1	68.5	68.8	61.0	56.3	61.4	65.0	74.0	55.5	56.8
1.6	64.6	64.8	66.6	65.9	65.5	64.1	77.5	81.0	80.0	76.8	76.5	80.8	70.6	52.8	42.8	42.8	50.1	46.2	54.7	68.5	67.8	58.9	55.0	60.7	64.7	73.5	55.4	56.1
2	63.6	63.6	66.0	65.5	64.3	63.4	77.4	80.7	79.8	75.9	76.3	79.9	69.3	50.1	43.5	42.1	48.5	45.6	52.7	67.7	67.1	58.8	54.0	59.4	63.6	72.9	54.3	55.1
2.5	62.2	62.5	65.0	64.5	63.8	62.7	76.9	80.3	79.4	75.6	75.7	79.0	68.8	49.1	44.1	42.4	47.8	44.8	52.4	66.5	66.5	57.2	52.4	58.6	62.4	72.4	54.0	54.3
3.15	60.8	61.3	63.9	63.5	61.5	61.3	76.3	80.0	78.6	75.1	74.9	78.2	67.4	48.3	44.2	42.5	46.9	44.5	51.6	65.5	65.4	55.8	50.9	57.0	61.1	71.3	53.3	53.3
4	59.6	60.4	62.7	61.8	59.8	60.7	75.7	79.5	78.2	74.2	74.2	77.7	66.1	47.8	43.4	42.7	46.0	43.4	50.2	64.5	64.5	55.1	49.3	55.5	60.0	70.5	52.4	52.4
5	58.1	58.8	61.0	60.4	58.9	59.1	74.9	78.5	77.3	72.6	73.3	77.0	64.8	46.7	44.8	43.5	44.9	43.7	48.5	63.2	63.1	54.2	47.8	53.9	58.5	69.3	52.1	51.4
6.3	56.7	57.3	59.4	58.6	58.3	56.7	73.4	77.5	75.7	71.4	71.9	75.7	63.0	46.4	45.3	43.9	44.7	43.8	47.5	61.3	61.9	52.4	46.5	52.4	57.0	67.9	51.6	50.5
8	55.1	55.8	57.8	57.0	56.2	55.1	72.3	76.0	74.7	70.1	71.0	74.5	61.8	47.6	46.7	46.4	46.5	46.1	47.2	59.9	59.9	51.4	45.6	51.0	55.5	66.5	52.0	50.4
10	54.3	54.9	56.4	55.9	54.9	54.0	70.6	74.7	73.1	68.5	69.2	72.9	59.8	49.7	49.1	49.2	49.0	49.1	48.2	58.3	58.2	49.6	46.8	50.9	54.6	65.0	52.9	51.0
12.5	54.4	54.6	55.8	55.6	55.1	54.1	69.2	73.1	71.7	66.9	67.6	71.3	58.4	51.9	52.0	51.9	52.0	51.9	51.3	56.6	57.1	50.1	49.8	51.2	54.5	64.0	54.1	52.4
16	54.8	54.4	55.6	55.5	55.4	54.2	67.5	71.5	70.1	65.5	66.1	69.3	57.4	53.1	53.3	52.5	52.1	52.4	51.6	55.1	55.5	49.9	49.6	51.1	54.6	63.1	54.6	52.2
20	54.9	55.4	55.4	55.3	55.9	55.0	65.9	69.7	68.2	63.8	64.2	67.5	56.9	54.6	54.6	53.6	53.3	53.5	53.4	55.0	54.3	50.6	50.3	54.8	55.2	62.1	55.4	53.2
25	54.7	55.5	55.3	56.0	56.6	55.7	63.9	67.9	66.5	62.0	62.6	65.6	57.4	54.5	54.8	53.7	53.5	53.6	53.2	52.8	52.4	50.2	49.5	52.4	55.1	61.2	55.6	52.4
31.5	54.4	55.2	55.9	56.7	57.0	56.1	62.1	65.8	64.5	60.4	61.3	63.5	56.8	54.8	55.3	54.0	53.1	53.2	51.7	51.4	50.8	49.2	49.3	51.2	54.8	60.3	55.6	51.5
40	54.3	56.9	56.9	56.7	57.2	56.4	60.2	63.5	62.3	59.0	60.2																	

低周波音 休日 調査結果(春季)

測定地点: C 対象事業実施区域(南西)
 測定期間: 4月13日(土)~4月14日(日)
 鉄道等の騒音除外値

項目	昼間																		夜間					朝	昼間	夕	夜間		
	朝						夕						夜間																
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4					5	
AP	73.9	75.8	77.0	79.2	77.3	74.6	85.0	94.0	91.3	88.3	88.3	95.1	80.5	70.4	67.2	63.9	68.2	64.9	74.8	80.1	78.7	70.8	71.8	73.9	74.9	85.0	72.7	71.9	
1	66.6	67.7	69.1	72.0	70.6	66.8	77.7	86.1	83.0	79.5	79.8	86.8	72.2	60.8	45.7	49.3	60.2	54.6	66.8	72.8	71.3	63.4	65.4	66.2	67.2	77.1	59.6	63.3	
1.25	65.7	67.0	68.6	71.0	69.4	65.7	76.3	85.5	81.8	79.6	79.5	86.2	71.9	62.1	45.4	47.9	59.3	53.6	66.5	72.3	71.2	63.2	64.2	65.7	66.4	76.4	59.8	62.7	
1.6	64.7	66.2	68.0	70.3	68.8	65.4	75.6	85.1	82.3	79.0	79.4	85.7	71.7	60.4	44.3	47.2	58.1	51.9	65.4	71.8	70.0	62.3	63.0	64.6	65.5	76.0	58.8	61.6	
2	63.8	65.7	67.4	69.8	67.0	64.3	75.4	84.4	82.0	78.8	78.8	85.5	71.0	58.3	44.9	46.5	57.3	50.9	64.8	72.0	69.4	61.5	62.4	63.5	64.8	75.3	58.1	60.9	
2.5	62.6	64.9	66.4	68.8	66.8	63.2	74.5	83.2	81.0	78.4	78.3	84.8	70.6	57.7	45.1	46.0	56.4	50.0	63.4	70.2	68.4	60.3	61.4	62.3	63.8	74.5	57.8	59.8	
3.15	61.1	64.2	65.5	68.1	65.9	62.7	74.1	83.0	80.7	77.6	77.5	84.3	69.6	57.7	46.2	45.5	55.0	49.8	62.7	68.3	67.4	59.6	59.7	61.2	62.7	73.9	57.8	58.8	
4	59.6	62.9	64.6	66.5	64.4	60.8	73.2	82.1	79.5	77.3	76.7	83.6	68.5	56.2	46.4	45.6	53.5	48.4	61.4	67.4	66.7	57.9	58.2	59.6	61.3	72.9	57.0	57.6	
5	57.9	61.4	63.1	66.0	62.8	59.4	72.3	81.3	79.4	76.4	76.3	83.0	67.2	54.1	47.1	45.6	51.5	47.1	60.2	66.4	65.6	55.8	56.3	57.9	59.7	72.0	56.1	56.3	
6.3	56.2	59.7	61.4	64.3	61.2	57.8	71.5	80.8	78.6	75.5	75.7	82.4	65.5	53.4	47.6	46.0	50.0	46.7	58.7	64.7	63.7	53.7	54.6	55.9	58.0	70.9	55.5	54.9	
8	55.2	58.3	59.6	62.7	59.0	56.4	70.4	79.8	77.2	74.5	74.1	81.5	64.3	53.1	48.8	47.0	49.4	47.6	56.8	62.9	61.7	52.3	52.8	54.6	56.8	69.5	55.4	53.9	
10	55.0	57.8	58.2	61.0	58.1	55.6	68.9	78.4	76.2	72.7	72.7	80.2	63.5	53.6	51.9	50.5	51.2	50.1	56.0	61.5	60.3	51.4	52.3	54.6	56.4	68.2	56.2	54.2	
12.5	55.0	57.3	57.6	59.7	57.3	55.5	67.8	77.0	74.4	71.2	71.0	78.6	62.0	54.9	54.5	52.9	53.6	52.8	55.8	59.6	58.9	52.1	52.5	54.1	56.2	67.0	57.1	54.7	
16	55.8	58.4	57.6	58.9	57.7	56.4	65.8	75.1	72.9	69.4	69.4	76.9	61.0	56.1	56.2	53.8	53.6	53.4	56.3	57.9	57.3	52.2	51.9	54.7	57.1	66.0	57.8	54.6	
20	57.1	61.1	58.4	59.9	58.3	62.9	65.3	73.5	70.9	67.8	67.9	75.3	62.6	58.7	60.1	54.7	54.3	55.3	62.0	56.3	56.5	53.1	51.9	63.6	59.1	66.0	60.5	56.4	
25	58.7	60.1	58.4	58.1	57.4	59.5	63.1	71.8	69.2	65.8	66.0	73.3	60.8	56.7	58.7	54.0	55.6	54.1	60.6	54.5	55.7	52.6	52.3	60.4	59.4	64.3	58.7	55.5	
31.5	59.2	59.8	59.0	57.6	57.3	60.2	63.0	69.8	67.3	63.9	64.3	71.8	60.7	59.3	57.8	53.1	54.7	54.0	58.9	54.3	53.2	51.6	51.2	58.1	59.5	63.4	59.3	54.3	
40	58.5	61.0	60.5	60.3	56.3	57.7	60.1	68.2	65.3	62.2	62.7	69.8	60.2	56.4	58.1	54.1	53.0	52.3	59.2	52.6	54.0	51.3	50.1	57.3	59.8	62.3	58.2	53.8	
50	58.7	60.0	60.5	58.7	56.6	57.8	58.4	65.9	63.1	60.3	60.8	67.7	62.4	54.6	56.8	52.9	52.6	51.6	56.7	50.6	51.1	51.4	49.9	55.9	59.4	61.0	57.9	52.5	
63	57.4	58.1	58.8	55.4	58.1	55.8	56.0	63.6	60.5	58.4	58.7	65.0	59.3	53.7	54.9	51.7	51.9	51.0	55.1	49.1	49.4	49.5	49.0	54.5	57.8	59.0	56.0	51.2	
80	55.9	55.6	57.2	53.9	54.5	54.7	54.4	60.7	57.9	56.5	56.7	61.9	57.5	51.6	52.0	49.3	49.9	48.9	54.6	45.8	46.6	45.8	46.5	52.8	55.8	56.8	53.7	48.9	
G特性	L5	73.5	77.2	75.9	78.4	76.3	79.5	86.2	94.1	91.9	88.4	88.0	95.6	80.8	75.2	77.4	71.9	71.8	72.5	78.1	77.4	76.1	69.8	69.8	78.9	75.4	85.4	77.8	74.0
	L50	68.1	70.6	69.5	69.7	67.8	70.1	72.4	84.5	82.0	78.7	77.8	87.1	72.1	68.6	67.2	64.3	65.4	65.1	69.9	66.7	66.6	64.7	63.7	69.0	69.4	76.0	69.3	66.2
	L95	65.0	66.5	65.8	64.1	63.0	65.5	62.2	71.1	70.8	69.4	69.4	78.2	66.0	64.2	63.0	60.1	60.3	59.6	63.0	59.3	59.6	60.0	58.9	61.7	65.8	68.1	64.4	60.3
	Leq	70.0	72.9	71.4	72.8	71.2	73.3	79.4	88.3	85.9	82.6	82.6	90.0	75.2	70.4	71.4	67.1	67.2	67.3	72.9	71.2	70.8	65.8	65.4	73.5	71.7	84.1	72.9	70.0




測定値

項目	昼間																		夜間					朝	昼間	夕	夜間	
	朝						夕						夜間															
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4					5
AP	73.9	75.8	77.0	77.1	77.5	76.4	89.2	92.3	90.0	88.1	88.3	95.1	80.5	71.0	67.8	65.0	69.4	65.8	74.8	80.3	78.6	71.2	73.1	73.9	74.9	85.1	73.1	72.5
1	66.6	67.7	69.1	69.4	69.9	68.6	81.2	84.8	81.5	79.1	79.8	86.8	72.2	61.1	50.2	49.2	60.0	55.1	66.8	74.1	71.3	64.1	66.1	66.2	67.2	77.0	61.2	63.7
1.25	65.7	67.0	68.6	68.6	69.2	67.7	80.3	84.0	81.1	79.2	79.5	86.2	71.9	61.3	50.3	47.9	59.3	54.2	66.5	72.5	71.1	63.4	65.7	65.7	66.4	76.4	61.2	62.9
1.6	64.7	66.2	68.0	68.1	68.5	67.3	80.2	83.4	81.1	78.7	79.4	85.7	71.7	60.3	48.9	47.4	58.1	52.5	65.4	71.3	69.9	62.5	64.9	64.6	65.5	76.0	60.3	61.8
2	63.8	65.7	67.4	67.3	67.1	66.3	79.7	82.7	80.4	78.4	78.7	85.5	71.0	59.3	48.1	46.4	57.3	51.7	64.8	70.9	69.3	61.6	63.7	63.5	64.8	75.4	59.5	61.0
2.5	62.6	64.9	66.4	66.3	66.6	65.6	78.9	81.8	80.4	78.0	78.3	84.8	70.6	57.7	47.7	46.1	56.4	50.6	63.4	69.8	68.3	60.3	62.8	62.3	63.8	74.7	58.7	60.0
3.15	61.1	64.2	65.5	65.4	65.5	64.9	78.2	81.2	79.4	77.1	77.5	84.3	69.6	57.3	47.3	45.8	54.9	50.3	62.7	68.5	67.3	59.6	61.4	61.2	62.7	73.9	58.1	59.1
4	59.6	62.9	64.6	63.9	64.1	63.4	77.5	80.6	78.4	76.8	76.7	83.6	68.5	55.9	47.0	46.1	53.4	48.9	61.4	67.6	66.6	57.9	59.8	59.6	61.3	73.0	57.1	57.9
5	57.9	61.4	63.1	63.0	62.2	62.1	77.1	79.5	78.0	75.8	76.4	83.0	67.2	54.1	47.7	46.1	51.6	48.0	60.2	66.3	65.5	55.8	58.1	57.9	59.7	72.0	56.3	56.6
6.3	56.2	59.7	61.4	61.4	60.6	60.3	75.9	78.8	76.8	74.7	75.6	82.4	65.5	53.1	47.8	46.4	50.3	47.6	58.7	64.6	63.7	53.9	56.1	55.9	58.0	70.8	55.5	55.2
8	55.2	58.3	59.6	60.0	59.0	59.1	74.8	77.7	75.6	73.6	74.1	81.5	64.3	52.8	48.7	47.7	50.1	48.6	56.8	62.6	61.6	52.6	54.2	54.6	56.8	69.5	55.3	54.3
10	55.0	57.8	58.2	58.6	57.8	58.0	73.2	76.4	74.3	71.9	72.6	80.2	63.0	53.6	51.0	50.9	52.0	50.9	56.0	61.3	60.2	52.2	53.6	54.6	56.4	68.1	55.9	54.6
12.5	55.0	57.3	57.6	57.9	57.1	57.2	71.7	74.7	72.5	70.2	70.9	78.6	62.0	55.0	53.9	53.0	54.1	53.1	55.8	59.6	58.9	53.3	53.4	54.1	56.2	66.8	57.0	55.0
16	55.8	58.4	57.6	58.1	57.8	57.5	70.0	73.0	70.9	68.5	69.4	76.9	61.0	56.6	55.2	54.1	54.4	54.0	56.3	58.3	57.3	54.2	52.7	54.7	57.1	66.0	57.6	55.1
20	57.1	61.1	58.4	59.2	59.4	62.3	68.6	71.5	69.3	67.0	67.9	75.3	62.6	58.8	58.3	55.1	57.1	56.3	62.0	61.3	56.7	54.8	54.6	63.7	59.1	65.9	59.9	57.9
25	58.7	60.1	58.4	59.9	60.4	60.0	66.6	69.4	67.5	65.7	66.1	73.3	60.8	57.7	57.9	54.5	59.9	54.9	60.6	58.4	56.1	54.0	53.4	60.4	59.4	64.7	58.8	56.9
31.5	59.2	59.8	59.0	59.2	62.1	60.4	65.2	67.5	65.7	66.5	64.3	71.8	60.7	59.4	57.8	53.9	58.7	54.7	58.9	57.9	55.2	52.4	53.4	58.1	59.5	64.2	59.3	55.9
40	58.5	61.0	60.5	60.3	61.5	58.2	62.9	65.7	64.3	63.9	62.8	69.8																

低周波音 休日 調査結果(春季)

測定地点: J 高速道路南側
 測定期間: 4月13日(土)~4月14日(日)
 鉄道等の騒音除外値

項目	昼間																			夜間					朝	昼間	夕	夜間	
	朝					夕					夜間					朝													
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5					6
AP	72.1	72.1	75.8	78.2	76.8	74.0	88.2	92.0	90.4	84.8	85.8	89.8	79.2	67.6	64.2	64.0	65.2	64.3	79.5	82.1	80.8	70.2	71.3	75.8	72.1	83.6	70.3	72.6	
1	66.0	64.9	69.3	71.7	69.5	66.7	80.8	84.9	83.1	78.2	78.9	82.9	73.2	59.0	46.0	43.2	51.7	52.6	72.7	75.1	74.9	63.7	65.6	69.2	65.5	76.6	59.4	63.2	
1.25	64.8	65.0	68.7	70.8	69.0	66.4	80.9	84.2	82.9	77.4	78.5	81.7	72.5	56.7	45.0	42.8	50.4	51.8	72.3	74.9	73.1	63.0	63.8	68.4	64.9	76.1	58.1	62.3	
1.6	63.6	63.9	67.9	70.0	68.7	65.2	79.8	83.1	82.0	76.5	76.9	81.0	71.1	55.8	44.2	42.5	49.8	51.0	71.3	73.7	72.8	61.4	62.9	67.7	63.8	75.1	57.0	61.5	
2	62.2	62.5	66.5	69.3	67.6	65.1	79.0	82.9	81.4	75.4	76.5	80.2	69.5	54.9	44.4	41.9	48.4	48.5	70.5	73.2	71.6	60.3	61.6	66.7	62.4	74.4	56.3	60.3	
2.5	60.7	60.8	64.9	67.8	66.9	63.6	78.4	82.2	80.4	74.6	75.6	79.6	68.1	53.0	44.5	42.5	47.4	46.8	69.5	72.1	70.4	58.8	60.0	65.9	60.8	73.4	55.2	59.3	
3.15	58.9	58.6	63.5	66.6	65.0	62.2	76.5	80.9	79.3	73.6	74.8	78.9	66.4	50.9	45.0	43.3	46.8	46.6	67.9	70.5	68.8	56.5	57.9	63.8	58.8	72.1	54.1	58.0	
4	56.4	57.3	61.6	64.4	64.8	60.5	75.8	80.0	78.0	72.2	73.2	77.7	65.1	49.7	44.8	43.6	47.1	46.2	66.3	69.3	67.3	54.7	55.5	62.3	56.9	70.8	53.2	56.9	
5	54.4	55.3	59.6	62.6	62.4	58.7	74.7	78.4	76.5	70.6	71.5	76.6	62.7	48.6	45.1	44.3	45.8	45.1	64.6	67.7	65.6	52.8	53.7	60.0	54.9	69.2	52.1	55.5	
6.3	52.5	53.3	57.5	60.9	61.2	56.6	73.2	77.0	75.1	69.1	71.0	75.4	61.0	48.5	45.8	45.1	46.2	45.3	62.9	65.9	63.6	50.5	51.8	57.6	52.9	67.7	51.8	54.3	
8	51.5	51.6	55.6	59.0	58.6	54.9	71.3	75.2	73.1	67.2	68.6	73.6	58.9	49.8	46.8	46.4	47.2	46.9	61.3	64.2	61.6	49.5	50.0	56.2	51.6	65.7	51.8	53.7	
10	53.3	53.1	54.9	57.7	57.1	54.2	69.1	73.6	71.4	65.1	67.4	72.0	57.7	50.9	52.0	50.5	59.4	61.9	59.9	50.7	51.7	55.5	53.2	64.3	54.0	54.0	54.7		
12.5	54.8	54.7	55.6	57.5	56.9	55.1	67.0	71.7	69.3	63.5	64.8	70.5	57.8	55.6	53.6	54.0	54.3	53.3	58.5	60.0	58.7	52.6	54.1	55.3	54.8	63.2	55.7	55.6	
16	55.5	56.0	56.2	57.6	56.7	55.7	65.3	69.5	67.2	61.7	63.7	68.9	57.9	56.6	54.7	54.3	54.9	53.9	57.6	58.3	57.0	54.2	53.8	55.4	55.8	62.3	56.4	55.5	
20	55.7	55.7	55.9	56.0	56.2	56.0	63.5	67.3	65.9	60.1	61.8	67.0	57.4	56.4	55.3	54.9	55.4	54.4	56.8	57.1	55.4	54.1	53.4	55.0	55.7	61.0	56.4	55.2	
25	54.5	54.8	55.4	55.2	55.5	55.1	61.8	65.2	63.2	58.5	60.1	65.0	57.1	55.9	55.0	54.3	55.6	54.4	55.5	55.2	54.3	54.1	54.0	54.5	54.7	59.5	56.0	54.7	
31.5	54.1	53.6	54.4	54.1	54.6	54.5	59.4	62.9	61.0	57.0	58.7	62.8	56.1	54.8	53.9	53.8	53.8	52.5	53.2	52.7	51.7	52.6	51.5	52.4	53.9	57.9	54.9	52.7	
40	53.1	53.9	55.2	54.7	55.3	54.9	57.8	60.8	59.1	56.5	57.9	61.1	56.1	55.0	54.4	54.6	54.2	52.3	53.8	51.9	50.9	52.3	50.9	52.3	53.5	57.3	55.2	52.6	
50	53.0	53.7	53.7	53.8	54.6	54.1	55.5	58.3	56.9	55.2	57.0	59.7	55.9	54.5	52.0	53.3	54.0	52.1	53.1	51.2	49.7	53.3	51.5	53.9	53.4	55.9	54.5	52.5	
63	51.9	53.4	53.3	53.1	53.0	53.7	54.4	56.3	55.5	54.6	55.2	57.4	55.6	54.2	52.0	52.7	53.2	51.6	51.4	50.4	50.1	51.6	50.6	50.6	52.7	54.7	53.9	51.4	
80	49.6	51.9	51.5	51.5	51.8	52.6	53.7	54.3	53.6	53.2	53.8	55.4	53.7	51.4	50.5	50.4	52.3	50.5	49.1	47.7	48.9	47.8	46.5	48.1	50.8	53.1	51.9	49.0	
G特性	L5	72.6	73.2	73.3	74.5	74.2	72.8	84.7	88.3	86.3	80.8	81.4	87.5	74.9	73.5	72.0	71.8	72.2	71.7	76.2	77.1	75.4	71.9	71.4	72.7	72.9	80.4	73.5	73.4
	L50	66.3	66.9	67.7	67.8	67.3	67.1	69.8	76.0	73.8	71.0	70.2	73.8	68.6	67.6	66.2	65.4	66.6	65.4	66.9	67.6	66.9	64.7	64.8	66.6	70.8	67.5	66.1	
	L95	61.5	62.3	63.2	63.6	63.0	62.9	63.2	67.3	66.7	65.8	64.9	68.3	63.6	63.0	62.1	60.8	61.2	60.3	61.2	61.0	60.6	59.5	59.7	61.0	61.9	64.9	62.9	60.6
	Leq	68.4	68.6	69.1	70.1	69.8	68.8	78.7	82.8	80.8	75.1	76.7	82.0	70.9	69.3	67.8	67.5	68.1	67.1	70.8	71.9	70.3	67.0	66.7	68.4	68.5	78.2	69.5	69.0




測定値

項目	昼間																			夜間					朝	昼間	夕	夜間
	朝					夕					夜間					朝												
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5				
AP	72.3	72.1	75.9	78.1	76.7	74.1	87.9	92.0	90.5	85.3	86.5	89.8	79.2	67.8	65.4	65.0	65.6	65.0	80.3	82.0	80.7	70.4	71.4	75.7	72.2	83.7	70.8	72.9
1	65.7	64.5	69.3	71.6	69.2	66.6	80.5	84.9	83.2	78.6	79.8	83.1	73.3	58.8	46.0	43.4	51.8	52.5	73.6	75.1	74.8	63.7	65.7	69.1	65.1	76.7	59.4	63.3
1.25	64.7	64.7	68.7	70.6	68.8	66.3	80.6	84.2	83.0	77.6	79.3	81.6	72.4	56.6	45.1	43.0	50.4	51.7	72.9	74.9	73.1	62.9	63.9	68.3	64.7	76.1	58.0	62.3
1.6	63.5	63.5	67.7	69.8	68.4	65.2	79.5	83.1	82.1	76.8	77.7	81.0	71.0	55.7	44.2	42.6	49.8	50.9	72.0	73.7	72.8	61.4	62.9	67.6	63.5	75.1	57.0	61.5
2	62.0	62.1	66.4	69.1	67.3	65.0	78.7	82.9	81.4	75.8	76.7	80.2	69.7	54.7	44.7	42.1	48.4	48.5	71.2	73.2	71.6	60.2	61.6	66.6	62.1	74.4	56.4	60.4
2.5	60.6	60.5	64.8	67.6	66.7	63.6	78.1	82.2	80.5	75.0	76.2	79.6	68.0	52.9	45.1	42.9	47.5	47.0	70.2	72.1	70.3	58.7	60.0	65.8	60.6	73.4	55.3	59.4
3.15	58.8	58.3	63.3	66.4	64.8	62.2	76.3	81.0	79.4	74.2	75.6	78.9	66.3	50.9	45.9	44.3	47.0	47.0	68.7	70.5	68.8	56.5	58.0	63.7	58.6	72.2	54.4	58.3
4	56.5	57.1	61.5	64.3	64.5	60.5	75.6	80.0	78.1	72.8	73.9	77.6	65.2	49.8	46.9	45.0	47.4	47.0	67.4	69.2	67.3	54.7	55.5	62.2	56.8	70.9	54.0	57.3
5	54.8	55.2	59.5	62.4	62.1	58.7	74.4	78.3	76.6	71.4	72.4	76.6	62.7	49.0	47.2	46.0	46.4	46.7	65.3	67.6	65.5	52.8	53.7	59.9	55.0	69.2	53.0	56.0
6.3	53.2	53.4	57.5	60.8	61.0	56.7	72.9	76.9	75.2	70.0	72.3	75.3	61.0	49.1	48.0	46.9	46.7	46.4	63.9	65.8	63.5	50.6	51.9	57.5	53.3	67.9	52.7	54.8
8	52.2	52.0	55.8	58.9	58.5	55.0	71.0	75.1	73.1	68.1	69.6	73.5	59.1	50.0	48.4	47.5	47.7	47.8	62.3	64.1	61.5	50.0	50.1	56.1	52.1	65.9	52.5	54.1
10	53.8	53.6	55.2	57.7	57.7	54.5	68.9	73.6	71.5	65.9	68.3	71.9	57.9	53.6	51.5	51.5	52.2	51.1	60.0	61.9	59.9	51.6	51.7	55.4	53.7	64.5	54.3	55.0
12.5	55.6	55.3	56.3	57.8	58.2	55.5	66.7	71.6	69.4	64.3	65.7	70.4	58.2	54.5	54.6	53.9	59.1	60.0	58.7	54.0	54.1	55.3	55.5	63.6	56.1	63.6	56.1	56.0
16	56.9	57.0	57.4	58.4	57.9	56.4	65.1	69.5	67.4	63.0	64.7	68.8	58.4	56.8	55.9	55.2	55.2	54.7	58.2	58.3	57.1	56.6	53.8	55.4	57.0	62.9	57.0	56.1
20	57.4	57.1	57.8	57.7	58.3	56.9	63.4	67.4	66.1	61.7	63.2	67.0	57.9	56.9	56.7	56.0	55.8	55.5	57.3	57.2	55.5	55.5	53.3	55.0	57.3	62.0	57.2	55.7
25	57.2	56.7	57.4	57.6	57.7	56.9	61.9	65.5	63.7	61.1	61.7	65.0	57.7	56.6	56.8	56.1	56.0	55.4	55.8	55.3	54.3	54.8	54.0	54.4	57.0	60.9	57.0	55.1
31.5	56.2	55.7	56.5	56.2	56.7	55.9	59.6	63.2	61.6	59.1																		

低周波音 休日 調査結果(春季)

測定地点: M 県営高ヶ原田地
 測定期間: 4月13日(土)~4月14日(日)
 鉄道等の騒音除外値

項目	昼間																			夜間					朝	昼間	夕	夜間	
	朝					昼間					夕					夜間													
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5					
AP	65.0	68.1	79.6	78.1	74.5	72.9	91.8	95.9	93.3	90.5	89.6	93.6	83.8	71.8	62.7	60.8	69.1	63.3	66.4	78.5	77.6	69.0	88.7	85.2	66.6	86.0	72.8	73.2	
1	52.5	58.9	71.8	70.3	66.7	65.4	81.8	85.5	83.8	81.4	80.6	84.5	75.8	64.7	46.0	47.5	61.9	54.7	60.1	71.4	70.3	61.3	80.5	77.0	55.7	77.2	62.2	65.0	
1.25	51.4	58.0	71.4	69.6	66.8	65.3	82.1	85.7	83.6	81.4	80.9	84.5	76.2	63.8	45.3	46.6	61.8	54.0	57.8	70.6	69.8	61.3	80.4	77.2	54.7	77.1	61.8	64.4	
1.6	51.3	57.8	71.3	69.3	66.0	64.3	82.8	86.0	83.9	81.3	80.8	84.5	75.7	63.3	44.7	45.3	60.7	52.7	57.2	69.8	68.8	60.8	79.7	76.4	54.6	77.0	61.2	63.5	
2	50.3	57.2	70.8	68.9	65.4	63.2	82.6	86.1	83.5	80.7	80.3	84.1	74.7	62.5	45.1	44.2	59.7	51.9	55.1	68.9	68.8	60.0	79.3	75.8	53.8	76.6	60.8	62.6	
2.5	49.9	57.0	70.1	68.3	64.3	62.7	81.7	86.0	83.4	80.6	80.1	83.9	74.1	61.7	45.3	43.4	58.5	50.6	54.3	68.7	68.1	58.8	78.8	75.3	53.5	76.1	60.4	61.8	
3.15	48.5	55.3	69.0	67.5	63.2	61.4	81.5	85.8	83.2	80.3	79.5	83.7	73.4	60.7	45.6	43.6	56.7	48.8	53.3	68.2	67.0	57.6	78.0	74.7	51.9	75.5	59.9	60.9	
4	47.9	54.0	67.8	66.3	61.7	60.2	81.0	85.3	82.5	79.8	78.3	82.9	72.1	58.5	44.6	43.4	55.3	47.6	50.9	66.5	65.5	55.5	77.5	74.1	51.0	74.6	58.4	59.6	
5	47.6	53.5	66.6	65.5	60.5	58.7	80.2	85.0	82.0	78.8	77.6	81.9	70.5	56.8	45.6	43.1	53.2	45.7	49.6	65.5	64.0	53.3	76.6	73.1	50.6	73.7	57.6	58.2	
6.3	47.7	52.2	64.6	63.8	59.2	56.3	79.6	83.8	81.2	77.8	76.1	80.9	68.7	54.7	46.1	43.1	51.0	44.9	48.0	63.5	61.9	51.6	75.3	71.9	50.0	72.3	56.5	56.8	
8	48.0	50.6	62.4	61.8	56.8	54.3	78.8	83.0	79.9	76.8	74.9	79.3	66.6	52.4	46.5	44.4	49.3	44.9	46.2	61.7	59.8	49.8	73.8	70.3	49.3	70.8	55.2	55.6	
10	48.8	50.7	60.2	59.8	55.0	52.5	77.5	81.9	78.7	75.2	72.7	77.6	64.2	51.4	47.0	46.5	48.3	46.6	46.6	59.4	57.6	47.8	71.5	67.9	49.8	69.1	54.2	54.7	
12.5	50.1	51.6	58.0	57.7	53.5	52.0	75.7	80.3	77.1	73.4	70.7	75.6	62.0	50.8	49.1	48.1	49.4	48.5	48.6	57.0	55.5	47.3	69.2	65.3	50.9	67.4	54.0	54.3	
16	51.4	52.4	55.9	56.2	52.5	52.5	73.9	78.6	75.0	71.1	68.7	73.6	59.8	51.0	51.1	48.5	48.8	48.3	48.5	54.6	53.0	47.8	66.6	62.9	51.9	65.8	54.0	53.2	
20	53.6	54.7	54.7	55.4	53.5	53.4	71.8	76.8	73.1	69.1	66.5	71.6	58.0	53.6	54.0	50.6	51.1	50.7	51.7	53.5	52.0	51.2	64.2	60.7	54.2	64.6	55.2	54.0	
25	57.9	54.1	53.4	54.9	53.8	52.5	69.7	74.6	70.9	66.9	64.3	69.5	56.2	54.2	53.1	49.9	50.2	49.1	50.6	51.0	49.9	50.2	61.4	57.9	56.0	63.1	54.5	52.2	
31.5	52.9	54.4	53.8	54.5	55.4	53.0	67.2	72.3	68.5	64.3	61.6	67.1	54.9	54.1	53.1	51.1	51.4	50.9	51.5	51.8	50.5	50.8	58.6	55.5	53.7	61.8	54.0	52.5	
40	51.7	54.1	53.2	53.7	53.4	53.2	64.2	69.7	65.9	61.1	59.2	64.8	52.9	51.3	53.0	49.2	49.2	48.2	49.9	49.7	48.0	48.2	55.1	52.2	52.9	59.8	52.4	50.0	
50	53.9	54.9	54.2	54.1	55.1	54.5	61.3	66.8	62.8	58.5	57.1	63.0	53.9	52.1	52.8	50.7	50.7	50.7	51.2	51.3	50.5	50.7	53.6	52.9	54.4	58.7	52.9	51.4	
63	55.1	55.7	53.6	54.1	55.3	54.3	58.6	63.3	59.3	55.8	55.2	60.7	53.0	52.0	52.2	51.8	52.3	52.7	53.1	52.6	52.6	52.7	53.8	54.1	55.4	57.0	52.4	52.9	
80	48.5	50.3	47.7	49.6	49.2	48.0	54.3	59.0	54.8	51.5	51.2	55.6	49.5	47.4	46.6	45.0	47.3	44.9	45.6	44.2	43.9	43.0	47.3	47.0	49.4	52.1	47.8	45.4	
G特性	L5	70.9	69.3	75.3	75.8	71.7	69.8	93.6	97.5	94.6	90.5	88.1	92.5	78.6	70.2	67.5	65.8	66.5	66.1	66.2	74.0	73.0	66.0	86.9	84.0	70.1	84.9	72.1	72.1
	L50	64.5	65.6	66.6	64.7	63.8	63.1	78.0	87.7	82.9	79.8	76.9	84.0	68.4	63.8	62.9	62.0	62.6	61.8	62.9	64.0	63.2	62.3	73.3	66.1	65.1	74.8	65.0	64.2
	L95	61.4	63.2	61.7	61.1	60.9	62.1	75.7	69.4	67.4	66.6	74.2	62.0	60.7	60.1	59.0	59.7	59.0	59.8	60.0	58.8	59.1	62.6	61.7	62.3	69.5	60.9	60.0	
	Leq	66.9	66.7	69.8	69.9	66.9	66.2	86.9	91.6	88.2	84.4	82.0	86.9	73.6	66.0	65.6	62.7	63.3	62.7	63.4	68.6	67.1	63.0	80.3	76.6	66.8	85.5	70.1	72.9




測定値

項目	昼間																			夜間					朝	昼間	夕	夜間
	朝					昼間					夕					夜間												
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5				
AP	65.7	68.6	79.6	80.2	75.5	72.9	91.7	95.9	93.6	90.4	89.7	93.7	83.6	71.7	63.2	63.4	69.7	64.1	75.2	82.9	79.4	94.1	88.8	86.6	67.2	86.3	72.8	78.2
1	53.2	59.3	71.7	70.1	66.5	65.4	81.6	85.6	83.8	81.3	80.6	84.5	75.6	64.5	46.6	49.5	62.4	55.0	68.0	74.7	71.6	85.3	80.7	78.4	56.3	77.1	62.2	69.5
1.25	51.7	58.1	71.4	69.6	66.6	65.2	81.9	85.8	83.7	81.4	81.0	84.6	75.9	63.7	45.4	47.8	62.0	54.1	67.7	74.3	71.2	85.6	80.6	78.4	54.9	77.1	61.7	69.1
1.6	51.3	57.6	71.3	69.4	65.8	64.2	82.6	86.0	84.2	81.3	81.0	84.7	75.3	63.2	44.7	47.0	61.1	52.8	66.5	74.0	70.7	84.8	79.9	77.8	54.5	77.1	61.1	68.3
2	50.4	56.9	70.7	69.1	65.2	63.2	82.4	86.2	83.8	80.7	80.6	84.1	74.5	62.4	45.1	46.0	60.5	51.9	66.2	73.8	70.6	84.5	79.5	77.1	53.7	76.6	60.7	67.8
2.5	49.9	56.6	70.0	68.5	64.0	62.7	81.5	86.1	83.7	80.5	80.4	83.9	73.9	61.6	45.2	45.0	59.3	50.6	64.9	73.2	69.9	83.9	78.9	76.5	53.3	76.1	60.2	66.9
3.15	48.6	55.0	68.9	67.7	63.0	61.4	81.3	85.8	83.5	80.2	79.7	83.6	73.1	60.5	45.7	45.0	57.7	48.9	64.1	72.6	68.9	83.4	78.1	76.0	51.8	75.5	59.8	66.1
4	48.1	53.8	67.7	66.9	61.4	60.1	80.9	85.4	82.8	79.7	78.5	82.9	71.9	58.4	45.0	44.7	56.1	47.7	62.6	71.8	67.8	82.9	77.7	75.2	51.0	74.6	58.4	65.2
5	47.8	53.3	66.5	66.4	60.2	58.5	80.0	85.1	82.4	78.8	77.9	81.9	70.3	56.6	45.7	44.7	53.9	46.4	61.2	70.6	66.6	82.4	76.7	74.4	50.6	73.8	57.5	64.1
6.3	47.9	52.1	64.5	65.7	58.9	56.2	79.5	83.9	81.6	77.8	76.2	80.9	68.5	54.6	46.3	44.8	51.7	45.7	59.3	69.5	64.7	81.6	75.5	73.0	50.0	72.5	56.5	62.9
8	48.3	50.8	62.3	65.0	56.5	54.2	78.6	83.0	80.3	76.7	75.0	79.3	66.3	52.5	46.7	45.7	50.0	45.9	57.5	67.4	63.2	80.5	73.9	71.9	49.6	71.1	55.2	61.8
10	49.4	51.6	60.2	64.9	54.9	52.6	77.3	82.0	79.2	75.2	72.8	77.7	64.0	51.7	47.6	47.8	49.4	47.7	55.3	65.3	60.7	78.8	71.5	70.0	50.5	69.7	54.4	60.7
12.5	50.3	52.0	58.0	65.4	53.8	52.1	75.5	80.3	77.8	73.4	70.9	75.7	61.7	50.9	49.3	48.8	50.1	49.1	54.1	63.2	58.3	77.1	69.2	67.6	51.2	68.3	54.0	59.7
16	51.6	52.7	56.2	66.1	53.5	52.5	73.7	78.7	75.7	71.1	69.0	73.6	59.7	51.1	51.3	49.9	49.7	49.4	53.2	61.2	55.9	75.0	66.5	65.2	52.2	67.0	54.0	58.4
20	54.0	55.1	56.7	66.7	55.4	53.9	71.6	76.9	73.9	69.1	66.7	71.6	57.8	53.7	54.4	52.8	52.1	52.1	54.6	59.0	54.1	72.5	64.2	63.0	54.6	66.3	55.3	58.3
25	58.3	55.1	54.9	67.1	59.7	53.7	69.5	74.7	71.7	66.8	64.6	69.6	56.3	54.2	53.5	52.4	51.6	51.7	52.9	56.2	51.8	70.1	61.3	59.9	56.7	65.2	54.7	56.4
31.5	53.4	56.5	54.7	67.3	59.9	55.1	67.1	72.4	69.4	64.3	62.2	67.8	55.6	54.1	53.5	53.4	52.3	52.1	52.9	54.4	51.3	67.3	58.6	57.5	55.0	64.0	54.4	55.5
40	52.6	57.3	54.1	66.8	61.0	54.3	64.4	69.8	66.8	61.2	59.7	65.6	54.2	51.7	53.4	51.7	50.7	49.9	51.									

低周波音 平日 調査結果(夏季)

測定地点: B 対象事業実施区域(北東)
測定期間: 7月30日(火)~7月31日(水)
鉄道等の騒音除外値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間	
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5					
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6					
AP	64.8	68.1	69.1	65.2	67.4	67.7	68.2	70.1	76.0	79.1	81.5	77.2	75.4	70.9	65.3	63.5	62.7	62.3	62.4	63.5	63.4	61.9	61.3	61.8	66.5	72.2	70.5	62.5	
1	43.8	49.0	54.8	36.8	54.6	56.7	60.1	62.6	69.8	73.6	76.1	71.2	70.0	64.2	54.5	42.3	42.7	42.3	42.2	42.3	42.5	41.6	43.2	41.0	46.4	61.6	62.9	42.2	
1.25	43.1	47.3	53.2	36.6	53.4	55.2	58.8	60.9	68.8	71.8	75.0	69.2	68.6	62.3	52.9	41.9	41.9	41.5	40.8	40.7	41.1	40.6	41.9	40.6	45.2	60.3	61.3	41.2	
1.6	42.7	46.7	51.6	37.2	51.7	54.7	57.0	59.6	67.8	71.0	73.3	68.5	66.4	61.3	52.7	41.8	41.9	41.7	40.5	40.4	40.9	40.4	41.5	40.0	44.7	59.2	60.1	41.0	
2	41.5	45.5	50.6	37.4	50.4	52.5	56.3	57.8	65.9	69.1	71.4	68.4	66.1	60.7	50.7	41.9	41.3	39.8	39.8	39.7	39.4	40.3	39.0	43.5	58.0	59.2	40.3		
2.5	42.4	45.8	49.6	39.0	49.5	51.2	54.4	56.1	64.4	67.6	70.1	66.4	63.5	58.8	50.8	42.0	41.9	41.9	40.7	40.8	40.8	40.7	40.9	40.4	44.1	56.8	57.7	41.1	
3.15	45.1	46.5	50.0	40.5	49.4	50.8	53.7	54.8	62.1	66.1	68.1	64.1	61.4	56.9	49.1	43.8	43.9	44.1	42.1	43.1	43.2	43.9	42.9	43.2	45.8	56.0	55.8	43.4	
4	45.0	47.2	49.7	42.0	49.5	50.7	52.1	53.5	60.4	64.5	66.5	63.3	58.8	56.2	47.7	44.3	44.2	44.1	43.2	43.5	43.7	44.3	43.2	43.6	46.1	55.2	54.2	43.8	
5	43.5	47.3	50.5	44.0	50.6	51.5	49.9	53.5	59.1	63.0	64.7	61.8	56.8	54.0	45.9	43.4	43.5	43.0	42.6	42.8	42.6	43.1	42.3	42.4	45.4	54.9	52.2	42.9	
6.3	44.4	49.1	52.5	45.8	52.7	53.3	49.6	54.0	58.3	61.2	63.6	58.6	55.5	52.4	45.6	44.5	44.7	44.4	44.1	44.1	44.1	44.1	44.3	43.6	43.6	46.8	55.0	51.2	44.2
8	46.1	48.2	50.6	46.3	50.2	50.8	49.4	51.7	55.9	59.5	61.4	57.5	53.8	51.1	46.6	46.1	46.3	45.9	45.8	46.0	45.8	45.9	44.9	45.2	47.2	53.3	50.5	45.8	
10	48.9	50.3	59.5	49.0	51.4	52.9	51.5	52.4	54.9	59.0	60.2	56.8	54.1	52.0	49.7	49.5	49.9	49.3	49.5	49.4	49.1	49.5	48.2	48.5	49.6	54.8	51.9	49.2	
12.5	52.2	53.4	54.8	50.6	54.0	54.6	53.2	55.0	55.7	57.3	58.4	56.2	54.5	53.4	53.4	53.8	53.9	53.5	53.3	53.0	53.2	52.9	52.1	51.9	52.8	58.0	50.4	53.1	
16	53.2	54.7	55.5	51.6	54.5	55.1	54.1	55.3	55.9	57.0	57.9	56.3	54.8	55.4	54.4	54.4	54.4	54.0	53.7	53.6	53.8	53.6	52.3	52.7	54.0	55.3	54.9	53.6	
20	54.5	56.5	55.9	51.9	55.4	55.9	56.3	57.6	55.9	56.4	57.2	56.2	55.0	55.5	54.2	53.9	54.3	53.9	54.3	54.6	53.8	53.2	52.6	53.7	55.5	55.9	54.9	53.8	
25	54.0	57.3	57.3	52.9	56.5	56.0	56.0	56.3	55.4	56.3	56.9	56.7	55.1	54.9	53.4	52.9	53.0	52.4	53.4	53.5	52.3	52.0	51.5	52.5	55.7	56.0	54.5	52.6	
31.5	53.9	57.7	57.0	51.7	55.8	55.5	55.1	56.2	55.4	56.3	56.4	56.6	55.2	54.7	53.3	51.8	51.5	51.1	52.1	51.4	50.8	50.7	50.3	51.1	55.8	55.6	54.4	51.2	
40	54.3	58.3	58.6	52.0	57.1	56.7	54.9	56.2	56.5	56.8	56.6	57.9	55.6	55.1	53.1	51.6	50.7	50.7	50.4	51.2	53.9	49.6	49.8	50.7	56.3	56.3	54.6	51.6	
50	57.6	61.7	61.4	52.7	58.6	58.0	55.4	58.5	60.6	60.0	60.0	58.6	56.8	56.9	56.2	56.4	50.3	50.8	50.3	51.1	51.2	49.8	50.0	50.9	60.2	58.4	56.6	51.2	
63	54.6	59.4	59.9	50.7	57.5	56.7	54.7	57.0	58.4	56.2	57.7	57.7	56.7	55.7	52.7	51.5	50.7	50.1	49.6	50.6	50.9	49.0	50.1	51.0	57.0	56.7	55.0	50.3	
80	53.6	57.9	57.9	49.0	55.6	54.2	52.9	53.3	56.0	54.8	55.1	55.9	56.2	55.2	53.0	49.8	49.9	46.9	46.7	45.6	50.4	56.1	49.1	45.4	47.1	55.8	54.5	48.6	
G特性	L5	69.5	71.6	71.8	71.9	71.3	71.6	71.0	71.9	72.4	74.7	76.0	72.9	70.8	70.6	69.7	69.7	69.8	69.6	69.6	69.8	69.0	68.1	68.8	70.6	72.6	70.4	69.3	
L50	66.3	67.9	68.8	68.2	67.3	67.8	67.5	69.0	68.0	68.1	68.2	67.8	67.4	67.2	66.6	66.4	66.7	66.2	66.4	66.3	66.0	65.6	64.9	65.2	67.1	68.1	67.1	66.0	
L95	63.3	65.1	66.5	65.7	64.8	64.8	64.9	66.2	65.1	65.1	65.1	64.7	64.3	64.1	63.7	63.4	63.6	63.0	63.5	63.2	62.9	62.2	61.7	62.2	64.2	64.3	64.0	62.9	
Leq	66.7	68.7	69.3	66.6	68.2	68.5	68.1	69.4	69.0	70.3	71.3	69.7	68.1	68.3	67.1	66.9	67.1	66.7	66.8	66.9	66.5	66.1	65.3	66.0	67.8	69.2	67.9	66.5	



測定値

項目	朝						昼間						夕						夜間						朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5				
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6				
AP	66.2	69.8	70.2	68.8	68.4	68.9	68.9	70.5	76.9	78.7	81.4	77.8	75.1	71.4	67.2	66.1	63.9	64.6	64.8	63.5	63.4	61.9	61.3	64.4	68.0	73.1	71.2	63.8
1	43.9	48.5	54.7	55.5	54.2	56.1	59.9	62.5	70.6	73.1	75.8	71.7	69.3	64.4	54.4	42.7	42.9	42.8	42.2	42.3	42.5	41.6	43.2	41.4	46.2	63.4	62.7	42.4
1.25	43.5	46.9	53.3	54.3	53.0	54.7	58.7	61.1	69.4	71.3	74.9	70.0	67.9	62.4	52.5	42.7	42.1	41.8	40.8	40.7	41.1	40.6	41.9	40.9	45.2	62.1	60.9	41.4
1.6	43.2	46.6	51.7	52.7	51.4	54.2	56.8	59.8	68.5	70.5	73.1	68.9	66.7	61.3	52.4	42.2	41.9	42.3	40.5	40.4	40.9	40.4	41.5	40.3	44.9	60.8	59.8	41.2
2	41.9	45.5	50.9	51.2	50.2	52.0	56.0	57.7	67.4	68.7	71.2	68.5	65.1	60.7	50.4	42.6	42.1	41.8	39.9	39.8	39.7	39.4	40.3	39.5	43.7	59.4	58.7	40.6
2.5	43.1	45.7	49.9	50.0	49.3	50.9	54.3	56.0	65.3	67.3	70.0	66.6	62.8	58.8	50.6	42.8	42.2	42.6	40.7	40.8	40.8	40.7	40.9	40.8	44.4	58.0	57.4	41.4
3.15	45.9	47.0	50.2	50.0	49.5	50.6	53.5	54.9	63.8	65.9	67.9	64.6	60.8	57.1	48.9	44.5	44.1	44.4	42.1	43.1	43.2	43.9	42.9	43.4	46.5	57.1	55.6	43.5
4	45.7	47.9	50.0	50.1	49.7	50.8	52.0	53.8	61.9	64.2	66.3	64.0	58.2	56.1	47.9	45.1	44.5	44.5	43.2	43.5	43.7	44.3	43.2	43.7	46.8	56.3	54.1	44.0
5	44.8	48.2	50.9	51.5	51.0	51.5	50.1	53.6	60.5	62.6	64.5	62.0	56.6	54.0	46.4	44.8	44.1	44.1	42.6	42.8	42.6	43.1	42.3	42.7	46.5	55.8	52.3	43.2
6.3	45.8	50.0	52.9	54.0	52.9	53.4	49.8	54.2	59.6	61.1	63.4	59.1	55.4	52.3	46.5	45.8	45.0	45.2	44.1	44.1	44.1	44.3	43.6	43.9	47.9	56.0	51.4	44.5
8	47.6	49.9	51.3	51.7	50.9	51.4	50.0	52.0	57.2	59.5	61.4	58.0	53.8	51.4	47.8	47.4	46.9	47.2	45.8	46.0	45.8	45.9	44.9	46.0	48.8	54.3	51.0	46.2
10	49.9	52.3	59.5	53.5	52.2	53.4	52.0	52.8	55.9	59.0	60.2	57.3	54.4	52.3	51.1	50.8	50.4	50.2	49.5	49.4	49.1	49.5	48.2	49.3	51.1	55.6	52.6	49.6
12.5	53.0	54.5	55.4	55.7	54.7	55.0	53.7	55.4	56.3	57.4	58.4	56.6	55.0	54.4	54.1	54.3	54.1	53.8	53.3	53.0	53.2	52.9	52.1	52.3	53.8	55.9	54.5	53.2
16	54.7	55.8	56.4	56.8	55.7	55.8	54.9	56.3	56.5	57.4	58.0	56.6	55.9	55.5	55.3	55.4	54.7	54.6	53.7	53.6	53.8	53.6	52.3	52.9	55.3	56.4	55.6	53.8
20	55.8	57.5	57.2	56.8	57.0	56.8	57.1	58.2	56.7	56.9	57.4	56.7	56.4	55.8	55.4	55.4	54.7	54.6	54.2	54.6	53.8	53.2	52.6	53.8	56.7	57.1	55.9	54.1
25	55.5	58.5	58.1	57.4	57.6	57.3	57.0	57.2	56.2	57.0	57.8	57.5	56.8	55.2	55.4	54.6	53.7	53.7	53.4	53.5	52.3	52.0	51.5	52.8	57.0	57.3	55.8	53.1
31.5	55.3	58.7	57.9	57.5	57.2	57.1	56.4	57.3	56.4	57.0	56.9	57.2	56.8	55														


低周波音 平日 調査結果(夏季)

測定地点: C 対象事業実施区域(南西)

測定期間: 7月30日(火)~7月31日(水)

鉄道等の騒音除外値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5							
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5								
AP	67.4	68.6	71.2	70.7	75.2	72.2	74.4	75.1	79.9	82.1	85.4	83.4	80.4	77.8	73.5	67.6	67.7	65.9	67.6	70.5	65.6	64.8	63.9	66.9	68.0	77.0	77.2	66.7			
1	55.8	48.9	60.2	59.5	61.1	63.1	67.1	67.1	73.2	74.7	77.9	76.4	73.1	69.5	66.4	50.8	54.8	50.5	49.3	47.8	44.2	43.1	42.8	44.2	52.4	68.0	69.7	47.5			
1.25	52.4	47.4	58.6	58.8	60.1	61.7	65.7	66.4	71.2	74.3	77.5	75.4	72.3	68.5	65.6	48.8	53.6	49.3	47.6	46.2	43.3	41.9	42.5	43.1	49.9	67.0	68.8	46.3			
1.6	48.2	46.5	57.6	57.6	58.1	60.3	64.1	65.2	70.5	73.6	77.1	75.1	71.5	68.8	65.1	48.2	52.4	48.0	46.1	45.3	42.3	41.0	41.2	41.7	47.4	65.9	68.5	45.1			
2	44.9	46.2	56.2	56.1	57.6	58.4	64.4	64.7	69.9	72.4	76.0	74.3	70.2	67.8	62.4	47.2	51.0	46.9	45.3	44.4	41.6	39.9	41.7	41.5	45.6	65.0	66.8	44.4			
2.5	44.5	47.1	55.4	55.4	56.1	57.2	62.0	63.2	68.5	71.4	75.9	73.2	69.5	66.3	60.7	47.0	49.7	46.1	44.8	43.9	42.5	40.9	41.9	42.2	45.8	63.8	65.5	44.3			
3.15	47.8	49.3	54.9	54.4	55.1	56.2	60.8	61.8	67.1	70.0	74.2	71.5	68.2	63.5	58.9	48.6	49.8	47.8	45.9	46.8	46.6	45.0	44.8	46.9	48.6	62.6	63.5	46.9			
4	48.5	51.0	55.0	54.7	55.1	55.7	59.0	61.0	65.8	69.1	72.5	70.4	66.6	62.3	57.1	49.5	49.9	48.1	47.5	47.7	47.2	47.1	46.6	48.0	49.8	61.8	62.0	48.0			
5	49.5	51.4	55.5	55.6	55.6	55.9	57.5	60.2	64.5	67.7	71.5	69.0	65.3	60.7	55.4	49.6	49.1	47.1	47.3	47.4	46.8	47.3	45.7	47.0	50.5	61.3	60.5	47.5			
6.3	49.4	51.8	55.4	55.8	55.6	55.7	55.7	58.8	63.3	65.8	70.2	67.3	63.3	58.8	53.3	50.1	49.5	47.7	48.3	47.9	47.3	46.9	46.3	47.6	50.6	60.4	58.5	48.0			
8	49.9	51.5	53.7	53.5	53.4	54.2	55.0	56.6	61.1	64.3	68.4	65.7	61.9	57.7	53.2	50.6	50.5	49.0	49.3	49.8	48.2	48.4	47.1	49.3	50.7	58.6	57.6	49.1			
10	53.0	53.7	58.7	56.9	55.1	55.9	56.6	58.8	59.9	62.9	66.9	64.4	60.9	57.6	54.6	54.3	53.8	53.1	53.4	53.3	52.1	53.5	51.3	52.9	53.4	59.3	57.7	53.1			
12.5	55.5	55.9	57.3	57.2	56.7	57.4	56.6	58.1	60.3	61.8	65.8	63.2	60.6	58.9	57.4	58.3	57.4	56.8	56.9	56.4	56.1	56.7	54.7	55.2	56.7	59.4	59.0	56.4			
16	57.5	57.3	57.9	57.7	57.2	58.1	57.6	58.2	59.9	60.9	64.1	62.2	60.4	58.9	57.9	58.9	57.7	57.0	57.1	57.0	56.6	55.7	54.9	56.1	57.4	59.4	59.1	56.8			
20	58.9	59.6	59.3	61.4	61.2	64.0	62.8	62.0	60.1	60.7	63.3	66.2	64.4	59.9	58.9	58.7	58.1	56.8	59.9	61.1	56.8	55.6	54.8	60.5	59.3	62.1	61.1	58.0			
25	57.5	57.8	58.1	59.1	60.6	60.8	59.7	60.3	59.9	60.8	61.5	62.6	61.6	58.9	58.2	57.2	57.2	55.8	58.6	60.1	55.1	54.5	54.2	58.2	57.7	60.3	59.6	56.8			
31.5	56.0	57.6	57.4	58.9	60.2	60.1	61.0	60.7	61.0	60.8	60.1	60.6	60.9	58.6	57.3	56.5	56.2	54.5	56.8	58.2	53.3	53.3	52.9	57.1	56.8	60.1	58.9	55.4			
40	55.5	58.1	59.1	59.7	61.5	57.9	59.6	63.3	64.3	61.7	58.9	60.0	61.9	59.7	59.8	56.7	58.0	54.1	56.5	67.0	53.7	52.9	52.8	56.3	56.8	60.6	60.4	56.4			
50	58.0	60.8	63.7	58.6	72.9	59.3	58.0	60.8	70.2	70.2	61.2	61.2	69.7	71.4	58.8	56.8	55.8	54.7	58.5	59.2	55.5	56.1	53.8	56.2	59.4	63.6	66.6	56.3			
63	55.6	59.1	59.4	57.2	60.1	57.6	58.4	57.0	59.7	60.2	57.9	58.2	59.5	58.8	57.8	55.9	54.9	54.2	56.1	56.0	54.0	52.2	52.3	54.8	57.4	58.6	58.7	54.5			
80	51.9	56.0	56.0	56.3	58.0	58.0	57.3	55.2	58.4	58.6	55.7	56.4	56.8	54.9	53.4	52.7	51.7	50.7	52.8	55.2	55.5	49.8	48.4	52.5	54.0	57.0	55.0	52.1			
G特性	L5	75.0	74.5	75.4	76.9	77.0	79.2	77.8	77.3	77.4	79.4	82.9	82.2	80.5	76.1	75.2	75.2	74.7	73.7	75.6	76.9	73.1	72.5	71.5	76.0	74.8	78.6	77.3	74.4		
	L50	69.4	70.2	70.1	70.8	70.4	72.2	71.9	72.0	71.7	72.5	74.8	75.2	73.4	71.6	70.3	70.3	69.6	68.6	70.1	70.4	68.4	67.3	66.8	69.9	69.8	72.2	71.8	69.0		
	L95	64.5	66.3	67.1	67.3	67.4	67.3	67.2	68.4	68.3	69.1	69.9	69.6	68.9	67.5	66.2	65.7	64.9	63.7	65.2	66.2	64.0	62.7	62.2	63.5	65.4	68.2	67.5	64.2		
	Leq	70.9	71.2	71.7	72.6	72.6	74.3	73.4	73.3	73.4	74.5	77.5	77.5	75.6	72.4	71.3	71.5	70.7	69.7	71.5	72.3	69.4	68.5	67.7	71.4	71.1	74.5	73.5	70.5		




測定値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5							
	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5								
AP	75.5	76.5	77.0	75.1	75.2	73.7	74.4	77.1	79.9	82.1	85.0	83.4	80.4	77.7	73.7	72.0	67.8	67.6	68.8	70.5	70.4	65.2	65.5	67.2	76.0	78.3	77.3	68.3			
1	55.4	56.8	59.1	59.3	61.1	62.3	65.9	68.2	73.2	74.7	77.7	76.4	73.1	70.1	63.1	50.2	54.8	49.5	49.6	47.8	44.4	44.2	46.1	44.1	56.1	67.8	68.8	47.9			
1.25	53.5	54.9	57.5	58.3	60.1	60.9	64.4	66.9	71.2	74.3	77.3	75.4	72.3	68.6	61.9	48.2	53.6	48.3	48.1	46.2	43.4	43.1	44.9	43.2	54.2	66.6	67.6	46.6			
1.6	50.1	52.4	56.2	56.9	58.1	59.6	62.8	66.3	70.5	73.6	76.7	75.1	71.5	68.1	60.9	47.6	52.4	47.1	46.5	45.3	42.4	42.5	43.7	41.9	51.3	65.6	66.8	45.5			
2	47.6	50.5	54.5	55.4	57.6	58.0	63.0	64.9	69.9	72.4	75.9	74.3	70.2	66.8	59.2	46.8	51.0	46.0	45.7	44.4	41.7	42.0	43.1	41.6	64.6	65.4	44.7				
2.5	46.4	49.8	53.9	54.6	56.1	56.8	60.7	63.7	68.5	71.4	75.1	73.2	69.5	65.4	57.5	46.4	49.7	45.8	45.2	43.9	42.5	42.6	43.1	42.3	48.1	63.4	64.1	44.6			
3.15	49.5	51.0	53.8	54.1	55.1	55.9	59.5	62.3	67.1	70.0	73.7	71.5	68.2	63.9	56.0	48.4	49.8	47.9	46.0	46.8	46.7	47.1	45.9	46.8	50.3	62.3	62.7	47.3			
4	49.7	52.3	54.4	54.6	55.1	56.0	57.9	61.1	65.8	69.1	72.1	70.4	66.6	62.5	54.9	49.1	49.9	48.6	47.5	47.7	47.7	48.3	47.0	47.9	51.0	61.7	61.3	48.2			
5	49.0	52.0	55.1	55.6	55.6	56.1	57.3	60.7	65.0	68.5	71.7	69.0	65.3	60.5	53.4	48.6	49.1	48.1	47.4	47.4	46.8	47.8	46.6	47.0	50.5	61.1	59.7	47.6			
6.3	49.5	52.4	55.0	56.0	55.6	56.4	59.0	63.3	65.8	69.3	73.3	71.5	67.7	63.3	59.1	52.1	49.1	49.5	48.5	48.3	47.9	47.4	47.6	47.0	47.8	51.0	60.2	48.1			
8	50.3	51.6	53.2	53.8	53.4	54.1	54.0	57.0	61.1	64.3	67.7	65.7	61.9	58.0	51.9	50.1	50.6	49.8	49.5	49.8	48.6	48.5	48.9	49.6	51.0	58.4	57.3	49.5			
10	53.2	53.8	57.5	56.9	55.1	55.9	54.9	57.3	59.9	62.9	66.0	64.4	60.9	57.6	54.3	53.9	54.0	53.3	53.4	53.3	52.5	52.7	51.8	53.2	53.5	59.1	57.6	53.1			
12.5	55.8	56.2	57.1	57.7	56.7	57.6	56.3	58.8	60.3	61.8	64.9	63.2	60.6	59.0	57.8	57.7	57.5	57.0	57.0	56.4	56.2	55.8	55.1	55.3	56.0	59.4	59.1	56.4			
16	57.1	57.7	57.6	58.4	57.2	58.4	57.2	58.9	59.9	60.9	63.3	62.2	60.4	59.2	58.2	58.2	57.8	57.2	57.2	57.0	56.7	56.4	55.7	56.2	57.4	59.4	59.3	56.9			
20	59.9	61.4	58.9	61.8	61.2	63.5	62.6	68.0	60.1	60.7	62.5	66.2	64.4	60.8	59.0	57.9	58.1	57.5	61.7	61.1	57.4	56.0	57.0	60.5	60.7	62.6	61.4	58.6			
25	59.0	59.4	59.1	60.3	60.6	61.1	60.1	65.1	59.9	60.8	61.7	62.6	61.6	59.0	58.6	57.5	57.2	58.7	62.8	60.1	57.5	55.0	55.8	58.3	59.2	61.1	59.7	58.1			
31.5	59.2	59.8	59.3	59.7	60.2	60.5	61.2	65.3	61.0	60.8	60.3																				

低周波音 平日 調査結果(夏季)

測定地点: J 高速道路南側
測定期間: 7月30日(火)~7月31日(水)
鉄道等の騒音除外値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間
	朝					昼					夜							朝													
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8				
AP	67.8	68.8	70.6	70.8	70.3	72.6	73.7	74.5	78.7	81.9	85.7	81.6	77.7	75.0	70.1	67.0	67.8	66.5	66.9	66.1	65.8	65.8	65.4	66.8	68.3	76.0	74.3	66.5			
1	48.5	51.9	58.0	58.5	58.6	64.4	66.1	65.7	71.9	75.4	79.2	75.6	71.1	68.2	61.3	48.9	56.3	48.3	50.1	46.9	45.4	45.1	47.6	44.9	50.2	67.3	66.9	48.2			
1.25	47.0	50.0	57.2	57.7	57.5	63.6	65.3	66.2	70.9	75.0	78.3	74.6	70.1	67.2	60.1	47.6	55.0	46.9	48.7	45.4	44.7	43.0	45.3	43.3	48.5	66.6	65.8	46.7			
1.6	46.5	49.7	55.4	56.3	56.0	61.9	64.2	65.4	70.0	73.4	77.3	73.1	68.8	66.3	59.2	46.7	54.1	46.0	47.9	44.1	43.6	43.1	44.8	42.4	48.1	65.3	64.8	45.9			
2	45.2	48.5	54.2	54.9	54.8	60.7	63.5	64.2	69.0	72.3	76.4	72.0	68.2	64.7	57.5	46.4	51.8	45.5	47.1	43.3	42.5	42.2	43.9	42.3	46.9	64.2	63.5	45.0			
2.5	45.4	48.6	53.2	53.9	53.7	59.3	62.1	62.6	67.7	70.9	75.0	70.6	66.3	62.9	56.5	45.3	50.9	44.6	45.8	43.0	42.9	42.3	43.6	42.4	47.0	62.9	61.9	44.5			
3.15	48.1	49.6	53.2	53.6	52.9	58.2	61.2	61.9	66.7	69.6	73.5	69.0	65.4	61.9	54.4	47.2	50.7	47.0	46.6	45.6	46.1	46.4	45.6	45.9	48.9	62.0	60.6	46.8			
4	49.0	51.0	53.3	53.2	52.9	57.2	60.0	60.1	65.4	68.1	72.4	67.7	64.5	60.7	54.1	48.2	50.1	47.8	47.7	46.9	46.8	47.5	46.4	47.4	50.0	61.0	59.8	47.6			
5	49.5	50.9	53.2	53.7	53.1	56.4	58.8	58.7	63.7	66.9	71.3	66.0	62.4	59.3	52.9	48.5	50.0	48.3	48.0	47.2	48.1	47.1	48.3	50.2	60.2	58.2	48.2				
6.3	49.5	51.4	53.4	54.1	53.4	55.9	57.2	57.9	62.5	65.3	69.9	64.4	60.9	57.8	51.9	49.3	50.1	48.7	49.1	48.8	48.5	48.6	48.2	48.2	50.5	59.4	56.9	48.8			
8	50.6	51.8	54.0	53.5	54.3	54.9	55.8	57.0	60.8	63.9	68.3	63.0	59.2	56.3	51.7	50.0	50.7	49.6	49.7	49.3	49.2	49.5	48.7	49.5	51.2	58.6	55.7	49.6			
10	55.3	55.9	57.0	56.8	56.3	56.7	56.8	58.0	60.3	63.1	66.8	61.9	59.0	57.2	55.2	54.7	55.0	54.6	54.9	54.9	54.2	54.6	53.8	54.5	55.6	59.4	57.1	54.6			
12.5	58.1	59.0	59.4	60.1	59.0	59.6	58.1	59.7	61.1	62.8	65.5	61.7	59.7	59.1	58.1	58.0	58.2	57.7	58.2	57.8	57.4	57.2	56.7	57.3	58.6	60.7	59.0	57.6			
16	58.2	59.1	59.3	59.9	59.1	59.9	58.2	59.7	60.3	61.9	64.1	60.8	59.5	59.3	58.6	58.7	58.2	57.6	57.8	57.1	57.5	56.9	56.5	57.3	58.7	60.3	59.1	57.5			
20	58.4	59.1	60.1	60.0	59.5	59.7	58.1	59.8	59.7	61.3	62.7	59.7	59.0	58.7	58.2	57.7	57.5	57.2	57.5	56.9	56.7	56.4	56.1	57.5	58.8	60.1	58.6	57.1			
25	57.5	58.2	62.7	59.8	59.5	60.7	58.4	59.0	58.5	59.8	61.5	58.7	58.0	57.6	57.1	56.4	56.4	56.0	56.4	55.7	55.3	55.0	56.4	57.9	59.9	57.6	55.9				
31.5	57.3	57.8	58.5	59.7	58.2	58.2	56.9	58.2	57.7	60.1	59.8	57.4	56.9	57.4	56.4	55.3	55.1	55.0	54.9	54.4	53.5	54.2	54.1	56.0	57.6	58.5	56.9	54.7			
40	57.2	58.2	58.8	59.2	60.4	58.5	57.7	60.1	58.9	60.5	60.2	57.8	58.0	57.8	57.1	56.0	55.6	55.8	55.7	54.7	54.7	54.5	55.0	55.7	57.7	59.2	57.6	55.3			
50	57.7	58.9	59.8	60.1	59.6	58.3	56.9	59.6	60.8	60.5	60.8	59.0	58.3	58.6	57.4	56.6	55.8	56.5	57.5	56.2	55.7	55.8	54.6	57.8	58.3	59.5	58.1	56.3			
63	56.9	57.6	58.4	59.8	57.4	57.3	56.4	58.5	59.0	58.5	59.2	58.1	57.6	57.5	56.1	55.3	54.8	54.6	54.8	53.8	53.0	54.3	53.4	56.5	57.3	58.3	57.1	54.5			
80	54.2	54.9	54.7	55.7	54.3	54.5	53.7	54.6	55.3	55.5	56.4	55.2	55.1	54.4	52.4	52.0	51.7	50.7	51.4	50.0	49.0	49.4	49.4	53.2	54.6	55.0	54.0	50.8			
G特性	L5	75.0	75.6	76.4	76.0	75.5	76.3	75.0	76.2	76.9	79.3	82.5	78.0	75.8	75.3	74.8	74.7	74.3	73.9	74.4	73.7	73.5	73.3	73.0	74.1	75.3	77.2	75.3	73.9		
	L50	70.0	70.7	72.8	72.2	71.7	72.0	70.3	71.9	72.2	73.3	74.5	72.2	71.4	71.2	70.4	69.8	69.8	69.3	69.6	69.0	68.5	68.2	69.4	70.4	72.3	71.0	69.2			
	L95	65.9	66.8	70.0	69.6	69.0	69.3	66.4	69.0	68.5	69.9	70.0	67.8	68.1	67.5	66.4	65.3	65.7	65.2	64.9	64.6	64.7	64.4	64.1	64.8	66.4	69.0	67.3	64.9		
	Leq	71.2	71.9	73.5	73.0	72.4	73.0	71.3	72.8	73.3	75.0	77.3	73.8	72.4	72.0	71.2	71.0	70.7	70.3	70.6	70.0	69.9	69.6	69.2	70.3	71.6	73.9	71.9	70.2		




測定値

項目	昼間																	夕					夜間					朝	昼間	夕	夜間
	朝					昼					夜							朝													
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8				
AP	68.3	69.3	70.9	71.0	70.8	72.7	73.7	75.3	79.0	82.2	85.7	81.9	77.7	74.7	70.3	67.6	67.9	66.9	67.1	66.1	66.4	66.5	66.2	67.0	68.8	76.3	74.2	66.9			
1	48.6	51.9	57.8	58.3	59.1	64.3	65.9	66.7	72.3	75.7	79.2	75.8	71.2	67.8	60.9	48.9	56.1	48.2	50.1	46.9	45.5	45.2	47.6	44.9	50.3	67.5	66.6	48.2			
1.25	47.1	50.4	56.9	57.6	57.7	63.5	65.0	66.8	71.1	75.2	78.4	74.4	70.1	66.7	59.7	47.5	54.9	46.8	48.9	45.4	44.7	43.2	45.4	43.2	48.8	66.7	65.5	46.7			
1.6	46.5	49.9	55.3	56.1	56.4	61.9	64.0	66.3	70.2	73.5	77.3	73.3	68.7	65.8	58.9	46.7	54.0	46.0	48.0	44.1	43.8	43.3	44.9	42.5	48.2	65.4	64.5	45.9			
2	45.4	48.6	54.1	54.8	55.2	60.6	63.3	65.0	69.4	72.5	76.5	72.6	67.7	64.1	57.2	46.5	51.7	45.5	47.0	43.3	42.7	42.5	44.0	42.3	47.0	64.4	63.0	45.1			
2.5	45.7	48.7	53.1	53.9	54.1	59.3	62.1	63.6	68.2	71.3	75.1	71.2	66.3	62.4	56.2	45.7	50.8	45.2	45.8	43.0	43.0	42.4	43.6	42.4	47.2	63.2	61.6	44.7			
3.15	48.4	49.8	53.2	53.6	53.3	58.2	61.1	62.4	67.1	70.1	73.6	69.6	65.4	61.4	54.2	47.7	50.7	47.4	46.6	45.6	46.0	46.2	45.5	45.9	49.1	62.2	60.3	46.8			
4	49.6	51.3	53.4	53.4	53.4	57.2	59.8	61.2	65.7	68.6	72.4	68.1	64.0	60.2	54.1	48.9	50.2	48.3	47.6	46.9	47.2	47.4	46.9	47.5	50.5	61.3	59.4	47.9			
5	50.0	51.3	53.6	54.0	53.6	56.4	58.7	60.2	64.1	67.6	71.3	66.6	62.5	58.8	53.1	49.2	50.1	48.9	48.2	48.0	47.8	48.3	47.7	48.4	50.7	60.6	58.1	48.5			
6.3	50.3	51.9	53.8	54.4	54.0	55.9	57.3	59.1	62.8	66.2	70.0	64.8	61.2	57.4	52.3	50.2	50.3	49.3	49.1	48.8	48.8	48.8	48.5	48.3	51.1	59.8	57.0	49.1			
8	51.0	52.2	54.1	53.8	54.6	54.9	56.0	58.1	61.2	64.5	68.6	63.3	59.5	56.0	52.2	50.6	50.9	50.1	49.7	49.3	49.4	50.0	49.2	49.5	51.6	58.9	55.9	49.9			
10	55.5	56.0	57.1	56.8	56.5	56.7	57.0	58.5	60.8	63.5	66.9	62.4	59.4	57.1	55.5	54.9	55.1	54.6	55.0	54.9	54.8	55.2	54.4	54.7	55.8	59.6	57.3	54.8			
12.5	58.3	59.1	59.6	60.2	59.3	59.7	58.3	60.1	61.5	63.2	65.6	62.2	60.0	59.0	58.3	58.2	58.3	57.8	58.4	57.8	58.4	58.0	57.7	57.7	58.7	61.0	59.1	58.0			
16	58.7	59.5	59.9	60.4	59.7	60.1	58.6	60.2	60.5	62.4	64.2	61.5	60.0	59.6	59.2	59.1	58.3	57.9	58.0	57.1	58.1	57.7	57.3	57.5	59.1	60.8	59.6	57.9			
20	59.0	59.7	60.6	60.5	60.2	59.9	58.7	60.3	60.1	61.7	62.9	60.5	59.5	59.3	58.9	58.4	57.7	57.6	57.5	56.9	57.1	57.0	56.8	57.7	59.4	60.5	59.2	57.4			
25	58.6	59.0	63.0	60.5	60.6	61.1	59.1	59.9	59.1	60.4	61.6	59.9	59.0	58.5	58.3	57.8	56.7	56.6	56.6	55.7	55.6	55.8	55.7	56.6	58.8	60.5	58.6	56.3			
31.5	58.3	58.6	59.3	60.2	59.4	58.9	58.0	59.1	58.4	60.5	60.0	58.6	57.9	57.9	57.5	56.7	55.6	55.6	55.2	54.4	54.0	54.7	55.0	56.1	58.5	59.2	57.8	55.3			
40	57.6	58.9	59.1	59.4	60.7	58.8	58.0	61.1	59.3</																						

低周波音 平日 調査結果(夏季)

測定地点: M 県営高ヶ原団地
 測定期間: 7月30日(火)~7月31日(水)
 鉄道等の騒音除外値

項目	昼間																			夜間						朝	昼間	夕	夜間
	朝						昼間						夕						夜間										
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5					
AP	63.9	65.0	67.8	69.0	70.6	70.7	74.1	77.8	82.2	86.0	88.0	86.1	82.9	79.3	72.6	63.5	64.2	62.7	62.6	63.1	62.5	62.0	61.8	62.5	64.5	77.2	78.3	62.8	
1	47.0	50.0	59.1	59.4	62.5	63.7	67.3	70.9	75.2	78.7	80.2	78.1	75.2	71.9	65.7	50.6	53.6	48.8	47.7	48.8	45.0	43.6	48.7	49.3	48.5	69.5	70.9	48.5	
1.25	46.2	49.0	56.9	58.1	62.5	61.8	65.9	70.3	74.8	78.3	79.8	77.8	74.9	71.4	65.1	49.0	52.2	48.5	46.8	47.3	43.5	42.1	45.9	45.6	47.6	68.6	70.5	46.8	
1.6	45.7	48.3	55.7	56.1	60.4	60.4	65.4	69.8	74.0	77.6	79.4	77.3	74.2	70.5	63.3	48.8	51.4	46.8	45.3	45.9	42.8	41.8	45.2	43.3	47.0	67.6	69.3	45.7	
2	44.7	47.5	54.6	57.2	59.9	60.2	64.7	68.4	73.2	76.7	79.0	76.7	73.4	70.0	62.4	48.2	49.4	45.3	43.9	44.7	42.6	41.9	44.4	42.5	46.1	67.1	68.6	44.8	
2.5	45.3	47.7	53.5	56.7	59.0	58.5	63.4	67.0	72.2	75.9	77.9	76.1	72.5	68.9	62.0	47.3	48.0	45.3	44.1	44.5	43.4	42.9	45.2	43.2	46.5	66.0	67.8	44.9	
3.15	47.3	48.3	52.9	55.9	57.3	57.8	62.2	66.1	70.9	74.9	77.0	75.5	72.0	68.2	60.9	47.4	47.9	46.0	44.5	45.4	44.7	45.3	45.8	45.2	47.8	65.1	67.0	45.8	
4	47.9	49.7	52.5	54.9	56.4	56.7	60.7	64.5	69.5	73.7	76.1	74.1	71.0	67.3	59.7	47.9	47.8	46.4	45.7	46.2	45.9	46.7	46.5	46.2	48.8	63.9	66.0	46.6	
5	47.4	49.6	51.9	54.0	55.1	55.7	59.2	63.5	67.7	72.5	74.9	73.2	70.2	66.1	58.3	46.8	46.9	45.7	45.4	45.7	45.2	45.8	45.4	45.4	48.5	62.8	64.9	45.8	
6.3	47.0	49.3	51.5	53.0	53.8	54.8	58.2	61.7	66.2	71.4	74.1	72.4	69.2	64.8	56.3	46.2	46.4	45.8	45.6	45.7	45.4	45.7	44.8	45.4	48.2	61.7	63.4	45.7	
8	47.7	49.2	50.8	52.5	52.8	53.9	56.8	60.5	64.9	69.9	73.0	71.3	67.4	62.9	54.9	47.1	47.2	46.4	46.4	46.6	46.2	46.7	45.7	46.7	48.5	60.6	61.7	46.6	
10	48.9	50.1	52.8	53.1	52.5	53.4	55.5	58.9	63.2	68.5	71.5	69.8	65.8	61.3	54.0	49.7	50.1	49.5	49.5	49.6	48.9	49.6	48.4	48.9	49.5	60.0	60.4	49.4	
12.5	51.2	51.6	53.7	54.4	53.4	54.1	54.5	57.7	61.6	66.7	69.9	68.2	64.0	59.8	54.2	52.6	53.0	52.6	52.2	52.3	52.1	52.1	51.4	51.2	51.4	59.4	59.3	52.2	
16	51.5	51.7	53.1	54.8	53.1	53.7	54.0	56.2	59.7	65.0	68.1	66.5	62.2	58.3	53.6	52.6	52.7	52.1	51.6	51.8	51.7	52.0	50.4	51.2	51.6	58.4	58.0	51.8	
20	53.6	54.3	54.9	55.7	54.9	55.7	56.1	57.7	58.4	63.2	66.1	64.5	60.7	57.3	53.3	52.5	53.7	52.7	52.7	53.3	52.6	52.3	51.9	52.9	54.0	58.7	57.1	52.7	
25	52.8	53.0	54.4	55.6	55.0	55.1	55.7	56.6	61.1	64.2	62.4	58.9	57.8	53.0	51.2	53.5	51.4	51.4	52.0	51.1	51.0	50.6	52.0	52.9	57.5	56.6	51.6		
31.5	52.5	53.1	54.2	54.5	54.5	55.0	54.8	55.8	55.5	59.1	61.6	59.6	57.1	54.8	52.3	51.0	51.0	51.0	51.3	51.0	50.1	50.5	50.3	51.2	52.8	56.5	54.7	50.8	
40	52.5	53.2	54.7	55.3	54.0	54.6	54.4	54.2	54.3	56.8	58.9	57.2	55.9	56.2	51.4	50.8	51.0	50.9	50.6	54.2	52.3	50.6	49.7	51.3	52.9	55.4	54.5	51.3	
50	57.1	58.0	58.2	59.1	58.5	56.8	56.5	56.7	56.8	57.2	58.0	56.5	56.4	57.7	54.8	54.4	52.6	52.2	52.7	52.6	51.9	51.6	51.1	52.6	57.6	57.4	56.3	52.4	
63	54.3	55.0	56.0	56.4	57.0	56.2	55.6	56.0	55.8	55.9	55.6	55.2	54.8	53.0	53.2	53.2	52.5	53.6	52.7	51.7	51.8	51.8	51.8	52.5	54.7	56.0	54.3	52.6	
80	49.3	51.1	51.9	54.4	53.6	53.2	52.8	53.0	52.7	53.2	52.8	53.1	52.8	52.7	48.9	48.8	48.1	47.7	49.2	53.3	48.4	46.6	49.3	50.2	53.1	51.5	49.0		
G特性	L5	68.4	68.6	69.7	70.9	69.5	70.4	71.7	74.9	78.7	84.6	87.0	85.5	81.4	77.2	70.1	68.1	69.5	68.2	68.0	68.4	67.9	68.0	66.9	67.9	68.5	76.3	76.2	68.1
	L50	65.1	65.6	67.0	67.8	67.1	67.5	66.9	68.9	70.0	73.3	77.1	74.5	71.2	69.1	65.8	64.8	64.7	64.9	64.5	64.4	64.9	64.5	64.4	63.9	64.6	70.0	68.7	64.7
	L95	62.2	63.3	65.0	65.7	65.3	65.4	64.5	65.8	65.7	66.2	67.5	65.9	65.7	65.1	62.5	61.9	62.5	61.8	61.9	61.8	61.2	61.1	60.8	61.6	62.8	65.7	64.4	61.6
	Leq	65.6	66.1	67.4	68.4	67.4	68.0	68.4	70.5	73.1	78.2	81.2	79.5	75.5	71.8	66.8	65.4	66.4	65.3	65.2	65.5	65.0	65.0	64.2	65.1	65.9	75.4	72.7	65.3




測定値

項目	昼間																			夜間						朝	昼間	夕	夜間
	朝						昼間						夕						夜間										
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5					
AP	65.2	66.5	68.5	69.1	71.6	73.7	74.4	77.9	83.7	86.1	88.5	86.6	83.2	79.3	73.1	64.8	64.8	63.4	62.9	63.3	62.5	62.2	62.3	62.7	65.9	78.0	78.5	63.2	
1	51.8	54.9	59.3	59.6	62.4	66.5	67.1	71.1	76.5	79.1	80.6	78.9	75.5	71.6	65.4	52.1	53.4	49.5	47.6	49.9	45.0	43.6	49.6	48.7	53.4	70.1	70.8	48.8	
1.25	48.5	52.0	56.8	58.1	62.1	65.1	66.0	70.2	75.8	78.2	80.2	78.2	75.2	71.3	64.9	50.4	51.9	48.8	46.5	48.3	43.5	42.0	47.1	45.2	50.3	69.1	70.5	47.1	
1.6	46.6	50.6	55.6	56.1	60.1	63.3	65.5	69.6	75.2	77.6	79.7	77.7	74.5	70.4	63.2	49.7	51.0	47.3	45.4	46.6	42.8	41.8	45.3	43.1	48.6	68.2	69.4	45.9	
2	45.4	48.7	54.3	55.5	59.5	62.8	65.2	68.4	74.9	76.5	79.4	77.0	73.7	69.8	62.2	48.8	49.2	45.6	43.8	45.2	42.6	41.8	44.0	42.4	47.1	67.4	68.6	44.8	
2.5	45.7	48.4	53.3	54.7	58.5	62.4	63.4	67.0	73.6	75.9	78.4	76.2	72.8	68.7	61.7	47.9	47.9	45.6	44.2	44.7	43.4	42.9	44.2	43.1	47.1	66.3	67.7	44.9	
3.15	47.6	49.0	53.1	54.4	56.9	61.0	62.9	66.2	72.6	75.0	77.5	75.7	72.1	68.1	60.6	48.0	47.8	46.4	44.8	45.5	44.9	45.2	45.1	45.1	48.3	65.5	66.9	45.9	
4	48.3	50.2	52.6	54.0	56.1	59.9	61.2	64.9	71.3	73.7	76.6	74.8	71.2	67.2	59.8	48.5	47.8	46.8	45.9	46.3	46.0	46.6	46.0	46.1	49.3	64.5	66.1	46.7	
5	47.8	49.9	52.1	53.5	54.8	59.4	59.7	63.6	70.1	72.6	75.4	73.9	70.5	66.0	58.5	47.8	46.9	46.2	45.4	45.7	45.3	45.7	45.1	45.1	48.9	63.5	65.0	45.9	
6.3	47.6	49.6	51.7	53.0	53.7	57.8	58.5	62.2	68.4	71.6	74.5	72.9	69.5	64.8	56.4	47.2	46.5	46.2	45.7	45.7	45.4	45.7	44.9	45.4	48.6	62.4	63.6	45.9	
8	48.2	49.7	51.3	52.4	52.6	56.6	57.3	61.0	66.8	70.0	73.5	71.9	67.7	63.1	55.2	48.4	47.3	47.0	46.6	46.7	46.3	46.8	45.9	46.6	49.0	61.3	62.0	46.8	
10	49.6	51.2	54.1	53.9	52.6	55.5	56.0	59.2	65.2	68.7	72.0	70.4	66.3	61.4	54.4	50.7	50.5	50.0	49.7	49.5	48.9	49.5	48.5	49.2	50.4	60.8	60.7	49.6	
12.5	51.8	52.3	54.0	54.9	53.3	55.5	55.2	58.1	63.6	66.9	70.3	69.4	64.5	60.0	54.7	53.0	53.3	52.9	52.4	52.3	52.1	52.1	51.3	51.3	52.1	60.1	59.7	52.3	
16	52.5	52.8	53.6	54.5	53.5	55.1	54.8	56.8	61.7	65.2	68.7	67.4	62.7	58.8	54.9	53.4	52.8	52.6	51.9	51.8	51.7	52.0	50.7	51.4	52.7	59.1	58.8	52.0	
20	54.7	56.1	55.8	56.3	55.5	57.2	57.6	58.7	60.4	63.4	66.6	65.3	61.2	60.3	60.5	54.8	54.0	53.4	53.0	53.4	52.6	52.3	52.1	53.2	55.4	59.7	60.7	53.2	
25	54.6	56.3	56.7	56.2	56.2	56.9	57.6	57.1	58.4	61.5	64.6	63.8	59.9	58.5	60.7	54.8	54.1	52.4	51.9	52.1	51.1	51.7	50.9	52.6	55.5	58.9	59.7	52.4	
31.5	54.4	55.2	56.7	56.7	56.8	56.1	55.8	56.5	56.9	59.5	62.1	61.5	58.2	55.9	54.8	52.6	52.2	52.0	51.6	51.2	50.1	50.8	51.2	51.8	54.8	57.9	56.3	51.5	
40	53.9	55.2	56.6	56.8	55.7	55.3	55.3	55.4	57.5	59.7	58.5	56.																	

低周波音 休日 調査結果(夏季)

測定地点: C 対象事業実施区域(南西)
 測定期間: 7月27日(土)~7月28日(日)
 鉄道等の騒音除外値

項目	昼間																				夕					夜間					朝	昼間	夕	夜間					
	朝					昼間					夕					夜間																							
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	9	10	11					12	13	14	15	
AP	66.2	68.6	66.8	67.5	69.6	76.7	77.2	76.2	77.3	85.0	83.4	84.0	70.6	69.3	67.1	66.2	63.0	65.9	67.3	66.3	61.4	62.7	64.6	62.5	67.4	76.4	69.0	64.4	67.4	76.4	69.0	64.4							
1	56.7	50.8	55.8	55.7	62.0	68.7	71.1	69.3	70.7	78.3	76.4	77.3	53.0	53.4	55.2	56.8	51.4	49.5	53.1	48.1	42.1	53.7	45.2	43.6	53.8	68.5	53.9	49.3	53.8	68.5	53.9	49.3							
1.25	52.5	50.0	55.3	55.1	59.8	67.1	70.5	68.3	70.4	77.7	76.0	76.5	51.0	50.0	52.4	53.8	50.5	48.1	52.3	46.5	41.6	51.7	43.7	43.1	51.3	67.7	51.1	47.9	51.3	67.7	51.1	47.9							
1.6	48.9	47.8	53.6	53.6	58.5	66.4	68.7	67.4	69.3	76.8	75.0	75.9	49.1	47.7	51.3	53.2	49.1	47.2	51.7	45.1	40.1	49.1	42.4	41.5	48.4	66.5	49.4	46.6	48.4	66.5	49.4	46.6							
2	46.8	47.2	52.1	51.4	56.8	65.2	67.4	66.4	68.6	75.9	74.1	74.6	48.6	46.3	50.6	51.6	48.1	47.2	51.4	43.5	39.2	48.3	41.0	40.6	47.0	65.3	48.5	45.7	47.0	65.3	48.5	45.7							
2.5	46.7	45.7	50.4	51.1	55.4	63.5	65.8	64.9	66.0	74.6	72.7	73.8	48.8	46.4	49.5	50.0	47.0	46.4	49.1	42.4	39.3	46.5	40.0	40.4	46.2	63.8	48.2	44.6	46.2	63.8	48.2	44.6							
3.15	47.2	48.8	49.2	50.6	54.3	61.5	64.8	63.1	64.3	73.4	71.5	72.6	50.0	47.1	48.4	49.0	45.9	46.7	47.2	43.5	40.2	45.3	41.7	42.6	48.0	62.5	48.5	44.7	48.0	62.5	48.5	44.7							
4	48.7	49.1	48.3	49.5	52.2	59.8	62.7	61.4	62.5	71.9	69.8	71.1	49.8	47.4	48.6	48.3	46.2	46.9	46.1	43.4	41.4	44.2	43.7	43.2	48.9	60.9	48.6	44.8	48.9	60.9	48.6	44.8							
5	48.5	47.3	48.1	49.7	51.2	58.0	60.1	59.0	60.6	70.0	68.2	69.5	49.4	47.8	49.8	47.9	45.2	46.8	45.8	43.8	42.5	44.1	43.0	42.3	47.9	59.4	49.0	44.6	47.9	59.4	49.0	44.6							
6.3	48.6	47.8	47.7	48.9	50.9	56.5	58.2	57.6	58.5	68.1	66.3	67.7	49.6	48.3	48.4	47.4	45.7	47.4	45.8	45.2	43.5	44.9	43.1	43.0	48.2	58.0	48.8	45.1	48.2	58.0	48.8	45.1							
8	48.4	49.5	49.1	50.0	50.3	55.1	56.8	56.3	57.4	65.9	64.4	65.7	51.2	50.1	49.1	48.7	46.9	49.0	47.5	46.9	45.0	45.3	45.8	45.0	49.0	57.1	50.1	46.7	49.0	57.1	50.1	46.7							
10	50.8	53.2	51.5	52.2	51.6	55.2	56.0	55.7	56.6	64.0	62.7	64.2	53.5	53.1	51.7	51.1	50.2	52.0	50.3	50.2	48.1	48.3	47.9	48.0	52.0	57.0	52.8	49.6	52.0	57.0	52.8	49.6							
12.5	53.4	54.5	53.4	54.1	53.0	55.7	56.1	55.9	56.4	62.7	61.5	62.8	55.3	55.6	54.4	54.3	52.5	55.1	52.8	52.3	51.1	50.9	51.2	50.9	54.0	57.2	55.1	52.3	54.0	57.2	55.1	52.3							
16	55.5	55.1	54.9	56.2	54.0	56.8	56.3	56.5	56.2	61.7	60.5	61.8	56.7	56.5	55.0	55.0	52.6	54.8	54.2	53.7	51.6	51.4	52.3	52.8	55.3	57.5	56.1	53.2	55.3	57.5	56.1	53.2							
20	56.0	55.8	56.4	57.8	59.6	63.8	59.6	63.3	56.5	61.3	59.9	63.1	62.5	63.3	58.9	55.9	52.3	55.8	59.9	59.0	52.2	51.9	52.8	56.4	55.9	60.1	61.6	55.1	55.9	60.1	61.6	55.1							
25	55.5	54.5	55.5	55.5	57.2	60.6	56.4	58.4	56.4	62.2	59.3	61.0	60.4	59.9	56.7	54.1	51.6	56.7	59.6	58.1	51.5	51.6	51.8	53.5	55.0	58.3	59.0	54.3	55.0	58.3	59.0	54.3							
31.5	55.4	56.6	55.2	57.7	57.5	59.7	55.6	64.1	58.5	60.3	58.8	59.6	60.2	58.4	56.3	54.0	51.6	55.2	58.1	56.2	50.2	49.8	51.9	50.3	56.0	58.3	58.3	53.0	56.0	58.3	58.3	53.0							
40	55.8	56.4	55.2	57.5	57.0	60.2	54.9	58.8	57.1	58.2	59.5	58.6	60.2	60.2	57.0	52.9	50.0	56.5	57.6	56.8	49.9	50.6	59.8	50.5	56.1	57.7	59.1	53.8	56.1	57.7	59.1	53.8							
50	55.3	58.3	57.1	56.4	56.9	71.2	55.8	56.5	57.8	68.2	70.9	60.3	65.0	60.0	56.3	55.4	50.5	56.4	55.0	58.1	54.1	51.1	58.6	51.7	56.8	61.1	60.4	54.5	56.8	61.1	60.4	54.5							
63	54.2	59.1	55.1	55.3	56.1	57.8	55.3	55.8	55.7	58.4	60.6	57.3	59.4	57.7	54.6	53.8	51.3	54.1	53.9	54.6	49.1	49.3	50.0	51.3	56.7	56.7	57.2	51.9	56.7	56.7	57.2	51.9							
80	52.7	64.1	53.3	54.4	54.4	55.9	53.0	52.4	53.4	56.7	56.3	55.8	56.8	55.1	54.4	53.3	49.0	51.9	52.1	52.6	45.8	48.3	46.6	47.9	58.4	54.6	55.4	49.7	58.4	54.6	55.4	49.7							
G特性	L5	71.9	72.0	73.4	75.2	75.7	79.0	75.6	79.1	73.5	80.3	78.9	80.7	78.0	77.4	73.3	72.7	70.3	73.3	76.0	75.4	69.3	69.3	69.7	71.6	72.0	77.1	76.2	72.0										
	L50	65.9	67.4	66.0	66.1	67.2	71.2	69.4	71.1	68.9	73.2	71.9	73.6	70.5	71.7	68.2	66.4	63.4	66.6	68.4	66.6	63.1	62.7	64.0	66.2	66.7	69.9	70.1	65.3										
	L95	62.2	63.6	62.1	62.4	62.7	64.3	64.4	65.6	64.4	68.3	66.5	67.7	65.1	66.4	64.5	62.8	59.2	61.3	62.0	61.3	58.6	58.2	59.8	62.9	64.8	65.3	60.2											
	Leq	68.5	68.2	68.4	69.6	70.2	74.0	70.9	73.4	69.8	75.4	74.0	75.9	73.1	73.6	70.0	68.2	65.4	68.5	70.9	69.9	64.8	64.6	65.4	67.3	68.4	72.9	72.5	67.8										




測定値

項目	昼間																				夕					夜間					朝	昼間	夕	夜間					
	朝					昼間					夕					夜間																							
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	9	10	11					12	13	14	15	
AP	71.6	72.9	72.7	75.0	77.2	76.7	78.0	76.9	79.0	85.5	83.4	84.0	70.6	71.3	72.2	72.4	69.0	68.5	67.3	67.7	74.7	62.7	67.3	67.5	72.3	78.8	71.4	68.6											
1	57.0	58.2	59.1	55.3	64.9	68.7	70.2	68.5	71.3	78.5	76.4	77.3	53.0	57.0	57.2	52.9	54.7	51.3	53.1	48.9	46.8	52.8	57.4	45.1	57.6	69.0	55.7	51.4											
1.25	55.1	55.9	57.3	54.3	63.6	67.1	69.6	67.5	71.0	78.2	76.0	76.5	51.0	55.0	54.5	51.2	53.8	50.6	52.3	47.3	46.0	51.6	55.5	44.7	55.5	68.1	53.5	50.3											
1.6	52.1	52.7	57.0	52.8	62.8	66.4	67.9	66.6	70.0	77.3	75.0	75.9	49.1	52.6	52.6	50.5	52.5	49.1	51.7	46.1	44.1	48.8	53.3	43.4	52.4	67.2	51.4	48.8											
2	50.0	49.3	54.8	51.0	61.9	65.2	66.6	65.5	68.5	76.3	74.1	74.6	48.6	50.5	51.9	49.3	51.0	47.9	51.4	44.3	42.2	47.7	50.3	41.9	49.7	65.9	50.3	47.3											
2.5	48.3	47.9	52.9	50.6	60.1	63.5	65.0	64.1	67.2	75.0	72.7	73.8	48.8	50.2	50.8	48.6	49.7	46.6	49.1	43.3	41.5	45.9	47.3	41.5	48.1	64.5	49.9	45.9											
3.15	47.8	47.9	51.8	50.0	59.1	61.5	63.8	62.2	65.5	73.8	71.5	72.6	50.0	49.4	49.9	48.6	49.3	46.2	47.2	44.0	41.2	45.0	46.0	43.7	47.9	63.2	49.8	45.7											
4	47.7	48.0	50.5	49.2	56.4	59.8	61.7	60.6	63.8	72.6	69.8	71.1	49.8	49.7	49.5	49.0	48.4	46.2	46.1	44.1	41.6	44.6	45.4	44.4	47.9	61.6	49.7	45.5											
5	47.2	47.6	50.7	49.3	54.9	58.6	59.6	58.4	62.2	70.5	68.2	69.5	49.4	49.6	49.2	48.2	47.5	46.4	45.8	44.3	42.9	43.9	44.7	44.9	47.4	60.1	49.4	45.4											
6.3	47.4	48.2	50.3	49.0	54.0	56.5	57.9	56.9	60.2	68.6	66.3	67.7	49.6	50.0	48.7	48.0	47.6	46.6	45.8	44.2	44.4	44.4	45.3	46.5	47.8	58.7	49.4	46.0											
8	48.9	50.0	49.9	49.9	53.2	55.1	56.4	55.8	58.6	66.8	64.4	65.7	51.2	50.5	49.5	50.0	48.6	48.2	47.5	47.5	45.6	45.3	48.0	48.6	49.5														

低周波音 休日 調査結果(夏季)

測定地点: J 高速道路南側
 測定期間: 7月27日(土)~7月28日(日)
 鉄道等の騒音除外値

項目	昼間																		夕					夜間					朝	昼間	夕	夜間
	朝						夕						夜間																			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5								
AP	64.7	65.7	66.9	67.4	69.8	73.0	74.8	75.5	78.1	84.7	83.7	83.2	65.9	65.7	65.1	64.9	64.7	64.2	64.3	63.5	63.1	62.5	62.6	64.2	65.2	75.7	65.6	63.8				
1	49.6	50.2	56.6	58.5	62.9	66.2	68.1	69.0	71.4	78.3	77.3	76.9	50.1	49.1	49.2	48.5	50.3	45.9	47.0	47.7	42.9	45.9	47.4	50.1	49.9	68.5	49.5	47.3				
1.25	48.3	48.9	54.9	57.4	61.8	65.4	67.1	68.2	71.0	77.3	76.8	75.9	49.5	48.4	48.1	47.6	48.6	45.1	45.9	45.9	40.8	44.1	45.8	49.2	48.6	67.6	48.7	45.9				
1.6	47.2	47.7	53.6	56.5	59.5	64.0	66.1	67.2	70.0	76.1	75.1	74.8	48.5	48.6	47.3	47.6	48.2	44.3	44.7	44.7	40.0	42.4	45.4	48.4	47.5	66.3	48.1	45.1				
2	46.2	46.5	52.8	55.2	58.9	63.6	65.3	65.8	68.9	75.6	74.2	73.8	47.7	48.8	46.9	47.2	47.4	44.1	44.4	43.6	39.3	41.6	43.1	47.2	46.4	65.4	47.8	44.2				
2.5	44.8	45.5	51.8	53.7	57.7	62.0	64.1	64.5	67.7	74.1	73.1	72.7	47.8	48.9	46.4	47.2	46.5	43.4	42.8	41.8	38.9	41.2	42.1	45.2	45.2	64.1	47.7	43.2				
3.15	44.8	46.0	50.9	52.7	55.8	60.4	62.8	63.3	66.0	72.9	71.7	71.3	50.2	49.4	46.6	47.7	46.3	43.9	43.0	42.6	40.2	42.2	42.2	44.9	45.4	62.8	48.7	43.7				
4	45.6	46.2	49.6	51.3	54.6	59.2	61.1	61.6	64.6	71.9	70.3	70.0	49.2	49.2	46.3	47.9	46.3	45.0	43.5	42.8	41.8	43.0	43.2	44.5	45.9	61.4	48.2	44.2				
5	46.3	46.8	49.4	50.7	53.6	57.2	59.6	60.1	63.1	70.4	69.2	68.5	49.2	49.6	47.3	48.1	47.4	46.0	45.3	44.7	44.6	44.6	44.7	45.3	46.6	60.2	48.7	45.6				
6.3	46.4	47.2	49.3	49.6	52.2	55.6	58.0	58.3	61.4	68.8	67.6	67.3	49.4	50.3	47.6	48.5	47.9	46.5	46.0	45.6	45.4	45.4	45.4	45.8	46.8	58.8	49.1	46.3				
8	47.5	48.3	48.8	49.0	50.8	53.9	55.9	56.7	59.5	67.3	66.0	65.3	49.5	50.3	47.9	48.3	48.4	47.4	47.0	46.8	46.4	46.9	46.1	46.2	47.9	57.3	49.2	47.1				
10	53.1	53.2	52.7	52.8	54.3	55.6	55.9	58.1	65.3	64.4	63.5	63.5	53.0	53.4	52.3	52.1	52.4	52.2	52.4	52.2	51.8	51.3	51.5	51.2	53.2	57.5	52.9	51.9				
12.5	54.4	55.6	55.2	54.5	54.6	54.9	56.1	56.3	57.3	63.8	62.5	61.9	54.7	54.8	53.9	54.0	54.3	54.2	54.5	54.5	54.2	52.4	52.9	52.9	55.0	57.7	54.5	53.8				
16	55.0	56.1	56.0	55.2	55.1	55.1	56.0	56.2	56.4	62.1	61.1	61.0	55.8	55.5	54.2	55.2	54.5	54.5	54.7	54.0	54.3	52.6	53.0	54.0	55.6	57.4	55.2	54.2				
20	55.1	55.8	55.7	54.9	54.9	54.7	55.5	56.0	55.8	60.7	59.4	59.7	56.2	55.3	54.7	55.2	54.8	54.6	54.8	54.5	54.5	53.3	53.0	55.0	55.5	56.7	55.4	54.4				
25	53.8	54.9	54.8	54.6	54.5	53.9	54.7	54.8	55.0	59.4	58.2	58.3	55.1	54.5	53.4	54.4	53.8	53.9	54.0	52.7	52.8	52.1	51.8	53.1	54.4	55.8	54.3	53.2				
31.5	53.5	54.5	55.0	54.4	54.3	53.9	54.0	54.8	54.9	58.0	57.5	57.4	54.9	54.3	53.6	54.0	54.0	53.4	53.5	52.1	51.7	51.5	52.4	53.6	54.0	55.4	54.3	52.9				
40	54.1	54.9	55.7	54.9	54.9	54.9	54.6	55.5	55.7	56.9	57.3	57.1	55.3	54.6	55.1	54.3	53.7	54.1	53.4	53.5	52.6	51.6	51.4	52.6	54.5	55.8	55.0	53.0				
50	54.3	54.9	55.5	54.3	55.2	55.0	55.0	55.6	56.1	56.7	57.0	57.5	55.1	55.0	55.4	54.0	53.2	53.4	54.6	51.9	52.6	52.1	51.6	53.5	54.6	55.8	55.2	53.0				
63	53.3	55.1	54.2	53.7	54.2	54.5	54.4	54.5	57.5	56.9	56.5	57.5	54.7	54.4	55.5	54.0	53.5	53.2	53.0	51.7	50.7	51.1	50.7	53.0	54.2	55.4	54.9	52.3				
80	50.0	53.2	52.4	52.1	51.9	52.5	52.2	52.4	53.5	54.1	54.1	55.9	52.7	52.6	53.9	50.4	51.5	50.6	49.2	48.9	48.7	48.7	48.1	50.9	51.6	53.1	53.1	49.7				
G特性	L5	72.6	73.0	73.2	72.1	71.9	72.2	73.4	73.5	74.2	81.3	80.1	79.5	72.7	72.3	71.3	72.2	72.0	71.4	72.2	71.9	71.9	70.3	70.3	72.1	72.8	75.1	72.1	71.6			
	L50	66.1	67.5	67.0	66.6	66.4	66.5	67.3	68.0	67.8	71.7	70.8	71.0	67.6	66.9	66.2	66.2	65.7	66.0	66.0	65.2	65.1	64.2	64.3	65.6	66.8	68.3	66.9	65.4			
	L95	61.5	63.0	63.0	62.8	63.1	62.6	63.4	63.7	64.1	65.6	65.2	65.9	63.7	63.0	62.5	61.7	61.4	61.5	61.5	60.4	60.3	59.6	59.5	60.4	62.3	63.9	63.1	60.7			
	Leq	67.9	68.8	68.7	68.0	67.9	68.0	68.9	69.3	69.7	75.5	74.3	74.1	68.8	68.3	67.3	68.0	67.6	67.4	67.7	67.2	67.2	65.9	65.9	67.5	68.4	71.5	68.2	67.2			




測定値

項目	昼間																		夕					夜間					朝	昼間	夕	夜間
	朝						夕						夜間																			
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5								
AP	65.9	66.9	67.7	68.2	70.5	73.9	74.7	75.4	78.7	85.0	83.6	83.4	67.0	66.4	66.4	65.9	65.3	64.7	64.3	63.7	63.6	62.9	63.0	64.3	66.4	76.1	66.6	64.2				
1	49.6	50.0	56.1	58.5	63.1	67.1	68.1	68.7	71.9	78.4	77.2	77.1	49.9	49.0	49.1	48.7	50.3	45.9	47.0	47.6	43.0	45.8	47.3	49.6	49.8	68.6	49.3	47.2				
1.25	48.2	48.8	54.5	57.5	61.9	66.3	67.0	68.0	71.6	77.5	76.6	76.0	49.3	48.1	48.1	47.6	48.6	45.1	45.9	45.9	40.8	44.0	45.6	49.0	48.5	67.7	48.5	45.8				
1.6	47.2	47.6	53.4	56.5	59.9	65.3	66.1	67.0	70.5	76.6	75.0	75.0	48.5	48.4	47.2	47.6	48.1	44.2	44.7	44.7	40.0	42.4	45.2	48.2	47.4	66.5	48.0	45.0				
2	46.3	46.5	52.6	55.3	59.3	64.4	65.1	65.7	69.4	75.9	74.1	74.0	47.8	48.7	47.0	47.3	47.5	44.1	44.4	43.5	39.6	41.6	43.1	47.0	46.4	65.6	47.8	44.2				
2.5	45.3	46.0	51.8	53.8	57.9	62.8	63.9	64.3	68.1	74.7	73.2	72.8	48.1	48.9	46.7	47.5	46.8	43.6	42.8	41.8	39.0	41.2	42.0	44.9	45.7	64.3	47.9	43.3				
3.15	45.6	46.7	51.0	53.0	56.5	61.3	62.6	63.1	66.4	73.2	72.0	71.6	50.2	49.4	47.3	48.0	46.9	44.4	43.0	42.6	40.2	42.2	42.2	44.7	46.2	63.1	49.0	43.8				
4	47.0	47.3	50.2	51.9	55.3	60.0	61.0	61.5	65.2	72.1	70.3	70.1	49.9	49.5	48.1	48.4	47.0	45.7	43.5	42.8	41.9	43.0	43.2	44.4	47.2	61.8	49.2	44.4				
5	47.7	48.0	50.2	51.4	54.3	58.3	59.5	59.9	63.8	70.6	69.1	68.8	50.2	50.1	48.5	48.9	48.2	46.7	45.3	44.7	44.7	44.7	44.8	45.2	47.9	60.6	49.6	45.9				
6.3	48.2	48.6	50.4	50.9	53.1	56.8	57.9	58.2	62.1	69.0	67.4	67.5	50.5	50.8	49.0	49.5	48.7	47.2	45.6	45.5	45.6	45.5	45.6	45.5	48.4	59.3	50.1	46.6				
8	48.9	49.3	50.2	50.2	52.0	55.1	55.9	56.6	60.4	67.5	65.7	65.6	50.4	50.7	49.3	49.1	49.1	48.0	47.1	46.8	46.5	47.1	46.3	46.2	49.1	57.9	50.1	47.4				
10	53.6	53.6	53.4	53.3	53.5	55.0	55.6	55.9	58.9	65.5	64.0	63.8	53.5	53.8	53.0	52.5	52.8	52.4	52.4	52.2	52.0	51.6	51.9	51.3	53.6	57.9	53.4	52.1				
12.5	55.2	56.2	55.8	55.2	55.5	55.5	56.4	56.6	58.2	63.9	62.3	62.3	55.5	55.0	54.4	54.7	54.5	54.7	54.8	54.7	53.0	53.4	53.0	55.7	58.2	55.3	54.1					
16	56.2	56.9	57.1	56.2	56.4	56.0	56.5	56.9	57.8	62.4	61.1	61.4	57.0	56.4	55.7	56.3	55.3	55.0	54.8	54.0	54.7	53.6	53.4	54.7	56.6	58.2	56.4	54.6				
20	56.9	56.8	57.3	56.5	56.8	56.0	56.3	57.0	57.6	60.9	59.4	60.3	57.7	56.2	56.5	56.7	55.7	55.3	54.9	54.6	54.7	53.8	53.2	55.1	56.9	57.8	56.8	54.9				
25	56.3	57.1	57.2	57.0	56.8	55.7	56.3	56.5	57.1	59.7	58.5	59.1	57.5	56.3	56.1	56.1	54.8	55.0	54.1	52.8	53.1	52.4	52.1	53.1	56.7	57.4	56.6	53.7				
31.5	55.8	56.5	56.6	56.4	56.7	55.6	55.5	56.4	56.9	58.4	57.9	58.0	56.9	55.8	55.8	55.9	55.1	54.3	53.6	52.1	51.9	51.8	53.0	53.8	56.2	56.8	56.2	53.5				
40	54.9	56.1	56.3	55.6	55.8	55.4	55.4	56.0																								

低周波音 休日 調査結果(夏季)

測定地点: M 県営高ヶ原団地
 測定期間: 7月27日(土)~7月28日(日)
 鉄道等の騒音除外値

項目	昼間																			夕					夜間					朝	昼間	夕	夜間
	朝					昼間					夕					夜間																	
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5									
AP	65.0	64.1	64.4	65.6	74.6	75.3	77.5	76.9	79.9	87.5	84.9	84.5	63.5	63.7	64.7	63.1	63.4	60.9	60.9	61.2	61.3	59.1	62.9	60.2	64.6	77.1	64.0	61.4					
1	55.9	50.6	54.1	56.4	67.5	68.8	71.1	70.2	73.6	80.1	77.5	77.6	49.9	45.8	55.3	50.8	54.9	47.3	49.5	48.2	44.4	49.0	54.7	46.3	53.3	69.7	50.3	49.5					
1.25	55.3	49.3	54.4	55.1	67.8	67.8	70.0	69.3	72.1	79.5	77.1	76.3	48.8	46.6	53.0	50.7	53.9	46.5	48.2	46.9	42.6	46.0	54.5	45.2	52.3	68.9	49.5	48.3					
1.6	54.2	48.3	52.5	54.5	66.0	67.1	69.2	68.7	71.5	79.4	76.5	76.1	48.4	47.8	51.6	49.7	52.2	45.5	46.9	45.7	41.5	43.7	52.6	43.7	51.3	68.2	49.3	46.8					
2	52.4	47.1	51.3	53.3	65.4	66.2	68.3	67.9	70.2	78.6	75.8	75.4	48.2	49.4	50.7	48.9	51.4	44.6	46.0	44.4	40.6	42.4	51.2	42.5	49.8	67.2	49.4	45.8					
2.5	50.9	46.5	50.1	52.4	64.2	64.5	67.1	67.0	70.2	77.8	74.9	74.2	47.9	49.9	49.9	48.7	50.0	44.4	44.9	43.5	41.0	42.0	49.9	42.0	48.7	66.2	49.2	45.2					
3.15	49.7	46.5	48.8	51.1	62.9	63.3	65.8	65.0	68.8	76.7	74.0	73.4	47.4	50.9	49.0	48.4	48.9	44.1	43.6	43.1	40.8	42.4	48.6	42.4	48.1	65.0	49.1	44.7					
4	48.2	46.3	48.7	49.4	60.9	62.4	64.2	63.9	67.5	75.2	72.6	72.4	47.7	50.5	48.7	48.6	47.9	44.2	43.3	42.9	41.3	42.2	47.5	42.4	47.3	63.7	49.0	44.5					
5	46.7	45.7	48.1	48.2	59.5	60.8	62.6	62.3	65.3	73.7	71.2	71.4	47.6	49.9	47.5	46.7	46.2	43.4	42.7	42.3	41.4	41.5	45.8	41.9	46.2	62.3	48.3	43.5					
6.3	45.4	45.5	47.4	47.2	57.2	58.3	60.4	60.9	63.9	72.4	70.1	69.9	46.9	50.7	46.6	46.7	45.6	43.1	42.5	42.4	41.8	43.9	44.8	41.8	45.5	60.8	48.1	43.6					
8	45.1	45.6	47.2	47.2	55.5	56.7	58.3	58.8	62.0	70.6	68.2	67.9	47.0	48.7	46.8	45.7	45.2	43.5	42.8	42.8	42.4	42.4	44.2	42.5	45.4	59.2	47.5	43.5					
10	47.5	48.4	48.4	49.3	53.8	54.7	56.4	56.6	59.4	68.7	66.6	66.1	48.2	49.0	48.5	47.0	47.0	46.6	45.8	45.6	45.5	44.2	46.2	45.5	48.0	58.0	48.6	45.9					
12.5	49.1	49.9	49.4	49.8	52.7	53.4	54.7	55.0	57.8	66.6	64.6	64.3	50.0	50.2	50.3	48.9	49.0	48.8	48.3	48.4	48.0	46.6	48.2	47.6	49.5	56.8	50.2	48.2					
16	49.0	49.9	49.5	49.7	51.6	51.9	52.9	53.6	55.5	64.3	62.4	62.3	50.4	50.0	50.0	48.9	48.9	49.0	48.5	48.0	47.8	46.2	47.9	47.9	49.9	55.4	50.1	48.1					
20	51.8	51.9	51.2	50.6	52.0	52.2	53.5	54.7	54.2	62.5	60.3	60.4	52.7	53.6	53.2	50.4	51.1	51.8	51.1	50.9	49.8	48.6	49.9	50.9	51.9	55.2	53.2	50.5					
25	50.8	50.8	51.1	50.1	51.2	51.1	52.1	52.3	53.1	60.2	58.1	58.3	52.6	51.8	52.8	49.3	49.1	50.5	49.8	48.7	48.4	47.1	48.3	49.7	50.8	53.8	52.4	49.0					
31.5	51.4	52.1	52.0	53.2	52.6	51.1	52.8	51.9	53.3	57.7	55.7	55.7	52.4	51.8	52.9	50.9	50.6	50.8	50.9	50.4	50.2	49.7	50.3	51.1	51.8	53.6	52.4	50.5					
40	50.8	51.7	51.1	52.6	52.3	50.7	52.0	51.2	51.8	55.1	53.6	53.6	52.1	51.0	51.8	49.9	49.1	49.6	49.2	55.3	57.4	47.0	48.3	48.6	51.3	52.4	51.6	50.5					
50	58.4	57.6	56.4	58.4	59.2	56.7	56.9	56.2	56.7	56.6	55.5	53.8	53.6	55.1	56.4	56.6	53.5	50.6	50.5	50.3	50.5	49.0	50.9	50.1	58.0	56.6	55.0	51.3					
63	50.9	56.6	51.5	52.0	52.1	53.0	51.8	54.6	53.2	53.0	53.2	54.7	52.6	51.3	50.6	49.8	49.7	49.1	48.8	48.6	49.2	49.8	53.8	52.7	53.3	49.7	49.7	45.1					
80	45.6	51.4	49.1	49.7	49.3	50.0	49.8	47.7	52.4	50.9	49.3	49.9	46.6	48.5	50.7	46.9	45.8	44.6	44.3	44.6	44.6	42.8	44.7	47.2	48.5	49.8	49.6	45.1					
G特性	L5	66.7	66.9	67.6	66.3	70.7	70.0	72.2	72.8	74.5	83.9	81.5	81.6	67.8	68.6	67.9	66.3	66.8	67.7	65.8	65.5	65.1	64.0	65.3	65.6	66.8	74.1	68.1	65.8				
	L50	62.9	63.3	62.5	62.7	63.2	64.0	64.9	65.4	67.8	73.8	71.7	71.4	63.9	63.7	63.1	61.7	61.9	62.1	62.3	61.9	61.1	59.8	61.3	61.6	63.1	66.5	63.6	61.6				
	L95	59.5	60.3	59.9	60.1	59.9	60.5	61.2	62.0	61.3	64.8	63.3	64.1	61.4	60.6	60.2	58.7	58.5	58.3	59.4	58.4	58.0	56.9	57.3	58.6	59.9	61.7	60.7	58.2				
	Leq	63.6	63.9	63.6	63.4	65.5	65.9	67.2	67.8	69.4	77.9	75.8	75.6	64.8	65.0	64.9	62.7	63.0	63.5	62.9	62.5	61.9	60.6	62.0	62.5	63.8	72.3	64.9	62.5				



測定値

項目	昼間																			夕					夜間					朝	昼間	夕	夜間
	朝					昼間					夕					夜間																	
	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5									
AP	66.2	71.6	68.7	69.3	74.9	75.3	77.7	77.9	80.3	87.4	84.7	84.1	66.6	66.1	66.9	64.1	64.2	62.0	60.9	62.0	61.5	61.1	62.3	61.2	68.9	78.0	66.5	62.1					
1	55.9	53.0	56.4	58.2	67.4	68.6	71.1	71.0	73.6	80.1	77.3	77.1	52.9	53.8	57.1	52.0	54.9	49.3	49.5	48.6	45.7	54.1	52.3	49.2	54.5	70.1	54.6	50.6					
1.25	54.6	51.2	54.9	56.7	67.3	67.6	70.0	70.2	72.4	79.5	77.0	75.9	51.0	51.5	55.1	51.3	53.9	47.3	48.2	47.3	43.2	51.0	51.9	46.4	52.9	69.2	52.5	48.9					
1.6	53.6	49.3	52.9	55.2	66.1	67.1	69.4	69.8	71.9	79.2	76.4	75.7	49.9	49.7	53.4	50.1	52.3	45.5	46.9	46.1	41.6	47.9	50.3	44.3	51.5	68.4	51.0	47.2					
2	52.1	47.8	51.6	54.6	65.1	66.5	68.4	68.6	70.7	78.5	75.7	75.1	49.4	48.9	52.1	49.2	51.5	44.7	46.0	44.7	40.6	45.9	49.2	43.1	50.0	67.5	50.1	46.1					
2.5	50.6	46.8	50.4	53.2	63.8	64.6	67.2	67.8	70.5	77.5	74.9	73.7	49.1	49.2	51.0	48.9	50.2	44.7	45.0	44.0	41.0	44.8	48.3	42.5	48.7	66.4	49.8	45.5					
3.15	49.4	47.1	49.1	52.7	62.5	63.3	65.8	66.3	69.1	76.4	73.9	73.1	50.3	49.9	49.8	48.6	49.3	44.5	43.6	43.3	40.8	43.8	46.8	42.6	48.3	65.2	50.0	44.8					
4	48.3	47.5	49.0	50.9	60.6	62.4	64.3	65.0	67.9	75.0	72.5	71.9	50.0	49.7	49.6	48.8	48.4	44.6	43.3	43.0	41.4	43.1	45.9	42.6	47.9	64.0	49.8	44.6					
5	46.9	47.9	48.7	49.4	59.4	60.8	62.7	63.2	65.9	73.5	71.1	70.9	49.6	49.0	48.6	47.0	46.8	43.9	42.7	42.4	41.5	42.6	44.6	42.1	47.4	62.6	49.1	43.7					
6.3	45.8	47.8	48.1	48.3	57.0	58.3	60.6	61.7	64.3	72.2	69.8	69.4	49.2	49.6	47.7	46.9	46.5	43.7	42.5	42.4	41.8	43.8	43.7	42.0	46.8	61.0	48.8	43.7					
8	45.7	48.8	48.3	48.6	55.4	56.7	58.3	60.0	62.4	70.4	68.1	67.9	49.2	49.1	47.9	46.1	46.0	44.3	42.8	42.8	42.4	43.0	43.5	42.7	47.3	59.6	48.7	43.7					
10	48.6	50.7	49.6	50.6	54.0	55.0	56.6	57.8	60.2	68.5	66.4	66.3	50.6	50.7	49.6	48.1	47.9	47.7	45.8	45.8	45.4	45.3	46.2	45.6	49.7	58.5	50.3	46.4					
12.5	49.7	52.2	50.2	51.1	53.1	53.5	55.9	56.1	59.0	66.5	64.4	64.5	51.3	51.5	51.4	49.7	49.6	49.3	48.4	48.9	47.9	47.7	48.5	47.7	51.0	57.4	51.4	48.6					
16	50.4	55.4	50.7	52.8	52.9	52.2	53.9	54.7	57.7	64.3	62.2	62.6	52.2	52.6	52.4	49.9	49.7	49.7	48.6	50.3	47.8	47.3	48.6	48.3	52.9	56.4	52.4	48.9					
20	53.2	59.8	53.3	54.1	54.3	52.7	55.4	55.5	57.0	62.7	60.3	61.3	55.4	56.3	55.2	51.7	52.2	52.4	51.2	52.3	49.9	49.3	52.0	51.6	56.5	56.7	55.6	51.4					
25	53.0	55.0	53.7	54.7	57.9	52.6	57.5	53.4	56.2	60.7	58.4	61.0	57.9	58.1	55.5	52.6	51.0	52.0	50.0	49.5	48.6	47.9	50.3	50.4	50.4	56.6	57.2	50.3					
31.5	54.4	55.0	53.8	55.5	56.7	53.3	57.0	53.9	55.7	58.5	56.1	59.6	57.1	55.3																			