

1.4 低周波音

資料 1 夏季調査 平日

測定地点：No.1 対象事業実施区域（西側敷地境界）

測定期間：平成 28 年 7 月 12 日 8 時～翌 13 日 8 時

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | |
| 測定日 | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | |
| 測定時間帯 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 開始時間 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 終了時間 | 8:10 | | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 97 | 79 | 95 | 79 | 94 | 79 | 102 | 80 | 95 | 79 | 102 |
| 1Hz | 104 | 95 | 103 | 93 | 107 | 93 | 106 | 94 | 103 | 92 | 103 | 92 |
| 1.25Hz | 105 | 94 | 103 | 92 | 107 | 93 | 106 | 93 | 107 | 93 | 106 | 91 |
| 1.6Hz | 104 | 93 | 105 | 91 | 105 | 91 | 103 | 91 | 103 | 90 | 109 | 91 |
| 2Hz | 100 | 90 | 102 | 88 | 102 | 88 | 103 | 88 | 101 | 87 | 108 | 88 |
| 2.5Hz | 100 | 85 | 99 | 83 | 99 | 84 | 102 | 85 | 98 | 82 | 105 | 84 |
| 3.15Hz | 101 | 81 | 97 | 79 | 101 | 80 | 99 | 81 | 93 | 77 | 100 | 80 |
| 4Hz | 96 | 77 | 92 | 75 | 97 | 77 | 97 | 78 | 91 | 75 | 99 | 77 |
| 5Hz | 91 | 72 | 91 | 73 | 90 | 72 | 97 | 75 | 90 | 70 | 101 | 75 |
| 6.3Hz | 91 | 69 | 86 | 68 | 89 | 69 | 94 | 72 | 84 | 64 | 100 | 74 |
| 8Hz | 85 | 65 | 89 | 67 | 85 | 65 | 97 | 73 | 84 | 63 | 96 | 72 |
| 10Hz | 87 | 64 | 86 | 67 | 81 | 64 | 92 | 69 | 90 | 67 | 87 | 66 |
| 12.5Hz | 84 | 64 | 85 | 66 | 79 | 63 | 89 | 67 | 83 | 65 | 90 | 68 |
| 16Hz | 82 | 65 | 83 | 66 | 80 | 64 | 88 | 67 | 79 | 64 | 86 | 65 |
| 20Hz | 83 | 65 | 81 | 65 | 83 | 65 | 87 | 66 | 80 | 65 | 89 | 68 |
| 25Hz | 84 | 66 | 82 | 66 | 81 | 65 | 84 | 66 | 82 | 66 | 88 | 68 |
| 31.5Hz | 82 | 67 | 84 | 72 | 79 | 70 | 81 | 70 | 82 | 72 | 87 | 72 |
| 40Hz | 82 | 67 | 85 | 70 | 80 | 67 | 82 | 66 | 83 | 67 | 90 | 70 |
| 50Hz | 79 | 67 | 93 | 72 | 87 | 68 | 82 | 67 | 86 | 67 | 87 | 69 |
| 63Hz | 86 | 70 | 93 | 72 | 84 | 68 | 86 | 69 | 89 | 69 | 91 | 72 |
| 80Hz | 82 | 66 | 87 | 69 | 89 | 68 | 93 | 72 | 85 | 66 | 87 | 68 |

| 測定日 | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 測定時間帯 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 開始時間 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 終了時間 | 14:10 | | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 97 | 81 | 93 | 77 | 93 | 77 | 92 | 75 | 94 | 77 | 95 |
| 1Hz | 104 | 92 | 106 | 91 | 102 | 91 | 103 | 93 | 102 | 92 | 102 | 91 |
| 1.25Hz | 105 | 92 | 104 | 90 | 100 | 90 | 104 | 92 | 102 | 92 | 102 | 90 |
| 1.6Hz | 107 | 91 | 100 | 88 | 98 | 88 | 102 | 90 | 103 | 91 | 101 | 88 |
| 2Hz | 104 | 88 | 98 | 85 | 99 | 85 | 100 | 87 | 101 | 87 | 98 | 85 |
| 2.5Hz | 99 | 84 | 100 | 82 | 96 | 81 | 97 | 82 | 97 | 82 | 94 | 80 |
| 3.15Hz | 96 | 79 | 93 | 77 | 94 | 76 | 95 | 77 | 90 | 77 | 95 | 76 |
| 4Hz | 95 | 75 | 91 | 73 | 90 | 72 | 92 | 73 | 89 | 72 | 89 | 71 |
| 5Hz | 98 | 76 | 89 | 70 | 86 | 69 | 85 | 67 | 84 | 67 | 89 | 68 |
| 6.3Hz | 91 | 71 | 83 | 65 | 86 | 66 | 78 | 61 | 77 | 61 | 87 | 64 |
| 8Hz | 86 | 68 | 85 | 64 | 85 | 63 | 75 | 58 | 71 | 58 | 84 | 60 |
| 10Hz | 89 | 69 | 87 | 64 | 78 | 61 | 77 | 58 | 79 | 62 | 80 | 60 |
| 12.5Hz | 88 | 68 | 84 | 65 | 78 | 61 | 74 | 58 | 80 | 63 | 84 | 61 |
| 16Hz | 85 | 67 | 78 | 63 | 80 | 63 | 82 | 61 | 81 | 63 | 84 | 62 |
| 20Hz | 84 | 67 | 79 | 64 | 80 | 63 | 78 | 60 | 80 | 63 | 78 | 61 |
| 25Hz | 90 | 69 | 78 | 64 | 77 | 64 | 76 | 62 | 83 | 65 | 84 | 65 |
| 31.5Hz | 82 | 71 | 76 | 70 | 79 | 71 | 78 | 68 | 84 | 68 | 77 | 68 |
| 40Hz | 87 | 70 | 90 | 69 | 87 | 68 | 79 | 66 | 84 | 68 | 89 | 68 |
| 50Hz | 90 | 72 | 85 | 69 | 93 | 70 | 87 | 69 | 84 | 68 | 91 | 70 |
| 63Hz | 87 | 70 | 86 | 68 | 83 | 67 | 91 | 70 | 87 | 70 | 87 | 68 |
| 80Hz | 83 | 67 | 78 | 64 | 83 | 65 | 91 | 68 | 86 | 65 | 89 | 67 |

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/13 | | 2016/7/13 | |
| 測定時間帯 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 開始時間 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 終了時間 | 20:10 | | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 90 | 74 | 90 | 73 | 93 | 75 | 90 | 70 | 86 | 70 | 89 | 72 |
| 1Hz | 105 | 91 | 100 | 87 | 102 | 87 | 101 | 85 | 103 | 86 | 102 | 84 |
| 1.25Hz | 102 | 90 | 105 | 88 | 103 | 88 | 103 | 85 | 102 | 86 | 103 | 84 |
| 1.6Hz | 101 | 88 | 103 | 87 | 104 | 87 | 107 | 86 | 101 | 85 | 102 | 83 |
| 2Hz | 103 | 86 | 100 | 84 | 101 | 84 | 106 | 84 | 99 | 83 | 102 | 82 |
| 2.5Hz | 96 | 81 | 99 | 81 | 99 | 81 | 102 | 80 | 100 | 80 | 99 | 78 |
| 3.15Hz | 91 | 74 | 93 | 75 | 94 | 76 | 99 | 75 | 98 | 76 | 96 | 74 |
| 4Hz | 88 | 70 | 88 | 70 | 91 | 71 | 92 | 69 | 92 | 70 | 90 | 67 |
| 5Hz | 85 | 67 | 84 | 65 | 86 | 66 | 94 | 69 | 86 | 64 | 88 | 64 |
| 6.3Hz | 81 | 61 | 80 | 60 | 80 | 59 | 87 | 64 | 80 | 58 | 80 | 58 |
| 8Hz | 81 | 59 | 71 | 54 | 81 | 58 | 83 | 58 | 77 | 54 | 73 | 54 |
| 10Hz | 78 | 58 | 71 | 55 | 78 | 59 | 76 | 55 | 66 | 53 | 73 | 55 |
| 12.5Hz | 77 | 60 | 78 | 58 | 82 | 61 | 72 | 55 | 68 | 54 | 76 | 58 |
| 16Hz | 77 | 60 | 75 | 59 | 84 | 62 | 71 | 55 | 73 | 56 | 76 | 58 |
| 20Hz | 76 | 59 | 77 | 59 | 79 | 61 | 70 | 54 | 68 | 54 | 78 | 58 |
| 25Hz | 78 | 63 | 81 | 63 | 80 | 63 | 78 | 58 | 67 | 56 | 77 | 58 |
| 31.5Hz | 79 | 67 | 76 | 66 | 80 | 66 | 70 | 64 | 75 | 64 | 74 | 65 |
| 40Hz | 81 | 65 | 77 | 61 | 78 | 62 | 77 | 60 | 77 | 60 | 73 | 59 |
| 50Hz | 83 | 66 | 88 | 66 | 86 | 67 | 79 | 61 | 76 | 58 | 80 | 61 |
| 63Hz | 83 | 65 | 85 | 65 | 86 | 67 | 82 | 62 | 77 | 57 | 79 | 59 |
| 80Hz | 81 | 61 | 83 | 64 | 85 | 65 | 82 | 60 | 86 | 62 | 75 | 58 |

| 測定日 | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 開始時間 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 終了時間 | 2:10 | | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 89 | 71 | 78 | 68 | 93 | 73 | 85 | 69 | 90 | 73 | 90 | 76 |
| 1Hz | 105 | 86 | 91 | 74 | 104 | 85 | 99 | 83 | 103 | 88 | 103 | 93 |
| 1.25Hz | 105 | 86 | 91 | 73 | 99 | 83 | 97 | 81 | 103 | 88 | 104 | 93 |
| 1.6Hz | 102 | 84 | 88 | 69 | 101 | 83 | 96 | 80 | 101 | 86 | 100 | 91 |
| 2Hz | 101 | 81 | 83 | 64 | 101 | 82 | 94 | 77 | 102 | 84 | 99 | 88 |
| 2.5Hz | 101 | 79 | 78 | 58 | 97 | 77 | 90 | 71 | 96 | 80 | 95 | 83 |
| 3.15Hz | 97 | 74 | 75 | 53 | 92 | 71 | 83 | 65 | 92 | 74 | 91 | 78 |
| 4Hz | 89 | 68 | 69 | 49 | 88 | 67 | 79 | 60 | 89 | 70 | 89 | 73 |
| 5Hz | 83 | 61 | 58 | 46 | 84 | 62 | 74 | 55 | 87 | 67 | 83 | 69 |
| 6.3Hz | 76 | 56 | 56 | 47 | 84 | 60 | 67 | 52 | 82 | 61 | 80 | 63 |
| 8Hz | 74 | 54 | 56 | 50 | 78 | 56 | 64 | 52 | 80 | 58 | 78 | 60 |
| 10Hz | 76 | 56 | 57 | 52 | 73 | 56 | 73 | 55 | 78 | 58 | 76 | 60 |
| 12.5Hz | 74 | 56 | 60 | 53 | 80 | 59 | 75 | 56 | 78 | 59 | 77 | 61 |
| 16Hz | 75 | 57 | 67 | 54 | 78 | 60 | 72 | 56 | 80 | 59 | 81 | 62 |
| 20Hz | 77 | 57 | 64 | 52 | 81 | 60 | 71 | 55 | 76 | 58 | 78 | 62 |
| 25Hz | 77 | 58 | 66 | 55 | 78 | 59 | 70 | 56 | 75 | 61 | 77 | 64 |
| 31.5Hz | 76 | 64 | 68 | 64 | 80 | 65 | 77 | 64 | 77 | 65 | 80 | 66 |
| 40Hz | 73 | 59 | 84 | 61 | 80 | 61 | 74 | 58 | 80 | 61 | 82 | 67 |
| 50Hz | 85 | 65 | 82 | 60 | 77 | 60 | 77 | 57 | 84 | 64 | 93 | 71 |
| 63Hz | 81 | 61 | 87 | 62 | 81 | 60 | 77 | 58 | 90 | 68 | 94 | 72 |
| 80Hz | 73 | 56 | 68 | 53 | 84 | 63 | 71 | 55 | 87 | 64 | 82 | 65 |

測定地点：No.2 対象事業実施区域（南東側敷地境界）

測定期間：平成28年7月12日8時～翌13日8時

| 測定場所 | No.2南東側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | |
| 測定時間帯 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 開始時間 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 終了時間 | 8:10 | | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 73 | 69 | 77 | 70 | 78 | 70 | 76 | 69 | 79 | 70 | 77 | 70 |
| 1Hz | 66 | 51 | 66 | 56 | 73 | 60 | 68 | 51 | 65 | 53 | 64 | 50 |
| 1.25Hz | 65 | 49 | 67 | 55 | 73 | 60 | 66 | 50 | 64 | 52 | 60 | 49 |
| 1.6Hz | 69 | 50 | 64 | 53 | 71 | 57 | 61 | 47 | 65 | 52 | 66 | 49 |
| 2Hz | 67 | 48 | 62 | 51 | 72 | 56 | 66 | 47 | 66 | 52 | 63 | 48 |
| 2.5Hz | 64 | 47 | 62 | 50 | 69 | 55 | 61 | 46 | 66 | 51 | 63 | 47 |
| 3.15Hz | 62 | 49 | 60 | 50 | 68 | 54 | 61 | 50 | 67 | 53 | 63 | 49 |
| 4Hz | 57 | 47 | 60 | 49 | 64 | 52 | 59 | 47 | 63 | 49 | 59 | 47 |
| 5Hz | 57 | 47 | 58 | 49 | 64 | 51 | 59 | 48 | 60 | 49 | 56 | 47 |
| 6.3Hz | 56 | 49 | 57 | 50 | 64 | 51 | 58 | 49 | 59 | 50 | 57 | 49 |
| 8Hz | 59 | 52 | 62 | 54 | 60 | 54 | 61 | 53 | 66 | 54 | 62 | 53 |
| 10Hz | 60 | 54 | 68 | 56 | 63 | 55 | 60 | 55 | 72 | 57 | 62 | 55 |
| 12.5Hz | 59 | 55 | 67 | 56 | 64 | 56 | 63 | 55 | 69 | 56 | 64 | 56 |
| 16Hz | 64 | 55 | 64 | 57 | 62 | 56 | 63 | 56 | 64 | 55 | 61 | 55 |
| 20Hz | 60 | 55 | 64 | 56 | 67 | 57 | 66 | 56 | 66 | 57 | 67 | 57 |
| 25Hz | 64 | 58 | 68 | 59 | 67 | 59 | 68 | 59 | 68 | 59 | 68 | 60 |
| 31.5Hz | 64 | 60 | 66 | 61 | 67 | 62 | 71 | 62 | 70 | 62 | 70 | 63 |
| 40Hz | 62 | 58 | 65 | 59 | 65 | 59 | 62 | 58 | 64 | 59 | 65 | 59 |
| 50Hz | 67 | 56 | 69 | 58 | 62 | 56 | 63 | 56 | 64 | 56 | 64 | 57 |
| 63Hz | 68 | 55 | 67 | 56 | 64 | 55 | 66 | 55 | 65 | 55 | 66 | 55 |
| 80Hz | 60 | 50 | 61 | 52 | 66 | 52 | 64 | 52 | 65 | 51 | 59 | 50 |

| 測定日 | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 開始時間 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 終了時間 | 14:10 | | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 79 | 71 | 78 | 70 | 75 | 69 | 73 | 68 | 80 | 69 | 73 | 68 |
| 1Hz | 70 | 55 | 69 | 57 | 76 | 64 | 58 | 43 | 50 | 42 | 64 | 53 |
| 1.25Hz | 66 | 52 | 73 | 58 | 76 | 63 | 54 | 42 | 49 | 41 | 62 | 50 |
| 1.6Hz | 61 | 49 | 70 | 57 | 75 | 61 | 56 | 43 | 51 | 43 | 58 | 49 |
| 2Hz | 64 | 50 | 71 | 55 | 76 | 60 | 54 | 44 | 50 | 43 | 58 | 47 |
| 2.5Hz | 60 | 48 | 68 | 54 | 74 | 58 | 52 | 44 | 52 | 44 | 55 | 46 |
| 3.15Hz | 64 | 50 | 65 | 53 | 71 | 57 | 61 | 49 | 59 | 49 | 61 | 49 |
| 4Hz | 60 | 49 | 63 | 51 | 70 | 55 | 57 | 47 | 56 | 46 | 58 | 47 |
| 5Hz | 58 | 49 | 63 | 50 | 67 | 54 | 56 | 47 | 55 | 48 | 55 | 47 |
| 6.3Hz | 58 | 50 | 64 | 50 | 65 | 52 | 56 | 48 | 55 | 49 | 57 | 49 |
| 8Hz | 61 | 53 | 60 | 52 | 64 | 54 | 61 | 52 | 65 | 53 | 61 | 52 |
| 10Hz | 62 | 55 | 60 | 54 | 64 | 55 | 64 | 55 | 69 | 56 | 61 | 54 |
| 12.5Hz | 64 | 56 | 62 | 55 | 62 | 55 | 60 | 55 | 72 | 56 | 62 | 54 |
| 16Hz | 63 | 57 | 62 | 56 | 63 | 54 | 59 | 53 | 66 | 54 | 59 | 53 |
| 20Hz | 70 | 58 | 69 | 56 | 63 | 56 | 62 | 54 | 66 | 55 | 62 | 55 |
| 25Hz | 68 | 60 | 71 | 61 | 66 | 60 | 64 | 59 | 69 | 58 | 66 | 59 |
| 31.5Hz | 70 | 62 | 71 | 63 | 67 | 62 | 64 | 60 | 65 | 60 | 63 | 60 |
| 40Hz | 65 | 59 | 69 | 60 | 67 | 60 | 62 | 58 | 62 | 58 | 64 | 58 |
| 50Hz | 66 | 57 | 72 | 60 | 68 | 58 | 61 | 56 | 65 | 56 | 66 | 57 |
| 63Hz | 65 | 56 | 69 | 57 | 69 | 57 | 65 | 55 | 65 | 55 | 63 | 55 |
| 80Hz | 61 | 52 | 66 | 56 | 66 | 53 | 66 | 52 | 63 | 50 | 63 | 51 |

| 測定場所 | No.2南東側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/13 | | 2016/7/13 | |
| 測定時間帯 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 開始時間 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 終了時間 | 20:10 | | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 72 | 68 | 74 | 68 | 76 | 68 | 71 | 67 | 71 | 67 | 71 | 67 |
| 1Hz | 56 | 45 | 69 | 55 | 72 | 55 | 70 | 54 | 63 | 45 | 68 | 55 |
| 1.25Hz | 59 | 45 | 68 | 54 | 71 | 53 | 65 | 52 | 59 | 43 | 67 | 54 |
| 1.6Hz | 55 | 44 | 66 | 52 | 63 | 51 | 70 | 51 | 60 | 43 | 66 | 52 |
| 2Hz | 52 | 43 | 68 | 51 | 64 | 49 | 68 | 50 | 59 | 43 | 63 | 50 |
| 2.5Hz | 52 | 43 | 65 | 50 | 64 | 48 | 65 | 49 | 57 | 44 | 62 | 49 |
| 3.15Hz | 60 | 48 | 62 | 50 | 60 | 49 | 64 | 50 | 58 | 48 | 60 | 50 |
| 4Hz | 60 | 46 | 62 | 49 | 62 | 48 | 59 | 47 | 60 | 47 | 61 | 48 |
| 5Hz | 60 | 47 | 60 | 48 | 58 | 47 | 61 | 48 | 54 | 47 | 60 | 48 |
| 6.3Hz | 56 | 49 | 58 | 49 | 58 | 49 | 57 | 49 | 54 | 48 | 55 | 49 |
| 8Hz | 59 | 52 | 63 | 53 | 62 | 53 | 57 | 52 | 59 | 52 | 60 | 52 |
| 10Hz | 60 | 54 | 61 | 55 | 66 | 55 | 60 | 54 | 60 | 54 | 61 | 54 |
| 12.5Hz | 62 | 54 | 61 | 55 | 66 | 55 | 60 | 54 | 59 | 54 | 60 | 54 |
| 16Hz | 59 | 53 | 61 | 53 | 63 | 53 | 57 | 53 | 58 | 53 | 58 | 53 |
| 20Hz | 61 | 55 | 62 | 55 | 63 | 54 | 59 | 54 | 60 | 54 | 59 | 54 |
| 25Hz | 63 | 58 | 63 | 58 | 67 | 58 | 62 | 57 | 62 | 57 | 63 | 57 |
| 31.5Hz | 64 | 59 | 64 | 59 | 69 | 60 | 63 | 59 | 63 | 59 | 63 | 59 |
| 40Hz | 63 | 58 | 63 | 58 | 66 | 58 | 62 | 58 | 62 | 58 | 63 | 58 |
| 50Hz | 63 | 56 | 61 | 56 | 65 | 56 | 61 | 56 | 59 | 55 | 59 | 56 |
| 63Hz | 59 | 54 | 63 | 54 | 62 | 55 | 60 | 53 | 56 | 53 | 60 | 53 |
| 80Hz | 56 | 49 | 60 | 50 | 60 | 50 | 56 | 48 | 56 | 48 | 54 | 49 |

| 測定日 | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 開始時間 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 終了時間 | 2:10 | | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 70 | 67 | 70 | 67 | 73 | 68 | 72 | 67 | 73 | 68 | 74 | 69 |
| 1Hz | 75 | 57 | 64 | 51 | 56 | 42 | 74 | 57 | 64 | 47 | 67 | 52 |
| 1.25Hz | 73 | 55 | 60 | 49 | 53 | 41 | 70 | 55 | 62 | 45 | 64 | 50 |
| 1.6Hz | 67 | 54 | 58 | 47 | 51 | 42 | 70 | 53 | 60 | 44 | 60 | 48 |
| 2Hz | 65 | 51 | 56 | 46 | 47 | 40 | 67 | 53 | 57 | 43 | 60 | 48 |
| 2.5Hz | 62 | 50 | 58 | 46 | 50 | 43 | 69 | 51 | 54 | 44 | 59 | 47 |
| 3.15Hz | 60 | 50 | 59 | 49 | 57 | 47 | 62 | 51 | 60 | 48 | 60 | 49 |
| 4Hz | 60 | 49 | 56 | 47 | 53 | 45 | 64 | 50 | 58 | 46 | 59 | 47 |
| 5Hz | 58 | 48 | 54 | 47 | 52 | 46 | 60 | 49 | 54 | 46 | 59 | 48 |
| 6.3Hz | 56 | 49 | 54 | 48 | 54 | 49 | 56 | 49 | 56 | 49 | 55 | 49 |
| 8Hz | 57 | 52 | 58 | 52 | 60 | 52 | 61 | 52 | 60 | 53 | 63 | 53 |
| 10Hz | 60 | 54 | 59 | 54 | 64 | 55 | 62 | 54 | 64 | 55 | 64 | 55 |
| 12.5Hz | 59 | 54 | 60 | 54 | 63 | 55 | 63 | 54 | 64 | 55 | 63 | 55 |
| 16Hz | 58 | 53 | 58 | 53 | 60 | 53 | 60 | 53 | 59 | 53 | 61 | 54 |
| 20Hz | 58 | 54 | 58 | 53 | 61 | 55 | 59 | 54 | 60 | 54 | 64 | 56 |
| 25Hz | 63 | 57 | 62 | 57 | 63 | 58 | 64 | 57 | 63 | 58 | 66 | 59 |
| 31.5Hz | 63 | 59 | 64 | 59 | 66 | 59 | 64 | 59 | 65 | 59 | 70 | 60 |
| 40Hz | 62 | 58 | 62 | 58 | 62 | 58 | 62 | 58 | 64 | 59 | 65 | 59 |
| 50Hz | 63 | 56 | 60 | 55 | 65 | 56 | 59 | 56 | 66 | 56 | 68 | 57 |
| 63Hz | 60 | 53 | 63 | 53 | 60 | 53 | 58 | 53 | 65 | 54 | 68 | 55 |
| 80Hz | 52 | 49 | 52 | 48 | 58 | 49 | 56 | 49 | 61 | 50 | 61 | 51 |

測定地点：No.3 対象事業実施区域周辺（西側民家付近）

測定期間：平成28年7月12日8時～翌13日8時

| 測定場所 | No.3 西側民家付近 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | |
| 測定時間帯 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 開始時間 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 終了時間 | 8:10 | | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 85 | 71 | 92 | 76 | 91 | 74 | 88 | 73 | 96 | 76 | 87 | 87 |
| 1Hz | 65 | 54 | 75 | 60 | 77 | 64 | 67 | 56 | 73 | 60 | 72 | 72 |
| 1.25Hz | 65 | 53 | 71 | 57 | 76 | 62 | 66 | 53 | 71 | 58 | 69 | 69 |
| 1.6Hz | 64 | 52 | 70 | 56 | 74 | 61 | 61 | 51 | 68 | 57 | 68 | 68 |
| 2Hz | 66 | 51 | 70 | 54 | 71 | 60 | 62 | 50 | 65 | 54 | 69 | 69 |
| 2.5Hz | 62 | 50 | 69 | 53 | 69 | 59 | 66 | 50 | 67 | 53 | 66 | 66 |
| 3.15Hz | 62 | 49 | 67 | 52 | 69 | 57 | 60 | 49 | 63 | 52 | 64 | 64 |
| 4Hz | 62 | 48 | 61 | 51 | 69 | 55 | 57 | 47 | 62 | 51 | 61 | 61 |
| 5Hz | 57 | 47 | 66 | 51 | 65 | 53 | 57 | 47 | 60 | 50 | 63 | 63 |
| 6.3Hz | 59 | 48 | 64 | 50 | 62 | 52 | 61 | 48 | 68 | 50 | 67 | 67 |
| 8Hz | 63 | 50 | 73 | 55 | 76 | 56 | 65 | 51 | 85 | 61 | 63 | 63 |
| 10Hz | 70 | 55 | 81 | 61 | 79 | 60 | 66 | 54 | 87 | 65 | 74 | 74 |
| 12.5Hz | 74 | 57 | 83 | 64 | 79 | 60 | 73 | 57 | 81 | 63 | 74 | 74 |
| 16Hz | 75 | 59 | 80 | 63 | 79 | 61 | 75 | 58 | 81 | 62 | 73 | 73 |
| 20Hz | 71 | 58 | 77 | 62 | 81 | 62 | 78 | 61 | 83 | 63 | 76 | 76 |
| 25Hz | 70 | 59 | 79 | 63 | 78 | 61 | 76 | 60 | 82 | 63 | 78 | 78 |
| 31.5Hz | 70 | 61 | 77 | 65 | 78 | 64 | 75 | 64 | 77 | 65 | 72 | 72 |
| 40Hz | 71 | 61 | 79 | 64 | 77 | 62 | 72 | 60 | 78 | 62 | 75 | 75 |
| 50Hz | 73 | 61 | 80 | 64 | 76 | 62 | 78 | 63 | 76 | 61 | 77 | 77 |
| 63Hz | 83 | 65 | 83 | 65 | 75 | 62 | 81 | 64 | 78 | 62 | 80 | 80 |
| 80Hz | 74 | 59 | 76 | 61 | 79 | 60 | 73 | 58 | 82 | 61 | 75 | 75 |

| 測定日 | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 開始時間 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 終了時間 | 14:10 | | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 90 | 75 | 86 | 72 | 89 | 73 | 90 | 70 | 97 | 75 | 87 | 71 |
| 1Hz | 73 | 60 | 73 | 59 | 87 | 71 | 69 | 53 | 58 | 46 | 63 | 50 |
| 1.25Hz | 72 | 58 | 71 | 56 | 84 | 69 | 68 | 51 | 59 | 46 | 59 | 48 |
| 1.6Hz | 71 | 57 | 71 | 57 | 78 | 67 | 66 | 49 | 61 | 46 | 58 | 48 |
| 2Hz | 70 | 55 | 68 | 55 | 78 | 66 | 64 | 48 | 62 | 46 | 60 | 47 |
| 2.5Hz | 67 | 53 | 67 | 55 | 78 | 64 | 61 | 46 | 58 | 46 | 57 | 46 |
| 3.15Hz | 64 | 52 | 68 | 54 | 75 | 61 | 60 | 47 | 62 | 47 | 57 | 47 |
| 4Hz | 63 | 51 | 68 | 53 | 73 | 60 | 54 | 46 | 64 | 47 | 57 | 46 |
| 5Hz | 61 | 49 | 68 | 52 | 71 | 58 | 54 | 45 | 62 | 47 | 56 | 46 |
| 6.3Hz | 64 | 50 | 64 | 51 | 73 | 57 | 56 | 46 | 65 | 48 | 61 | 47 |
| 8Hz | 75 | 55 | 62 | 50 | 72 | 56 | 68 | 49 | 77 | 55 | 66 | 50 |
| 10Hz | 76 | 59 | 64 | 53 | 77 | 59 | 79 | 56 | 82 | 61 | 72 | 55 |
| 12.5Hz | 80 | 62 | 74 | 56 | 78 | 59 | 77 | 55 | 88 | 64 | 73 | 56 |
| 16Hz | 79 | 61 | 73 | 58 | 77 | 60 | 78 | 57 | 86 | 63 | 71 | 56 |
| 20Hz | 77 | 62 | 74 | 60 | 77 | 60 | 77 | 57 | 80 | 60 | 77 | 58 |
| 25Hz | 74 | 61 | 74 | 59 | 75 | 60 | 71 | 57 | 83 | 61 | 75 | 59 |
| 31.5Hz | 75 | 64 | 69 | 63 | 75 | 65 | 72 | 61 | 78 | 62 | 73 | 61 |
| 40Hz | 75 | 64 | 75 | 62 | 74 | 62 | 72 | 60 | 75 | 61 | 76 | 61 |
| 50Hz | 76 | 63 | 77 | 62 | 73 | 61 | 75 | 61 | 76 | 61 | 72 | 61 |
| 63Hz | 80 | 63 | 73 | 61 | 71 | 60 | 75 | 63 | 79 | 63 | 74 | 60 |
| 80Hz | 75 | 59 | 72 | 57 | 79 | 60 | 78 | 60 | 76 | 58 | 76 | 60 |

| 測定場所 | No.3 西側民家付近 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/12 | | 2016/7/13 | | 2016/7/13 | |
| 測定時間帯 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 開始時間 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 終了時間 | 20:10 | | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 87 | 69 | 81 | 68 | 91 | 71 | 74 | 65 | 76 | 65 | 81 | 67 |
| 1Hz | 64 | 49 | 58 | 48 | 72 | 59 | 67 | 56 | 63 | 52 | 73 | 60 |
| 1.25Hz | 62 | 49 | 57 | 46 | 68 | 56 | 70 | 54 | 60 | 48 | 71 | 59 |
| 1.6Hz | 61 | 47 | 56 | 45 | 69 | 55 | 65 | 51 | 59 | 46 | 73 | 58 |
| 2Hz | 60 | 47 | 56 | 44 | 67 | 54 | 62 | 50 | 55 | 45 | 69 | 56 |
| 2.5Hz | 59 | 46 | 53 | 43 | 63 | 51 | 61 | 48 | 55 | 45 | 71 | 54 |
| 3.15Hz | 58 | 47 | 54 | 45 | 62 | 49 | 58 | 48 | 54 | 46 | 65 | 52 |
| 4Hz | 59 | 46 | 56 | 44 | 64 | 48 | 58 | 46 | 53 | 44 | 63 | 51 |
| 5Hz | 57 | 46 | 54 | 45 | 60 | 47 | 58 | 45 | 50 | 44 | 61 | 49 |
| 6.3Hz | 56 | 46 | 57 | 46 | 58 | 47 | 55 | 45 | 53 | 44 | 61 | 48 |
| 8Hz | 61 | 48 | 62 | 48 | 67 | 50 | 63 | 48 | 54 | 47 | 66 | 49 |
| 10Hz | 73 | 54 | 65 | 52 | 77 | 56 | 64 | 51 | 57 | 51 | 69 | 52 |
| 12.5Hz | 79 | 58 | 71 | 54 | 82 | 59 | 63 | 51 | 61 | 50 | 69 | 53 |
| 16Hz | 75 | 56 | 69 | 54 | 75 | 57 | 61 | 52 | 66 | 52 | 69 | 54 |
| 20Hz | 72 | 56 | 69 | 54 | 78 | 58 | 59 | 50 | 62 | 50 | 69 | 53 |
| 25Hz | 75 | 58 | 67 | 56 | 79 | 59 | 63 | 53 | 59 | 52 | 70 | 54 |
| 31.5Hz | 72 | 61 | 65 | 59 | 80 | 61 | 63 | 58 | 62 | 58 | 69 | 58 |
| 40Hz | 70 | 59 | 68 | 56 | 80 | 60 | 63 | 54 | 63 | 54 | 69 | 55 |
| 50Hz | 74 | 60 | 72 | 58 | 77 | 60 | 72 | 57 | 73 | 55 | 68 | 54 |
| 63Hz | 71 | 57 | 72 | 57 | 76 | 60 | 69 | 54 | 68 | 52 | 71 | 54 |
| 80Hz | 72 | 55 | 70 | 56 | 72 | 56 | 67 | 51 | 63 | 50 | 67 | 51 |

| 測定日 | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | | 2016/7/13 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 開始時間 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 終了時間 | 2:10 | | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 80 | 66 | 71 | 64 | 87 | 68 | 85 | 67 | 89 | 70 | 88 | 72 |
| 1Hz | 72 | 60 | 70 | 55 | 50 | 40 | 78 | 66 | 56 | 46 | 67 | 51 |
| 1.25Hz | 69 | 58 | 65 | 52 | 51 | 39 | 75 | 62 | 56 | 46 | 63 | 50 |
| 1.6Hz | 68 | 56 | 64 | 49 | 51 | 39 | 75 | 60 | 62 | 46 | 62 | 49 |
| 2Hz | 66 | 54 | 60 | 47 | 51 | 40 | 72 | 59 | 60 | 45 | 63 | 49 |
| 2.5Hz | 65 | 53 | 58 | 46 | 50 | 41 | 70 | 57 | 57 | 44 | 63 | 49 |
| 3.15Hz | 66 | 51 | 57 | 46 | 52 | 44 | 66 | 55 | 57 | 45 | 62 | 49 |
| 4Hz | 61 | 49 | 53 | 45 | 51 | 44 | 63 | 52 | 58 | 45 | 60 | 47 |
| 5Hz | 61 | 48 | 52 | 44 | 59 | 44 | 66 | 50 | 63 | 46 | 59 | 47 |
| 6.3Hz | 59 | 47 | 50 | 44 | 56 | 45 | 63 | 48 | 55 | 45 | 58 | 47 |
| 8Hz | 59 | 48 | 52 | 47 | 66 | 49 | 67 | 50 | 68 | 50 | 69 | 51 |
| 10Hz | 61 | 51 | 57 | 50 | 74 | 54 | 73 | 54 | 80 | 58 | 76 | 56 |
| 12.5Hz | 65 | 51 | 55 | 49 | 76 | 56 | 76 | 56 | 78 | 58 | 76 | 58 |
| 16Hz | 69 | 53 | 57 | 51 | 75 | 56 | 71 | 54 | 78 | 57 | 75 | 59 |
| 20Hz | 67 | 52 | 59 | 49 | 71 | 54 | 71 | 52 | 71 | 55 | 76 | 59 |
| 25Hz | 66 | 53 | 60 | 51 | 72 | 55 | 69 | 53 | 75 | 57 | 74 | 60 |
| 31.5Hz | 69 | 58 | 61 | 58 | 77 | 61 | 72 | 58 | 76 | 60 | 77 | 61 |
| 40Hz | 66 | 54 | 72 | 55 | 69 | 56 | 68 | 54 | 77 | 57 | 72 | 62 |
| 50Hz | 70 | 55 | 74 | 55 | 73 | 56 | 66 | 54 | 80 | 59 | 78 | 63 |
| 63Hz | 73 | 55 | 75 | 54 | 70 | 54 | 63 | 52 | 79 | 62 | 81 | 63 |
| 80Hz | 63 | 50 | 62 | 48 | 69 | 52 | 65 | 51 | 75 | 56 | 70 | 58 |

資料 2 夏季調査 休日

測定地点：No.1 対象事業実施区域（西側敷地境界）

測定期間：平成 28 年 7 月 16 日 8 時～翌 17 日 8 時

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | |
| 測定日 | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | |
| 測定時間帯 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 開始時間 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 終了時間 | 8:10 | | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 95 | 78 | 96 | 77 | 96 | 77 | 94 | 79 | 90 | 75 | 92 |
| 1Hz | 105 | 93 | 104 | 92 | 102 | 93 | 102 | 92 | 102 | 91 | 103 | 92 |
| 1.25Hz | 104 | 93 | 101 | 92 | 104 | 93 | 101 | 92 | 101 | 90 | 103 | 92 |
| 1.6Hz | 101 | 90 | 100 | 89 | 103 | 90 | 101 | 90 | 99 | 89 | 102 | 90 |
| 2Hz | 100 | 87 | 101 | 87 | 99 | 87 | 101 | 87 | 98 | 85 | 99 | 86 |
| 2.5Hz | 98 | 83 | 97 | 81 | 95 | 82 | 99 | 82 | 92 | 80 | 95 | 81 |
| 3.15Hz | 93 | 78 | 92 | 76 | 91 | 76 | 93 | 76 | 88 | 74 | 91 | 75 |
| 4Hz | 89 | 73 | 89 | 72 | 85 | 70 | 87 | 71 | 85 | 70 | 84 | 71 |
| 5Hz | 84 | 68 | 88 | 69 | 82 | 65 | 82 | 66 | 81 | 66 | 80 | 67 |
| 6.3Hz | 76 | 61 | 81 | 65 | 76 | 62 | 78 | 62 | 78 | 63 | 77 | 64 |
| 8Hz | 68 | 57 | 79 | 62 | 73 | 60 | 80 | 60 | 76 | 61 | 75 | 63 |
| 10Hz | 78 | 60 | 80 | 62 | 80 | 62 | 78 | 63 | 75 | 61 | 74 | 61 |
| 12.5Hz | 81 | 62 | 84 | 64 | 87 | 65 | 81 | 65 | 76 | 61 | 76 | 61 |
| 16Hz | 82 | 64 | 83 | 63 | 85 | 64 | 81 | 65 | 79 | 61 | 83 | 64 |
| 20Hz | 82 | 64 | 84 | 64 | 82 | 63 | 82 | 65 | 76 | 61 | 77 | 62 |
| 25Hz | 87 | 66 | 80 | 64 | 86 | 65 | 84 | 66 | 78 | 63 | 77 | 64 |
| 31.5Hz | 81 | 68 | 77 | 66 | 78 | 67 | 94 | 71 | 76 | 66 | 85 | 67 |
| 40Hz | 84 | 68 | 77 | 65 | 82 | 68 | 86 | 70 | 79 | 66 | 90 | 71 |
| 50Hz | 84 | 69 | 81 | 67 | 90 | 71 | 96 | 75 | 82 | 67 | 85 | 69 |
| 63Hz | 89 | 71 | 88 | 70 | 94 | 75 | 95 | 77 | 90 | 70 | 91 | 71 |
| 80Hz | 85 | 68 | 90 | 70 | 83 | 68 | 95 | 75 | 85 | 66 | 82 | 66 |

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | |
| 測定日 | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | |
| 測定時間帯 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 開始時間 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 終了時間 | 14:10 | | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 93 | 77 | 93 | 79 | 92 | 76 | 93 | 75 | 87 | 74 | 84 |
| 1Hz | 105 | 92 | 102 | 92 | 105 | 92 | 100 | 90 | 101 | 90 | 100 | 90 |
| 1.25Hz | 101 | 91 | 104 | 91 | 106 | 91 | 100 | 89 | 101 | 91 | 100 | 89 |
| 1.6Hz | 101 | 89 | 101 | 88 | 104 | 89 | 99 | 86 | 98 | 88 | 97 | 87 |
| 2Hz | 99 | 85 | 98 | 85 | 99 | 85 | 99 | 83 | 95 | 85 | 96 | 84 |
| 2.5Hz | 97 | 80 | 95 | 80 | 97 | 80 | 96 | 78 | 90 | 79 | 93 | 78 |
| 3.15Hz | 89 | 74 | 90 | 76 | 89 | 74 | 90 | 71 | 91 | 73 | 87 | 72 |
| 4Hz | 82 | 69 | 88 | 73 | 85 | 70 | 82 | 67 | 86 | 69 | 82 | 66 |
| 5Hz | 83 | 66 | 88 | 70 | 82 | 67 | 77 | 62 | 82 | 65 | 78 | 61 |
| 6.3Hz | 81 | 62 | 86 | 68 | 81 | 65 | 73 | 59 | 79 | 62 | 70 | 56 |
| 8Hz | 80 | 61 | 84 | 67 | 78 | 62 | 72 | 58 | 77 | 60 | 69 | 54 |
| 10Hz | 78 | 62 | 83 | 66 | 74 | 61 | 72 | 57 | 77 | 59 | 74 | 56 |
| 12.5Hz | 81 | 62 | 84 | 66 | 79 | 62 | 74 | 58 | 74 | 59 | 71 | 56 |
| 16Hz | 84 | 63 | 81 | 65 | 79 | 62 | 84 | 62 | 74 | 60 | 73 | 59 |
| 20Hz | 79 | 63 | 78 | 64 | 74 | 61 | 76 | 60 | 75 | 61 | 69 | 59 |
| 25Hz | 78 | 64 | 75 | 64 | 83 | 63 | 71 | 62 | 72 | 61 | 77 | 61 |
| 31.5Hz | 82 | 71 | 85 | 72 | 91 | 70 | 77 | 67 | 74 | 66 | 84 | 68 |
| 40Hz | 90 | 69 | 90 | 69 | 81 | 67 | 85 | 67 | 82 | 66 | 86 | 67 |
| 50Hz | 90 | 70 | 91 | 73 | 83 | 68 | 85 | 69 | 86 | 68 | 82 | 66 |
| 63Hz | 89 | 71 | 98 | 75 | 83 | 70 | 91 | 69 | 81 | 67 | 84 | 65 |
| 80Hz | 89 | 67 | 101 | 80 | 86 | 67 | 85 | 65 | 84 | 65 | 92 | 68 |

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/17 | | 2016/7/17 | |
| 測定時間帯 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 開始時間 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 終了時間 | 20:10 | | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 90 | 72 | 83 | 71 | 81 | 70 | 79 | 69 | 79 | 69 | 78 | 68 |
| 1Hz | 101 | 90 | 101 | 87 | 100 | 85 | 101 | 84 | 98 | 82 | 95 | 81 |
| 1.25Hz | 106 | 89 | 100 | 86 | 99 | 84 | 97 | 82 | 98 | 82 | 96 | 80 |
| 1.6Hz | 103 | 87 | 99 | 84 | 96 | 82 | 97 | 81 | 99 | 81 | 96 | 79 |
| 2Hz | 99 | 84 | 96 | 81 | 93 | 78 | 96 | 79 | 95 | 76 | 94 | 75 |
| 2.5Hz | 96 | 78 | 91 | 75 | 89 | 71 | 94 | 74 | 90 | 71 | 91 | 70 |
| 3.15Hz | 97 | 75 | 84 | 67 | 83 | 65 | 89 | 68 | 83 | 63 | 84 | 63 |
| 4Hz | 91 | 69 | 80 | 63 | 81 | 62 | 82 | 61 | 80 | 60 | 75 | 56 |
| 5Hz | 88 | 66 | 76 | 58 | 73 | 55 | 75 | 55 | 74 | 54 | 71 | 51 |
| 6.3Hz | 85 | 61 | 65 | 51 | 66 | 50 | 68 | 50 | 68 | 50 | 65 | 49 |
| 8Hz | 85 | 60 | 62 | 51 | 61 | 51 | 62 | 50 | 62 | 51 | 57 | 50 |
| 10Hz | 78 | 58 | 68 | 54 | 61 | 53 | 60 | 52 | 60 | 53 | 59 | 52 |
| 12.5Hz | 78 | 58 | 75 | 56 | 65 | 54 | 67 | 53 | 61 | 53 | 63 | 53 |
| 16Hz | 77 | 59 | 69 | 57 | 69 | 56 | 67 | 55 | 67 | 56 | 64 | 55 |
| 20Hz | 73 | 58 | 69 | 56 | 70 | 56 | 66 | 54 | 67 | 54 | 66 | 53 |
| 25Hz | 76 | 59 | 67 | 58 | 74 | 58 | 67 | 56 | 67 | 57 | 69 | 56 |
| 31.5Hz | 74 | 65 | 75 | 65 | 74 | 64 | 72 | 64 | 72 | 65 | 72 | 65 |
| 40Hz | 77 | 62 | 76 | 62 | 79 | 61 | 70 | 58 | 70 | 58 | 69 | 58 |
| 50Hz | 87 | 67 | 79 | 63 | 76 | 60 | 75 | 59 | 72 | 58 | 75 | 58 |
| 63Hz | 86 | 65 | 86 | 65 | 76 | 60 | 74 | 57 | 84 | 61 | 84 | 61 |
| 80Hz | 83 | 62 | 79 | 59 | 75 | 58 | 74 | 57 | 74 | 57 | 92 | 66 |

| 測定日 | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 開始時間 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 終了時間 | 2:10 | | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 80 | 69 | 91 | 71 | 80 | 69 | 92 | 74 | 96 | 73 | 91 | 74 |
| 1Hz | 94 | 79 | 93 | 77 | 95 | 80 | 100 | 84 | 99 | 85 | 101 | 89 |
| 1.25Hz | 95 | 78 | 94 | 77 | 96 | 79 | 99 | 83 | 99 | 84 | 100 | 88 |
| 1.6Hz | 95 | 76 | 94 | 76 | 96 | 78 | 99 | 81 | 103 | 83 | 100 | 87 |
| 2Hz | 93 | 74 | 92 | 73 | 96 | 76 | 95 | 77 | 100 | 80 | 99 | 83 |
| 2.5Hz | 90 | 69 | 89 | 68 | 94 | 71 | 90 | 73 | 93 | 74 | 94 | 79 |
| 3.15Hz | 84 | 63 | 82 | 61 | 89 | 67 | 90 | 69 | 91 | 70 | 90 | 73 |
| 4Hz | 76 | 58 | 73 | 53 | 81 | 62 | 87 | 66 | 86 | 64 | 86 | 68 |
| 5Hz | 73 | 56 | 65 | 49 | 73 | 59 | 84 | 62 | 79 | 58 | 80 | 63 |
| 6.3Hz | 70 | 54 | 63 | 48 | 71 | 57 | 78 | 58 | 73 | 54 | 73 | 56 |
| 8Hz | 69 | 53 | 66 | 51 | 70 | 56 | 77 | 57 | 67 | 52 | 68 | 55 |
| 10Hz | 69 | 54 | 68 | 54 | 68 | 55 | 75 | 57 | 73 | 54 | 74 | 57 |
| 12.5Hz | 65 | 53 | 74 | 55 | 63 | 54 | 75 | 59 | 78 | 57 | 81 | 60 |
| 16Hz | 68 | 55 | 79 | 58 | 68 | 55 | 81 | 62 | 86 | 62 | 81 | 62 |
| 20Hz | 68 | 54 | 79 | 57 | 68 | 54 | 80 | 61 | 82 | 59 | 75 | 59 |
| 25Hz | 70 | 57 | 72 | 57 | 68 | 56 | 79 | 60 | 82 | 61 | 79 | 61 |
| 31.5Hz | 72 | 64 | 70 | 64 | 70 | 64 | 77 | 64 | 77 | 65 | 80 | 67 |
| 40Hz | 78 | 59 | 73 | 58 | 68 | 57 | 76 | 60 | 79 | 62 | 78 | 63 |
| 50Hz | 81 | 61 | 76 | 58 | 78 | 58 | 85 | 64 | 79 | 61 | 77 | 63 |
| 63Hz | 85 | 62 | 70 | 55 | 78 | 57 | 73 | 59 | 90 | 65 | 86 | 66 |
| 80Hz | 89 | 64 | 78 | 58 | 75 | 56 | 90 | 66 | 95 | 70 | 94 | 70 |

測定地点：No.2 対象事業実施区域（南東側敷地境界）

測定期間：平成28年7月16日8時～翌17日8時

| 測定場所 | No.2南東側敷地境界 | | | | | | | | | | | |
|-----------|-------------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|
| 測定日 | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | |
| 測定時間帯 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 開始時間 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 終了時間 | 8:10 | | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | |
| 特性及び中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 76 | 70 | 76 | 70 | 79 | 70 | 79 | 70 | 77 | 68 | 83 | 71 |
| 1Hz | 63 | 49 | 78 | 59 | 69 | 51 | 57 | 45 | 67 | 52 | 62 | 49 |
| 1.25Hz | 64 | 49 | 78 | 57 | 60 | 48 | 60 | 45 | 64 | 50 | 62 | 48 |
| 1.6Hz | 63 | 48 | 75 | 55 | 63 | 48 | 58 | 45 | 63 | 48 | 58 | 47 |
| 2Hz | 62 | 47 | 73 | 53 | 62 | 48 | 53 | 44 | 60 | 47 | 56 | 46 |
| 2.5Hz | 61 | 47 | 68 | 51 | 61 | 47 | 54 | 45 | 59 | 47 | 63 | 47 |
| 3.15Hz | 59 | 49 | 65 | 52 | 61 | 49 | 57 | 48 | 59 | 48 | 61 | 48 |
| 4Hz | 59 | 47 | 61 | 49 | 58 | 47 | 54 | 46 | 55 | 47 | 60 | 47 |
| 5Hz | 57 | 47 | 60 | 49 | 58 | 48 | 53 | 47 | 54 | 47 | 57 | 47 |
| 6.3Hz | 55 | 49 | 60 | 50 | 55 | 49 | 54 | 49 | 56 | 49 | 55 | 49 |
| 8Hz | 61 | 53 | 61 | 53 | 61 | 53 | 61 | 53 | 60 | 52 | 59 | 52 |
| 10Hz | 63 | 55 | 68 | 55 | 67 | 55 | 64 | 56 | 59 | 54 | 61 | 54 |
| 12.5Hz | 67 | 56 | 66 | 56 | 68 | 57 | 64 | 56 | 61 | 54 | 63 | 55 |
| 16Hz | 66 | 55 | 62 | 55 | 61 | 55 | 65 | 57 | 58 | 53 | 71 | 55 |
| 20Hz | 62 | 57 | 67 | 57 | 68 | 57 | 69 | 57 | 68 | 56 | 70 | 56 |
| 25Hz | 68 | 60 | 68 | 61 | 71 | 60 | 66 | 60 | 67 | 59 | 80 | 64 |
| 31.5Hz | 72 | 61 | 71 | 61 | 71 | 61 | 69 | 60 | 69 | 59 | 69 | 61 |
| 40Hz | 68 | 60 | 65 | 59 | 69 | 67 | 67 | 60 | 62 | 58 | 69 | 63 |
| 50Hz | 68 | 59 | 64 | 58 | 69 | 59 | 68 | 58 | 61 | 56 | 71 | 58 |
| 63Hz | 68 | 60 | 77 | 71 | 69 | 57 | 73 | 60 | 66 | 55 | 71 | 64 |
| 80Hz | 58 | 53 | 69 | 63 | 66 | 53 | 75 | 58 | 57 | 51 | 69 | 58 |

| 測定日 | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | |
|-----------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|
| 測定時間帯 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 開始時間 | 14:00 | | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | |
| 終了時間 | 14:10 | | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | |
| 特性及び中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 79 | 70 | 76 | 69 | 73 | 68 | 73 | 68 | 71 | 68 | 72 | 68 |
| 1Hz | 71 | 54 | 74 | 57 | 75 | 54 | 67 | 50 | 63 | 47 | 48 | 40 |
| 1.25Hz | 71 | 53 | 69 | 55 | 70 | 52 | 66 | 48 | 66 | 47 | 51 | 40 |
| 1.6Hz | 68 | 51 | 66 | 53 | 68 | 51 | 65 | 47 | 63 | 45 | 49 | 41 |
| 2Hz | 67 | 50 | 67 | 52 | 71 | 51 | 60 | 45 | 57 | 44 | 49 | 41 |
| 2.5Hz | 67 | 49 | 69 | 52 | 71 | 50 | 55 | 46 | 59 | 46 | 52 | 43 |
| 3.15Hz | 63 | 50 | 70 | 53 | 69 | 51 | 61 | 50 | 61 | 49 | 57 | 48 |
| 4Hz | 66 | 49 | 68 | 50 | 68 | 49 | 62 | 48 | 61 | 47 | 52 | 45 |
| 5Hz | 63 | 49 | 63 | 50 | 64 | 48 | 59 | 48 | 61 | 48 | 56 | 47 |
| 6.3Hz | 62 | 49 | 61 | 50 | 62 | 50 | 55 | 49 | 56 | 49 | 54 | 48 |
| 8Hz | 61 | 53 | 67 | 53 | 63 | 52 | 60 | 53 | 60 | 52 | 58 | 52 |
| 10Hz | 64 | 54 | 63 | 55 | 61 | 54 | 61 | 54 | 61 | 54 | 60 | 54 |
| 12.5Hz | 62 | 55 | 66 | 56 | 61 | 54 | 61 | 54 | 61 | 55 | 61 | 53 |
| 16Hz | 63 | 54 | 65 | 55 | 63 | 54 | 62 | 54 | 59 | 53 | 59 | 53 |
| 20Hz | 70 | 57 | 63 | 56 | 63 | 55 | 60 | 55 | 62 | 55 | 61 | 54 |
| 25Hz | 68 | 60 | 65 | 59 | 66 | 59 | 65 | 59 | 65 | 59 | 63 | 58 |
| 31.5Hz | 70 | 62 | 65 | 62 | 66 | 60 | 65 | 60 | 64 | 59 | 65 | 60 |
| 40Hz | 63 | 59 | 69 | 59 | 63 | 59 | 64 | 58 | 61 | 58 | 62 | 58 |
| 50Hz | 66 | 56 | 67 | 57 | 62 | 57 | 63 | 57 | 64 | 56 | 62 | 56 |
| 63Hz | 64 | 56 | 70 | 58 | 61 | 56 | 66 | 55 | 60 | 56 | 60 | 53 |
| 80Hz | 63 | 52 | 74 | 58 | 58 | 52 | 62 | 51 | 60 | 51 | 67 | 52 |

| 測定場所 | No.2南東側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/17 | | 2016/7/17 | |
| 測定時間帯 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 開始時間 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 終了時間 | 20:10 | | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 71 | 68 | 71 | 68 | 71 | 67 | 71 | 67 | 73 | 68 | 70 | 67 |
| 1Hz | 48 | 40 | 49 | 41 | 58 | 43 | 48 | 40 | 54 | 41 | 57 | 45 |
| 1.25Hz | 49 | 40 | 52 | 42 | 53 | 42 | 47 | 39 | 52 | 41 | 56 | 44 |
| 1.6Hz | 49 | 41 | 48 | 41 | 51 | 42 | 50 | 41 | 48 | 41 | 57 | 44 |
| 2Hz | 49 | 42 | 49 | 42 | 52 | 42 | 47 | 41 | 51 | 41 | 54 | 44 |
| 2.5Hz | 54 | 44 | 53 | 44 | 52 | 44 | 52 | 43 | 50 | 43 | 54 | 44 |
| 3.15Hz | 63 | 49 | 60 | 49 | 62 | 48 | 61 | 47 | 53 | 46 | 56 | 47 |
| 4Hz | 60 | 47 | 60 | 47 | 60 | 46 | 58 | 46 | 52 | 46 | 53 | 46 |
| 5Hz | 60 | 47 | 58 | 47 | 56 | 47 | 54 | 47 | 53 | 47 | 55 | 47 |
| 6.3Hz | 55 | 48 | 54 | 49 | 54 | 48 | 55 | 49 | 56 | 49 | 55 | 48 |
| 8Hz | 58 | 53 | 60 | 53 | 58 | 52 | 58 | 52 | 59 | 52 | 60 | 52 |
| 10Hz | 59 | 54 | 60 | 54 | 60 | 54 | 60 | 54 | 60 | 54 | 59 | 54 |
| 12.5Hz | 59 | 54 | 60 | 54 | 59 | 54 | 59 | 54 | 59 | 54 | 59 | 54 |
| 16Hz | 58 | 53 | 59 | 53 | 59 | 53 | 59 | 53 | 58 | 53 | 59 | 53 |
| 20Hz | 60 | 54 | 60 | 54 | 61 | 53 | 60 | 54 | 62 | 54 | 58 | 53 |
| 25Hz | 64 | 59 | 64 | 59 | 65 | 58 | 63 | 58 | 64 | 58 | 63 | 58 |
| 31.5Hz | 63 | 59 | 64 | 60 | 63 | 59 | 63 | 59 | 63 | 59 | 63 | 59 |
| 40Hz | 62 | 58 | 62 | 58 | 62 | 58 | 62 | 58 | 62 | 58 | 63 | 58 |
| 50Hz | 63 | 56 | 66 | 56 | 59 | 55 | 58 | 55 | 59 | 55 | 58 | 55 |
| 63Hz | 60 | 53 | 65 | 54 | 60 | 53 | 56 | 53 | 60 | 53 | 64 | 53 |
| 80Hz | 56 | 49 | 55 | 49 | 57 | 49 | 60 | 49 | 56 | 49 | 67 | 50 |

| 測定日 | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 開始時間 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 終了時間 | 2:10 | | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 73 | 67 | 74 | 67 | 71 | 68 | 85 | 69 | 74 | 68 | 75 | 68 |
| 1Hz | 71 | 59 | 63 | 50 | 76 | 62 | 73 | 61 | 75 | 61 | 77 | 63 |
| 1.25Hz | 73 | 59 | 64 | 49 | 74 | 60 | 73 | 60 | 71 | 59 | 76 | 61 |
| 1.6Hz | 73 | 58 | 64 | 48 | 72 | 58 | 70 | 58 | 70 | 59 | 74 | 59 |
| 2Hz | 71 | 57 | 60 | 46 | 72 | 58 | 68 | 56 | 70 | 58 | 71 | 58 |
| 2.5Hz | 72 | 56 | 59 | 47 | 70 | 57 | 66 | 55 | 68 | 57 | 71 | 57 |
| 3.15Hz | 71 | 55 | 60 | 49 | 69 | 56 | 65 | 54 | 67 | 56 | 70 | 55 |
| 4Hz | 69 | 54 | 59 | 46 | 67 | 54 | 65 | 53 | 68 | 56 | 68 | 54 |
| 5Hz | 73 | 54 | 59 | 47 | 66 | 53 | 67 | 52 | 66 | 55 | 67 | 53 |
| 6.3Hz | 67 | 52 | 56 | 49 | 66 | 53 | 66 | 51 | 66 | 53 | 61 | 51 |
| 8Hz | 64 | 53 | 62 | 52 | 63 | 53 | 63 | 53 | 65 | 53 | 65 | 53 |
| 10Hz | 65 | 54 | 60 | 54 | 62 | 54 | 60 | 54 | 61 | 54 | 63 | 54 |
| 12.5Hz | 59 | 54 | 62 | 54 | 59 | 54 | 65 | 55 | 59 | 54 | 68 | 55 |
| 16Hz | 59 | 53 | 64 | 53 | 58 | 53 | 66 | 54 | 65 | 53 | 62 | 54 |
| 20Hz | 63 | 53 | 59 | 54 | 59 | 54 | 75 | 56 | 60 | 54 | 63 | 54 |
| 25Hz | 63 | 58 | 63 | 58 | 63 | 58 | 63 | 58 | 64 | 58 | 67 | 59 |
| 31.5Hz | 63 | 59 | 63 | 59 | 63 | 59 | 63 | 59 | 63 | 59 | 70 | 60 |
| 40Hz | 62 | 58 | 62 | 58 | 62 | 58 | 64 | 58 | 62 | 58 | 61 | 58 |
| 50Hz | 61 | 55 | 58 | 55 | 58 | 55 | 64 | 55 | 59 | 55 | 60 | 56 |
| 63Hz | 62 | 53 | 59 | 53 | 58 | 53 | 57 | 53 | 62 | 54 | 63 | 54 |
| 80Hz | 66 | 50 | 61 | 50 | 55 | 49 | 63 | 50 | 69 | 52 | 68 | 53 |

測定地点：No.3 対象事業実施区域周辺（西側民家付近）

測定期間：平成28年7月16日8時～翌17日8時

| 測定場所 | No.3 西側民家付近 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | |
| 測定日 | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | |
| 測定時間帯 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 開始時間 | 8:00 | | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | |
| 終了時間 | 8:10 | | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 90 | 73 | 92 | 74 | 92 | 74 | 92 | 74 | 92 | 74 | 88 |
| 1Hz | 76 | 57 | 75 | 62 | 83 | 67 | 82 | 66 | 82 | 66 | 91 | 74 |
| 1.25Hz | 72 | 54 | 74 | 61 | 79 | 64 | 82 | 65 | 82 | 65 | 87 | 72 |
| 1.6Hz | 71 | 53 | 75 | 59 | 77 | 62 | 77 | 63 | 77 | 63 | 89 | 72 |
| 2Hz | 68 | 52 | 73 | 58 | 76 | 60 | 80 | 62 | 80 | 62 | 95 | 73 |
| 2.5Hz | 62 | 50 | 67 | 56 | 74 | 58 | 76 | 59 | 76 | 59 | 94 | 71 |
| 3.15Hz | 59 | 49 | 66 | 55 | 78 | 58 | 77 | 58 | 77 | 58 | 90 | 68 |
| 4Hz | 59 | 48 | 65 | 52 | 75 | 56 | 72 | 56 | 72 | 56 | 84 | 65 |
| 5Hz | 59 | 47 | 64 | 51 | 73 | 53 | 70 | 54 | 70 | 54 | 80 | 62 |
| 6.3Hz | 62 | 48 | 68 | 52 | 65 | 51 | 68 | 52 | 68 | 52 | 79 | 61 |
| 8Hz | 73 | 52 | 69 | 54 | 71 | 53 | 70 | 54 | 70 | 54 | 75 | 58 |
| 10Hz | 75 | 57 | 78 | 58 | 83 | 60 | 77 | 60 | 77 | 60 | 72 | 58 |
| 12.5Hz | 79 | 60 | 83 | 60 | 85 | 63 | 82 | 62 | 82 | 62 | 73 | 58 |
| 16Hz | 77 | 60 | 78 | 60 | 80 | 60 | 78 | 60 | 78 | 60 | 76 | 59 |
| 20Hz | 78 | 60 | 81 | 61 | 77 | 60 | 82 | 62 | 82 | 62 | 74 | 59 |
| 25Hz | 76 | 60 | 80 | 61 | 79 | 60 | 71 | 60 | 71 | 60 | 80 | 62 |
| 31.5Hz | 71 | 62 | 78 | 61 | 73 | 61 | 74 | 62 | 74 | 62 | 77 | 61 |
| 40Hz | 77 | 63 | 76 | 60 | 71 | 62 | 76 | 63 | 76 | 63 | 82 | 64 |
| 50Hz | 77 | 63 | 74 | 61 | 78 | 63 | 81 | 66 | 81 | 66 | 74 | 62 |
| 63Hz | 73 | 63 | 76 | 63 | 84 | 66 | 87 | 70 | 87 | 70 | 83 | 66 |
| 80Hz | 72 | 59 | 75 | 60 | 76 | 61 | 88 | 69 | 88 | 69 | 76 | 60 |

| 測定日 | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | |
|--------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 91 | 73 | 91 | 74 | 87 | 71 | 85 | 70 | 83 | 70 | 82 | 68 |
| 1Hz | 92 | 77 | 91 | 78 | 89 | 73 | 92 | 71 | 85 | 68 | 78 | 62 |
| 1.25Hz | 89 | 74 | 90 | 76 | 89 | 72 | 89 | 68 | 81 | 66 | 73 | 57 |
| 1.6Hz | 85 | 73 | 86 | 74 | 90 | 71 | 87 | 66 | 82 | 64 | 73 | 57 |
| 2Hz | 85 | 71 | 88 | 72 | 90 | 70 | 86 | 65 | 86 | 65 | 71 | 55 |
| 2.5Hz | 85 | 70 | 87 | 70 | 85 | 67 | 82 | 62 | 79 | 60 | 68 | 53 |
| 3.15Hz | 83 | 67 | 87 | 69 | 82 | 64 | 86 | 64 | 80 | 59 | 66 | 51 |
| 4Hz | 80 | 66 | 89 | 68 | 80 | 62 | 83 | 61 | 78 | 59 | 66 | 49 |
| 5Hz | 82 | 64 | 82 | 66 | 77 | 60 | 73 | 56 | 77 | 57 | 64 | 48 |
| 6.3Hz | 75 | 61 | 80 | 64 | 78 | 59 | 74 | 54 | 76 | 56 | 61 | 47 |
| 8Hz | 74 | 60 | 77 | 63 | 74 | 58 | 72 | 53 | 72 | 54 | 61 | 49 |
| 10Hz | 75 | 59 | 74 | 61 | 76 | 58 | 71 | 54 | 70 | 55 | 72 | 54 |
| 12.5Hz | 75 | 59 | 82 | 63 | 78 | 58 | 75 | 55 | 68 | 55 | 69 | 53 |
| 16Hz | 78 | 60 | 79 | 61 | 75 | 58 | 76 | 57 | 70 | 56 | 72 | 55 |
| 20Hz | 79 | 60 | 76 | 60 | 71 | 57 | 69 | 56 | 72 | 57 | 68 | 55 |
| 25Hz | 71 | 59 | 73 | 60 | 69 | 58 | 68 | 56 | 71 | 57 | 66 | 56 |
| 31.5Hz | 71 | 63 | 75 | 64 | 75 | 61 | 74 | 60 | 68 | 59 | 74 | 61 |
| 40Hz | 81 | 63 | 76 | 63 | 70 | 61 | 77 | 61 | 66 | 59 | 73 | 60 |
| 50Hz | 78 | 62 | 79 | 65 | 75 | 62 | 78 | 72 | 75 | 61 | 69 | 59 |
| 63Hz | 79 | 63 | 83 | 66 | 77 | 71 | 78 | 65 | 72 | 65 | 75 | 59 |
| 80Hz | 77 | 60 | 86 | 68 | 72 | 59 | 73 | 58 | 71 | 59 | 81 | 62 |

| 測定場所 | No.3 西側民家付近 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/16 | | 2016/7/17 | | 2016/7/17 | |
| 測定時間帯 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 開始時間 | 20:00 | | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | |
| 終了時間 | 20:10 | | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 81 | 68 | 83 | 67 | 75 | 65 | 76 | 65 | 76 | 65 | 76 | 64 |
| 1Hz | 75 | 56 | 57 | 44 | 67 | 50 | 49 | 38 | 61 | 47 | 62 | 48 |
| 1.25Hz | 72 | 55 | 55 | 43 | 67 | 50 | 48 | 38 | 67 | 49 | 64 | 46 |
| 1.6Hz | 68 | 51 | 56 | 42 | 64 | 47 | 48 | 39 | 69 | 48 | 59 | 45 |
| 2Hz | 71 | 52 | 52 | 42 | 59 | 45 | 50 | 40 | 64 | 46 | 56 | 43 |
| 2.5Hz | 68 | 49 | 53 | 43 | 55 | 44 | 52 | 42 | 57 | 44 | 56 | 43 |
| 3.15Hz | 65 | 48 | 55 | 46 | 57 | 46 | 57 | 44 | 61 | 45 | 53 | 44 |
| 4Hz | 63 | 47 | 54 | 44 | 54 | 45 | 52 | 43 | 55 | 44 | 52 | 44 |
| 5Hz | 60 | 46 | 54 | 44 | 55 | 45 | 51 | 44 | 54 | 44 | 52 | 44 |
| 6.3Hz | 55 | 46 | 54 | 45 | 52 | 45 | 51 | 44 | 53 | 44 | 51 | 44 |
| 8Hz | 62 | 48 | 58 | 48 | 55 | 47 | 54 | 47 | 54 | 47 | 53 | 47 |
| 10Hz | 66 | 52 | 72 | 53 | 56 | 51 | 57 | 51 | 58 | 51 | 56 | 51 |
| 12.5Hz | 69 | 53 | 74 | 54 | 60 | 50 | 64 | 50 | 66 | 50 | 62 | 49 |
| 16Hz | 70 | 54 | 69 | 54 | 65 | 52 | 67 | 52 | 66 | 52 | 66 | 52 |
| 20Hz | 67 | 54 | 68 | 54 | 65 | 52 | 60 | 51 | 64 | 51 | 60 | 50 |
| 25Hz | 72 | 56 | 67 | 55 | 63 | 53 | 59 | 52 | 64 | 52 | 60 | 52 |
| 31.5Hz | 83 | 63 | 72 | 59 | 63 | 58 | 62 | 58 | 62 | 57 | 65 | 57 |
| 40Hz | 76 | 59 | 70 | 57 | 64 | 55 | 61 | 54 | 61 | 54 | 61 | 53 |
| 50Hz | 73 | 60 | 68 | 57 | 70 | 55 | 64 | 53 | 63 | 53 | 68 | 53 |
| 63Hz | 73 | 58 | 74 | 58 | 68 | 54 | 63 | 51 | 72 | 55 | 70 | 53 |
| 80Hz | 66 | 53 | 66 | 52 | 69 | 52 | 67 | 50 | 68 | 51 | 80 | 57 |

| 測定日 | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | | 2016/7/17 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 開始時間 | 2:00 | | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | |
| 終了時間 | 2:10 | | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 80 | 65 | 85 | 67 | 73 | 64 | 94 | 73 | 86 | 68 | 89 | 70 |
| 1Hz | 80 | 63 | 66 | 47 | 77 | 64 | 79 | 66 | 77 | 65 | 71 | 59 |
| 1.25Hz | 80 | 61 | 64 | 46 | 77 | 62 | 78 | 64 | 75 | 62 | 72 | 58 |
| 1.6Hz | 74 | 57 | 60 | 43 | 75 | 61 | 83 | 64 | 71 | 60 | 70 | 56 |
| 2Hz | 72 | 56 | 57 | 43 | 72 | 58 | 81 | 61 | 71 | 58 | 69 | 54 |
| 2.5Hz | 72 | 55 | 57 | 43 | 69 | 56 | 75 | 59 | 70 | 55 | 65 | 53 |
| 3.15Hz | 71 | 54 | 56 | 45 | 71 | 55 | 73 | 57 | 69 | 54 | 63 | 51 |
| 4Hz | 65 | 50 | 55 | 43 | 68 | 54 | 71 | 56 | 66 | 53 | 61 | 49 |
| 5Hz | 63 | 49 | 54 | 44 | 65 | 51 | 69 | 53 | 64 | 50 | 58 | 47 |
| 6.3Hz | 64 | 48 | 57 | 45 | 63 | 50 | 69 | 52 | 60 | 48 | 60 | 47 |
| 8Hz | 60 | 49 | 65 | 48 | 63 | 50 | 71 | 52 | 59 | 48 | 69 | 51 |
| 10Hz | 64 | 52 | 72 | 54 | 61 | 52 | 71 | 54 | 63 | 52 | 74 | 54 |
| 12.5Hz | 66 | 51 | 69 | 52 | 59 | 50 | 76 | 57 | 69 | 53 | 82 | 59 |
| 16Hz | 66 | 52 | 73 | 55 | 61 | 52 | 78 | 59 | 76 | 57 | 75 | 58 |
| 20Hz | 67 | 52 | 74 | 54 | 59 | 50 | 84 | 62 | 70 | 53 | 72 | 55 |
| 25Hz | 67 | 53 | 67 | 53 | 59 | 52 | 74 | 56 | 75 | 56 | 73 | 56 |
| 31.5Hz | 67 | 57 | 66 | 57 | 61 | 57 | 73 | 58 | 69 | 59 | 73 | 59 |
| 40Hz | 64 | 54 | 66 | 54 | 63 | 53 | 74 | 56 | 70 | 57 | 72 | 58 |
| 50Hz | 70 | 56 | 69 | 53 | 60 | 52 | 78 | 60 | 70 | 56 | 73 | 58 |
| 63Hz | 71 | 56 | 67 | 51 | 64 | 51 | 65 | 54 | 70 | 56 | 73 | 58 |
| 80Hz | 82 | 59 | 72 | 55 | 66 | 50 | 75 | 56 | 79 | 58 | 81 | 62 |

資料 3 冬季調査 平日

測定地点：No.1 対象事業実施区域（西側敷地境界）

測定期間：平成 29 年 1 月 18 日 9 時～翌 19 日 9 時

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
| 測定日 | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
| 測定時間帯 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 開始時間 | 9:02 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 終了時間 | 9:12 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | | 14:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 94 | 78 | 90 | 76 | 87 | 74 | 97 | 77 | 101 | 80 | 108 |
| 1Hz | 105 | 93 | 101 | 91 | 105 | 92 | 108 | 93 | 109 | 94 | 106 | 93 |
| 1.25Hz | 105 | 93 | 102 | 91 | 105 | 92 | 101 | 92 | 108 | 93 | 107 | 91 |
| 1.6Hz | 103 | 91 | 102 | 89 | 106 | 90 | 100 | 90 | 107 | 92 | 107 | 90 |
| 2Hz | 101 | 88 | 97 | 86 | 103 | 86 | 101 | 87 | 102 | 88 | 107 | 88 |
| 2.5Hz | 97 | 83 | 94 | 80 | 96 | 81 | 100 | 83 | 106 | 85 | 107 | 86 |
| 3.15Hz | 97 | 79 | 90 | 75 | 93 | 76 | 94 | 77 | 103 | 82 | 97 | 81 |
| 4Hz | 95 | 75 | 86 | 70 | 89 | 71 | 99 | 76 | 102 | 78 | 97 | 79 |
| 5Hz | 92 | 71 | 81 | 65 | 81 | 65 | 90 | 70 | 102 | 78 | 99 | 77 |
| 6.3Hz | 90 | 66 | 76 | 59 | 77 | 60 | 89 | 67 | 99 | 76 | 100 | 76 |
| 8Hz | 88 | 65 | 78 | 58 | 76 | 59 | 91 | 66 | 93 | 70 | 98 | 74 |
| 10Hz | 81 | 63 | 77 | 59 | 75 | 59 | 88 | 65 | 89 | 68 | 99 | 74 |
| 12.5Hz | 86 | 66 | 82 | 63 | 73 | 58 | 86 | 65 | 91 | 68 | 97 | 73 |
| 16Hz | 79 | 64 | 77 | 61 | 73 | 59 | 81 | 62 | 86 | 66 | 95 | 70 |
| 20Hz | 82 | 65 | 77 | 62 | 76 | 61 | 82 | 63 | 87 | 66 | 89 | 66 |
| 25Hz | 79 | 64 | 82 | 64 | 79 | 62 | 84 | 64 | 87 | 66 | 93 | 69 |
| 31.5Hz | 91 | 70 | 86 | 67 | 78 | 66 | 81 | 66 | 86 | 68 | 88 | 70 |
| 40Hz | 97 | 74 | 81 | 65 | 81 | 66 | 83 | 66 | 81 | 67 | 82 | 67 |
| 50Hz | 90 | 71 | 85 | 67 | 94 | 72 | 84 | 66 | 89 | 71 | 88 | 69 |
| 63Hz | 90 | 72 | 87 | 68 | 89 | 70 | 81 | 66 | 86 | 70 | 87 | 70 |
| 80Hz | 88 | 68 | 83 | 63 | 78 | 62 | 78 | 63 | 84 | 64 | 84 | 66 |

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
| 測定日 | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
| 測定時間帯 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 開始時間 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 終了時間 | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | | 20:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 95 | 79 | 93 | 77 | 92 | 75 | 91 | 75 | 91 | 73 | 97 |
| 1Hz | 102 | 92 | 104 | 92 | 105 | 91 | 105 | 91 | 103 | 90 | 106 | 90 |
| 1.25Hz | 106 | 92 | 105 | 91 | 103 | 90 | 102 | 90 | 103 | 90 | 106 | 89 |
| 1.6Hz | 104 | 90 | 103 | 89 | 102 | 88 | 102 | 88 | 98 | 87 | 105 | 88 |
| 2Hz | 103 | 86 | 100 | 85 | 101 | 85 | 97 | 84 | 97 | 83 | 103 | 84 |
| 2.5Hz | 102 | 83 | 94 | 80 | 97 | 80 | 93 | 78 | 94 | 78 | 100 | 81 |
| 3.15Hz | 99 | 79 | 90 | 74 | 93 | 75 | 89 | 73 | 89 | 72 | 93 | 74 |
| 4Hz | 94 | 74 | 89 | 70 | 90 | 71 | 85 | 69 | 82 | 66 | 90 | 69 |
| 5Hz | 88 | 68 | 84 | 66 | 88 | 66 | 80 | 63 | 76 | 60 | 82 | 63 |
| 6.3Hz | 86 | 65 | 80 | 61 | 84 | 62 | 75 | 59 | 70 | 55 | 81 | 60 |
| 8Hz | 85 | 63 | 77 | 58 | 79 | 58 | 80 | 59 | 70 | 54 | 79 | 58 |
| 10Hz | 82 | 62 | 77 | 58 | 75 | 58 | 81 | 60 | 72 | 56 | 74 | 57 |
| 12.5Hz | 81 | 64 | 75 | 59 | 76 | 58 | 82 | 62 | 79 | 58 | 79 | 60 |
| 16Hz | 80 | 65 | 75 | 61 | 80 | 61 | 81 | 62 | 75 | 58 | 79 | 61 |
| 20Hz | 85 | 66 | 82 | 65 | 79 | 61 | 78 | 62 | 75 | 59 | 81 | 61 |
| 25Hz | 86 | 67 | 84 | 65 | 78 | 62 | 80 | 63 | 83 | 62 | 94 | 70 |
| 31.5Hz | 84 | 70 | 85 | 70 | 76 | 67 | 77 | 67 | 76 | 65 | 87 | 66 |
| 40Hz | 84 | 68 | 80 | 67 | 83 | 67 | 81 | 67 | 78 | 65 | 82 | 64 |
| 50Hz | 98 | 74 | 82 | 66 | 81 | 66 | 80 | 66 | 78 | 64 | 89 | 67 |
| 63Hz | 85 | 69 | 92 | 69 | 88 | 67 | 79 | 65 | 85 | 66 | 84 | 64 |
| 80Hz | 83 | 66 | 90 | 68 | 79 | 63 | 84 | 66 | 82 | 62 | 87 | 62 |

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | |
| 測定時間帯 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 開始時間 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 終了時間 | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | | 2:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 94 | 74 | 90 | 71 | 90 | 71 | 90 | 71 | 89 | 69 | 87 | 69 |
| 1Hz | 105 | 87 | 99 | 85 | 100 | 82 | 105 | 86 | 102 | 83 | 97 | 82 |
| 1.25Hz | 100 | 86 | 102 | 84 | 96 | 80 | 103 | 85 | 102 | 82 | 99 | 82 |
| 1.6Hz | 100 | 85 | 99 | 83 | 99 | 80 | 104 | 83 | 102 | 81 | 99 | 81 |
| 2Hz | 103 | 83 | 96 | 79 | 99 | 78 | 102 | 81 | 96 | 76 | 99 | 78 |
| 2.5Hz | 100 | 79 | 94 | 74 | 94 | 72 | 102 | 80 | 95 | 74 | 96 | 74 |
| 3.15Hz | 93 | 72 | 90 | 67 | 91 | 68 | 96 | 74 | 88 | 66 | 90 | 68 |
| 4Hz | 88 | 66 | 85 | 63 | 82 | 61 | 92 | 69 | 86 | 62 | 83 | 60 |
| 5Hz | 83 | 61 | 79 | 57 | 77 | 55 | 87 | 63 | 77 | 55 | 80 | 56 |
| 6.3Hz | 76 | 56 | 73 | 51 | 74 | 52 | 78 | 55 | 74 | 50 | 75 | 51 |
| 8Hz | 73 | 54 | 67 | 50 | 72 | 51 | 71 | 51 | 74 | 51 | 65 | 48 |
| 10Hz | 75 | 54 | 77 | 56 | 74 | 56 | 72 | 53 | 72 | 54 | 72 | 53 |
| 12.5Hz | 81 | 59 | 76 | 56 | 78 | 57 | 74 | 56 | 82 | 59 | 76 | 56 |
| 16Hz | 78 | 59 | 81 | 58 | 76 | 57 | 75 | 56 | 72 | 53 | 77 | 56 |
| 20Hz | 79 | 60 | 81 | 59 | 78 | 58 | 78 | 58 | 79 | 57 | 72 | 54 |
| 25Hz | 88 | 65 | 76 | 56 | 81 | 59 | 79 | 59 | 76 | 55 | 73 | 56 |
| 31.5Hz | 89 | 65 | 76 | 58 | 77 | 57 | 79 | 59 | 77 | 56 | 74 | 55 |
| 40Hz | 78 | 61 | 84 | 62 | 79 | 59 | 77 | 57 | 75 | 55 | 79 | 57 |
| 50Hz | 84 | 64 | 83 | 65 | 78 | 58 | 83 | 62 | 77 | 59 | 89 | 65 |
| 63Hz | 82 | 62 | 89 | 66 | 83 | 63 | 84 | 62 | 94 | 71 | 90 | 66 |
| 80Hz | 75 | 57 | 77 | 60 | 81 | 58 | 78 | 58 | 80 | 58 | 78 | 56 |

| 測定日 | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 開始時間 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 終了時間 | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | | 8:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 94 | 72 | 90 | 70 | 94 | 73 | 90 | 71 | 90 | 73 | 92 | 77 |
| 1Hz | 102 | 80 | 99 | 82 | 101 | 83 | 100 | 87 | 100 | 90 | 105 | 92 |
| 1.25Hz | 108 | 85 | 100 | 82 | 101 | 83 | 100 | 86 | 100 | 90 | 105 | 92 |
| 1.6Hz | 107 | 83 | 99 | 79 | 101 | 82 | 98 | 85 | 101 | 88 | 101 | 89 |
| 2Hz | 100 | 77 | 96 | 76 | 99 | 79 | 96 | 82 | 100 | 85 | 99 | 86 |
| 2.5Hz | 103 | 79 | 91 | 71 | 95 | 73 | 93 | 77 | 96 | 80 | 99 | 81 |
| 3.15Hz | 98 | 73 | 87 | 66 | 87 | 66 | 87 | 70 | 92 | 73 | 96 | 76 |
| 4Hz | 94 | 70 | 82 | 61 | 86 | 63 | 82 | 64 | 85 | 68 | 89 | 71 |
| 5Hz | 88 | 63 | 76 | 55 | 83 | 59 | 79 | 60 | 82 | 63 | 83 | 66 |
| 6.3Hz | 85 | 60 | 65 | 48 | 73 | 51 | 75 | 55 | 74 | 57 | 83 | 61 |
| 8Hz | 84 | 58 | 71 | 50 | 74 | 53 | 73 | 54 | 76 | 56 | 72 | 57 |
| 10Hz | 81 | 58 | 74 | 54 | 76 | 57 | 78 | 58 | 79 | 57 | 75 | 59 |
| 12.5Hz | 82 | 60 | 71 | 54 | 86 | 62 | 81 | 59 | 80 | 59 | 79 | 61 |
| 16Hz | 80 | 58 | 77 | 56 | 80 | 59 | 76 | 57 | 75 | 58 | 79 | 61 |
| 20Hz | 79 | 57 | 77 | 58 | 82 | 60 | 77 | 59 | 76 | 59 | 81 | 65 |
| 25Hz | 79 | 58 | 81 | 59 | 78 | 58 | 73 | 56 | 80 | 62 | 81 | 66 |
| 31.5Hz | 79 | 58 | 77 | 57 | 79 | 60 | 81 | 59 | 76 | 66 | 81 | 68 |
| 40Hz | 81 | 58 | 79 | 61 | 80 | 58 | 78 | 61 | 79 | 67 | 81 | 68 |
| 50Hz | 78 | 56 | 86 | 64 | 81 | 59 | 91 | 68 | 88 | 69 | 83 | 69 |
| 63Hz | 74 | 56 | 77 | 58 | 79 | 56 | 96 | 72 | 83 | 67 | 92 | 71 |
| 80Hz | 73 | 55 | 75 | 54 | 71 | 53 | 79 | 61 | 85 | 66 | 84 | 66 |

測定地点：No.2 対象事業実施区域（南東側敷地境界）

測定期間：平成29年1月18日9時～翌19日9時

| 測定場所 | No.2南東側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
| 測定時間帯 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 開始時間 | 9:02 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 終了時間 | 9:12 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | | 14:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 77 | 71 | 75 | 71 | 78 | 71 | 78 | 71 | 80 | 71 | 76 | 70 |
| 1Hz | 56 | 47 | 63 | 51 | 61 | 50 | 68 | 55 | 66 | 54 | 65 | 52 |
| 1.25Hz | 58 | 46 | 59 | 48 | 64 | 49 | 66 | 53 | 64 | 52 | 61 | 50 |
| 1.6Hz | 60 | 45 | 58 | 46 | 60 | 48 | 66 | 52 | 61 | 51 | 62 | 49 |
| 2Hz | 52 | 44 | 55 | 45 | 59 | 47 | 64 | 50 | 62 | 49 | 61 | 48 |
| 2.5Hz | 53 | 45 | 57 | 46 | 61 | 47 | 64 | 51 | 63 | 49 | 59 | 47 |
| 3.15Hz | 61 | 47 | 57 | 47 | 57 | 47 | 59 | 50 | 63 | 49 | 60 | 47 |
| 4Hz | 61 | 47 | 55 | 46 | 54 | 47 | 61 | 49 | 58 | 48 | 59 | 47 |
| 5Hz | 57 | 48 | 53 | 47 | 54 | 47 | 57 | 49 | 57 | 49 | 58 | 48 |
| 6.3Hz | 55 | 49 | 55 | 49 | 55 | 49 | 58 | 50 | 57 | 50 | 55 | 49 |
| 8Hz | 67 | 54 | 61 | 53 | 62 | 53 | 62 | 54 | 62 | 54 | 59 | 53 |
| 10Hz | 71 | 58 | 62 | 56 | 65 | 56 | 65 | 56 | 71 | 56 | 63 | 55 |
| 12.5Hz | 64 | 57 | 61 | 55 | 63 | 55 | 63 | 55 | 65 | 56 | 62 | 55 |
| 16Hz | 66 | 57 | 62 | 57 | 66 | 57 | 68 | 57 | 64 | 56 | 62 | 56 |
| 20Hz | 65 | 57 | 65 | 57 | 67 | 58 | 66 | 57 | 68 | 58 | 67 | 57 |
| 25Hz | 67 | 60 | 69 | 60 | 69 | 60 | 68 | 60 | 67 | 60 | 69 | 60 |
| 31.5Hz | 73 | 62 | 73 | 63 | 74 | 63 | 76 | 63 | 73 | 62 | 74 | 64 |
| 40Hz | 77 | 62 | 71 | 62 | 68 | 60 | 75 | 60 | 65 | 60 | 65 | 60 |
| 50Hz | 68 | 58 | 73 | 62 | 71 | 58 | 62 | 56 | 68 | 59 | 64 | 57 |
| 63Hz | 72 | 64 | 77 | 69 | 64 | 58 | 60 | 55 | 65 | 57 | 65 | 57 |
| 80Hz | 66 | 53 | 65 | 59 | 60 | 50 | 57 | 51 | 61 | 52 | 64 | 53 |

| 測定日 | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 開始時間 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 終了時間 | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | | 20:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 76 | 71 | 76 | 70 | 73 | 69 | 76 | 69 | 73 | 68 | 78 | 69 |
| 1Hz | 57 | 47 | 50 | 42 | 49 | 40 | 50 | 40 | 54 | 42 | 50 | 42 |
| 1.25Hz | 56 | 46 | 50 | 42 | 47 | 39 | 49 | 40 | 58 | 42 | 49 | 41 |
| 1.6Hz | 56 | 45 | 49 | 41 | 46 | 39 | 49 | 40 | 57 | 42 | 48 | 40 |
| 2Hz | 54 | 45 | 48 | 41 | 48 | 40 | 49 | 42 | 51 | 41 | 50 | 41 |
| 2.5Hz | 54 | 45 | 51 | 43 | 50 | 42 | 51 | 43 | 50 | 43 | 53 | 43 |
| 3.15Hz | 59 | 46 | 59 | 46 | 49 | 42 | 57 | 45 | 58 | 45 | 58 | 45 |
| 4Hz | 55 | 46 | 54 | 45 | 50 | 44 | 54 | 45 | 56 | 45 | 51 | 45 |
| 5Hz | 57 | 47 | 56 | 47 | 54 | 45 | 55 | 46 | 53 | 46 | 52 | 46 |
| 6.3Hz | 54 | 49 | 54 | 48 | 53 | 48 | 54 | 48 | 54 | 48 | 54 | 48 |
| 8Hz | 61 | 53 | 59 | 53 | 58 | 52 | 59 | 53 | 60 | 53 | 59 | 53 |
| 10Hz | 64 | 55 | 63 | 54 | 65 | 55 | 65 | 55 | 62 | 55 | 63 | 54 |
| 12.5Hz | 64 | 56 | 61 | 55 | 59 | 54 | 68 | 55 | 60 | 54 | 66 | 54 |
| 16Hz | 62 | 57 | 62 | 55 | 60 | 55 | 63 | 55 | 61 | 54 | 68 | 55 |
| 20Hz | 66 | 57 | 65 | 57 | 62 | 55 | 65 | 56 | 63 | 55 | 66 | 56 |
| 25Hz | 67 | 61 | 64 | 59 | 64 | 58 | 64 | 58 | 65 | 58 | 70 | 61 |
| 31.5Hz | 71 | 64 | 68 | 64 | 65 | 61 | 65 | 61 | 65 | 61 | 72 | 61 |
| 40Hz | 68 | 60 | 68 | 60 | 64 | 59 | 66 | 59 | 63 | 59 | 65 | 59 |
| 50Hz | 69 | 58 | 70 | 59 | 63 | 56 | 60 | 56 | 62 | 56 | 64 | 56 |
| 63Hz | 66 | 57 | 71 | 57 | 66 | 55 | 62 | 54 | 62 | 54 | 59 | 54 |
| 80Hz | 63 | 53 | 64 | 53 | 60 | 50 | 59 | 50 | 58 | 49 | 60 | 49 |

| 測定場所 | No.2南東側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | |
| 測定時間帯 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 開始時間 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 終了時間 | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | | 2:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 75 | 64 | 75 | 62 | 74 | 62 | 74 | 62 | 70 | 62 | 73 | 63 |
| 1Hz | 47 | 40 | 52 | 42 | 57 | 43 | 56 | 45 | 64 | 47 | 68 | 51 |
| 1.25Hz | 48 | 39 | 56 | 42 | 55 | 41 | 61 | 45 | 66 | 47 | 63 | 49 |
| 1.6Hz | 46 | 38 | 53 | 40 | 52 | 40 | 59 | 43 | 60 | 46 | 60 | 47 |
| 2Hz | 48 | 39 | 53 | 40 | 53 | 40 | 59 | 42 | 61 | 45 | 61 | 47 |
| 2.5Hz | 52 | 43 | 50 | 41 | 53 | 42 | 51 | 42 | 57 | 43 | 59 | 46 |
| 3.15Hz | 50 | 40 | 49 | 39 | 51 | 40 | 47 | 39 | 55 | 42 | 58 | 45 |
| 4Hz | 48 | 40 | 46 | 39 | 49 | 39 | 47 | 39 | 56 | 41 | 59 | 45 |
| 5Hz | 50 | 42 | 47 | 40 | 50 | 40 | 46 | 39 | 57 | 41 | 57 | 44 |
| 6.3Hz | 50 | 43 | 48 | 42 | 59 | 42 | 48 | 41 | 53 | 42 | 56 | 44 |
| 8Hz | 55 | 45 | 59 | 45 | 59 | 46 | 59 | 45 | 59 | 46 | 58 | 46 |
| 10Hz | 58 | 49 | 65 | 50 | 61 | 50 | 63 | 49 | 62 | 50 | 62 | 49 |
| 12.5Hz | 66 | 51 | 64 | 50 | 64 | 50 | 66 | 51 | 61 | 50 | 62 | 50 |
| 16Hz | 61 | 51 | 58 | 48 | 60 | 48 | 64 | 48 | 56 | 47 | 60 | 48 |
| 20Hz | 61 | 51 | 63 | 48 | 63 | 49 | 61 | 49 | 59 | 48 | 61 | 49 |
| 25Hz | 67 | 51 | 62 | 47 | 63 | 49 | 62 | 48 | 63 | 50 | 63 | 54 |
| 31.5Hz | 69 | 52 | 62 | 48 | 61 | 48 | 62 | 48 | 56 | 47 | 61 | 50 |
| 40Hz | 59 | 52 | 59 | 51 | 60 | 52 | 61 | 49 | 56 | 49 | 59 | 53 |
| 50Hz | 63 | 51 | 71 | 52 | 58 | 47 | 61 | 49 | 63 | 51 | 70 | 54 |
| 63Hz | 58 | 49 | 68 | 50 | 61 | 47 | 58 | 47 | 72 | 52 | 68 | 52 |
| 80Hz | 52 | 47 | 57 | 47 | 60 | 46 | 58 | 45 | 55 | 46 | 57 | 47 |

| 測定日 | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 開始時間 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 終了時間 | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | | 8:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 78 | 62 | 72 | 62 | 74 | 63 | 74 | 64 | 75 | 69 | 75 | 70 |
| 1Hz | 71 | 53 | 65 | 54 | 55 | 41 | 55 | 44 | 69 | 54 | 57 | 45 |
| 1.25Hz | 67 | 52 | 66 | 53 | 53 | 41 | 55 | 42 | 69 | 53 | 51 | 43 |
| 1.6Hz | 70 | 51 | 64 | 51 | 55 | 40 | 53 | 42 | 65 | 51 | 50 | 42 |
| 2Hz | 63 | 48 | 64 | 50 | 56 | 40 | 52 | 41 | 64 | 49 | 49 | 41 |
| 2.5Hz | 61 | 46 | 63 | 49 | 50 | 39 | 53 | 41 | 64 | 49 | 53 | 43 |
| 3.15Hz | 64 | 46 | 63 | 48 | 50 | 39 | 54 | 42 | 65 | 49 | 61 | 45 |
| 4Hz | 59 | 44 | 59 | 47 | 50 | 38 | 51 | 40 | 65 | 48 | 59 | 46 |
| 5Hz | 59 | 43 | 59 | 46 | 55 | 39 | 55 | 41 | 60 | 47 | 60 | 47 |
| 6.3Hz | 57 | 43 | 60 | 45 | 54 | 41 | 55 | 43 | 57 | 49 | 55 | 48 |
| 8Hz | 61 | 45 | 56 | 46 | 61 | 46 | 60 | 47 | 60 | 53 | 60 | 53 |
| 10Hz | 71 | 51 | 58 | 49 | 67 | 51 | 63 | 51 | 61 | 54 | 62 | 55 |
| 12.5Hz | 63 | 49 | 60 | 50 | 64 | 51 | 60 | 51 | 60 | 53 | 62 | 54 |
| 16Hz | 60 | 47 | 62 | 48 | 64 | 49 | 61 | 49 | 60 | 54 | 60 | 55 |
| 20Hz | 67 | 49 | 60 | 49 | 59 | 50 | 63 | 52 | 63 | 56 | 63 | 57 |
| 25Hz | 66 | 51 | 63 | 51 | 63 | 51 | 63 | 52 | 65 | 61 | 66 | 61 |
| 31.5Hz | 66 | 49 | 58 | 47 | 60 | 48 | 65 | 50 | 66 | 63 | 67 | 63 |
| 40Hz | 63 | 50 | 60 | 50 | 58 | 50 | 67 | 52 | 67 | 61 | 66 | 59 |
| 50Hz | 63 | 51 | 63 | 51 | 63 | 51 | 72 | 56 | 72 | 60 | 68 | 57 |
| 63Hz | 59 | 48 | 61 | 48 | 58 | 48 | 74 | 55 | 64 | 57 | 71 | 57 |
| 80Hz | 57 | 46 | 52 | 45 | 54 | 45 | 55 | 47 | 64 | 54 | 60 | 52 |

測定地点：No.3 対象事業実施区域周辺（西側民家付近）

測定期間：平成29年1月18日9時～翌19日9時

| 測定場所 | No.3 西側民家付近 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
| 測定日 | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
| 測定時間帯 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 開始時間 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 終了時間 | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | | 14:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 89 | 75 | 84 | 71 | 85 | 70 | 91 | 73 | 93 | 74 | 86 |
| 1Hz | 62 | 47 | 63 | 52 | 64 | 53 | 64 | 51 | 65 | 54 | 68 | 52 |
| 1.25Hz | 62 | 46 | 62 | 50 | 66 | 53 | 62 | 50 | 66 | 54 | 63 | 50 |
| 1.6Hz | 61 | 47 | 59 | 48 | 64 | 51 | 63 | 49 | 66 | 53 | 61 | 49 |
| 2Hz | 64 | 48 | 63 | 48 | 62 | 51 | 60 | 48 | 66 | 51 | 62 | 49 |
| 2.5Hz | 59 | 47 | 59 | 47 | 61 | 49 | 59 | 48 | 64 | 51 | 60 | 47 |
| 3.15Hz | 61 | 47 | 59 | 47 | 61 | 48 | 58 | 47 | 61 | 49 | 58 | 47 |
| 4Hz | 68 | 48 | 60 | 46 | 61 | 48 | 58 | 46 | 63 | 48 | 60 | 47 |
| 5Hz | 62 | 49 | 60 | 47 | 61 | 47 | 60 | 46 | 63 | 48 | 58 | 47 |
| 6.3Hz | 65 | 50 | 66 | 48 | 60 | 47 | 64 | 47 | 69 | 50 | 58 | 48 |
| 8Hz | 73 | 56 | 66 | 52 | 67 | 51 | 65 | 51 | 74 | 55 | 68 | 51 |
| 10Hz | 76 | 60 | 70 | 55 | 72 | 56 | 75 | 56 | 82 | 60 | 74 | 56 |
| 12.5Hz | 79 | 62 | 74 | 58 | 73 | 55 | 77 | 60 | 82 | 61 | 80 | 59 |
| 16Hz | 76 | 61 | 73 | 58 | 73 | 57 | 83 | 61 | 81 | 61 | 71 | 58 |
| 20Hz | 78 | 62 | 72 | 58 | 73 | 57 | 76 | 59 | 78 | 61 | 71 | 58 |
| 25Hz | 76 | 62 | 72 | 60 | 74 | 59 | 74 | 59 | 77 | 61 | 69 | 59 |
| 31.5Hz | 74 | 62 | 72 | 61 | 73 | 61 | 72 | 61 | 79 | 63 | 70 | 62 |
| 40Hz | 86 | 67 | 76 | 61 | 73 | 61 | 73 | 60 | 77 | 63 | 70 | 61 |
| 50Hz | 77 | 63 | 74 | 61 | 79 | 63 | 71 | 59 | 84 | 66 | 73 | 62 |
| 63Hz | 83 | 65 | 73 | 64 | 82 | 64 | 69 | 57 | 78 | 63 | 79 | 63 |
| 80Hz | 77 | 59 | 69 | 55 | 73 | 56 | 68 | 55 | 70 | 56 | 74 | 58 |

| 測定場所 | No.3 西側民家付近 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
| 測定日 | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | |
| 測定時間帯 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 開始時間 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 終了時間 | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | | 20:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 88 | 75 | 90 | 73 | 81 | 69 | 90 | 72 | 86 | 70 | 92 |
| 1Hz | 64 | 51 | 54 | 44 | 52 | 42 | 54 | 43 | 56 | 45 | 58 | 44 |
| 1.25Hz | 64 | 50 | 54 | 44 | 56 | 41 | 53 | 43 | 57 | 44 | 56 | 43 |
| 1.6Hz | 59 | 48 | 54 | 44 | 56 | 42 | 53 | 43 | 58 | 44 | 57 | 42 |
| 2Hz | 64 | 48 | 55 | 45 | 55 | 43 | 57 | 44 | 57 | 44 | 61 | 44 |
| 2.5Hz | 59 | 47 | 56 | 45 | 52 | 43 | 58 | 45 | 57 | 44 | 54 | 44 |
| 3.15Hz | 64 | 48 | 60 | 46 | 52 | 43 | 59 | 45 | 58 | 44 | 55 | 44 |
| 4Hz | 62 | 47 | 57 | 45 | 53 | 43 | 57 | 45 | 59 | 44 | 60 | 44 |
| 5Hz | 58 | 47 | 56 | 45 | 55 | 44 | 63 | 46 | 59 | 44 | 61 | 45 |
| 6.3Hz | 67 | 49 | 59 | 46 | 57 | 45 | 64 | 47 | 60 | 46 | 59 | 46 |
| 8Hz | 70 | 53 | 63 | 50 | 63 | 49 | 69 | 51 | 66 | 50 | 74 | 52 |
| 10Hz | 78 | 58 | 72 | 54 | 67 | 53 | 72 | 55 | 75 | 55 | 78 | 58 |
| 12.5Hz | 79 | 61 | 73 | 57 | 69 | 53 | 82 | 60 | 75 | 56 | 79 | 58 |
| 16Hz | 74 | 61 | 76 | 59 | 70 | 56 | 78 | 59 | 72 | 57 | 79 | 60 |
| 20Hz | 77 | 62 | 80 | 61 | 67 | 56 | 74 | 58 | 74 | 56 | 81 | 60 |
| 25Hz | 80 | 64 | 78 | 61 | 70 | 58 | 75 | 60 | 72 | 58 | 80 | 62 |
| 31.5Hz | 82 | 64 | 73 | 63 | 66 | 61 | 73 | 61 | 73 | 60 | 84 | 64 |
| 40Hz | 78 | 63 | 74 | 61 | 69 | 60 | 76 | 61 | 69 | 60 | 78 | 60 |
| 50Hz | 78 | 63 | 76 | 62 | 75 | 60 | 72 | 60 | 72 | 60 | 79 | 61 |
| 63Hz | 79 | 64 | 77 | 61 | 76 | 60 | 73 | 59 | 71 | 58 | 72 | 57 |
| 80Hz | 83 | 61 | 81 | 60 | 70 | 55 | 69 | 56 | 71 | 54 | 70 | 53 |

| 測定場所 | No.3 西側民家付近 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2017/1/18 | | 2017/1/18 | | 2017/1/18 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | |
| 測定時間帯 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 開始時間 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 終了時間 | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | | 2:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 89 | 69 | 85 | 66 | 89 | 69 | 89 | 69 | 84 | 66 | 90 | 68 |
| 1Hz | 53 | 41 | 57 | 42 | 58 | 42 | 53 | 42 | 58 | 43 | 66 | 48 |
| 1.25Hz | 50 | 41 | 58 | 42 | 57 | 41 | 54 | 40 | 57 | 42 | 65 | 47 |
| 1.6Hz | 55 | 41 | 57 | 41 | 52 | 40 | 59 | 40 | 53 | 40 | 63 | 46 |
| 2Hz | 55 | 42 | 62 | 42 | 57 | 41 | 55 | 40 | 59 | 41 | 60 | 44 |
| 2.5Hz | 57 | 44 | 59 | 42 | 58 | 43 | 57 | 41 | 58 | 41 | 59 | 44 |
| 3.15Hz | 57 | 43 | 56 | 41 | 63 | 43 | 59 | 41 | 56 | 40 | 56 | 42 |
| 4Hz | 56 | 42 | 57 | 40 | 59 | 42 | 56 | 40 | 54 | 39 | 55 | 41 |
| 5Hz | 59 | 43 | 54 | 40 | 57 | 42 | 59 | 41 | 56 | 41 | 58 | 42 |
| 6.3Hz | 60 | 44 | 56 | 41 | 61 | 44 | 58 | 41 | 64 | 43 | 60 | 42 |
| 8Hz | 65 | 47 | 62 | 45 | 72 | 50 | 67 | 47 | 67 | 47 | 67 | 46 |
| 10Hz | 68 | 50 | 73 | 52 | 76 | 55 | 74 | 52 | 79 | 56 | 74 | 52 |
| 12.5Hz | 80 | 57 | 75 | 54 | 78 | 57 | 82 | 58 | 75 | 55 | 78 | 56 |
| 16Hz | 79 | 57 | 72 | 53 | 78 | 56 | 75 | 55 | 71 | 52 | 78 | 55 |
| 20Hz | 74 | 56 | 73 | 53 | 74 | 55 | 74 | 55 | 70 | 53 | 75 | 54 |
| 25Hz | 73 | 56 | 73 | 53 | 73 | 56 | 74 | 55 | 66 | 50 | 77 | 55 |
| 31.5Hz | 75 | 57 | 71 | 55 | 73 | 54 | 74 | 56 | 68 | 51 | 72 | 52 |
| 40Hz | 71 | 56 | 75 | 57 | 75 | 56 | 73 | 54 | 66 | 50 | 72 | 52 |
| 50Hz | 72 | 57 | 77 | 58 | 71 | 54 | 73 | 55 | 73 | 53 | 81 | 59 |
| 63Hz | 71 | 56 | 82 | 60 | 72 | 55 | 71 | 54 | 78 | 57 | 76 | 59 |
| 80Hz | 64 | 49 | 69 | 53 | 69 | 50 | 71 | 51 | 63 | 48 | 65 | 49 |

| 測定日 | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | | 2017/1/19 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 開始時間 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 終了時間 | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | | 8:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 93 | 69 | 86 | 67 | 87 | 70 | 90 | 70 | 85 | 70 | 89 | 73 |
| 1Hz | 60 | 48 | 77 | 59 | 75 | 54 | 57 | 43 | 73 | 59 | 61 | 48 |
| 1.25Hz | 56 | 45 | 74 | 55 | 67 | 49 | 56 | 42 | 71 | 58 | 63 | 49 |
| 1.6Hz | 55 | 44 | 75 | 55 | 67 | 47 | 61 | 44 | 71 | 56 | 64 | 48 |
| 2Hz | 54 | 43 | 69 | 51 | 68 | 47 | 61 | 43 | 69 | 55 | 67 | 48 |
| 2.5Hz | 54 | 43 | 65 | 49 | 66 | 47 | 58 | 42 | 66 | 53 | 67 | 48 |
| 3.15Hz | 58 | 42 | 67 | 48 | 61 | 43 | 57 | 41 | 65 | 51 | 68 | 48 |
| 4Hz | 52 | 41 | 62 | 46 | 58 | 42 | 59 | 42 | 61 | 49 | 69 | 50 |
| 5Hz | 55 | 40 | 59 | 44 | 55 | 41 | 59 | 42 | 63 | 49 | 70 | 52 |
| 6.3Hz | 59 | 41 | 59 | 44 | 57 | 42 | 65 | 45 | 62 | 48 | 67 | 51 |
| 8Hz | 69 | 46 | 71 | 48 | 71 | 51 | 73 | 53 | 66 | 51 | 67 | 53 |
| 10Hz | 79 | 55 | 70 | 52 | 80 | 59 | 77 | 57 | 68 | 53 | 72 | 56 |
| 12.5Hz | 78 | 55 | 76 | 55 | 76 | 57 | 77 | 57 | 70 | 54 | 75 | 59 |
| 16Hz | 79 | 54 | 76 | 54 | 76 | 56 | 75 | 55 | 70 | 55 | 76 | 59 |
| 20Hz | 83 | 57 | 71 | 54 | 73 | 57 | 78 | 58 | 73 | 56 | 79 | 61 |
| 25Hz | 79 | 56 | 75 | 56 | 75 | 57 | 79 | 57 | 74 | 59 | 72 | 61 |
| 31.5Hz | 81 | 57 | 72 | 53 | 72 | 54 | 74 | 55 | 74 | 63 | 74 | 63 |
| 40Hz | 75 | 54 | 69 | 55 | 72 | 54 | 70 | 55 | 72 | 61 | 73 | 62 |
| 50Hz | 72 | 52 | 74 | 56 | 72 | 54 | 77 | 61 | 76 | 65 | 71 | 62 |
| 63Hz | 74 | 51 | 72 | 54 | 62 | 49 | 83 | 63 | 76 | 61 | 82 | 64 |
| 80Hz | 71 | 50 | 64 | 47 | 59 | 47 | 67 | 52 | 68 | 59 | 76 | 59 |

資料 4 冬季調査 休日

測定地点：No.1 対象事業実施区域（西側敷地境界）

測定期間：平成 29 年 1 月 7 日 9 時～翌 8 日 9 時

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | |
| 測定日 | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | |
| 測定時間帯 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 開始時間 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 終了時間 | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | | 14:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 92 | 75 | 95 | 78 | 100 | 79 | 99 | 77 | 94 | 76 | 95 |
| 1Hz | 102 | 92 | 107 | 95 | 104 | 93 | 101 | 92 | 104 | 92 | 102 | 92 |
| 1.25Hz | 104 | 91 | 102 | 94 | 105 | 93 | 102 | 92 | 103 | 92 | 101 | 91 |
| 1.6Hz | 101 | 89 | 103 | 92 | 102 | 90 | 100 | 90 | 103 | 90 | 103 | 90 |
| 2Hz | 97 | 85 | 102 | 88 | 99 | 87 | 104 | 87 | 102 | 86 | 101 | 87 |
| 2.5Hz | 94 | 81 | 99 | 84 | 97 | 82 | 104 | 84 | 99 | 81 | 98 | 82 |
| 3.15Hz | 90 | 75 | 96 | 79 | 93 | 77 | 97 | 77 | 90 | 75 | 95 | 77 |
| 4Hz | 86 | 70 | 88 | 73 | 90 | 72 | 95 | 73 | 85 | 70 | 93 | 73 |
| 5Hz | 83 | 65 | 89 | 69 | 91 | 71 | 91 | 69 | 80 | 65 | 88 | 67 |
| 6.3Hz | 79 | 60 | 86 | 65 | 88 | 66 | 84 | 63 | 82 | 62 | 86 | 64 |
| 8Hz | 81 | 59 | 85 | 63 | 86 | 64 | 86 | 62 | 76 | 59 | 87 | 63 |
| 10Hz | 76 | 58 | 78 | 61 | 83 | 63 | 80 | 60 | 76 | 59 | 83 | 63 |
| 12.5Hz | 72 | 58 | 83 | 62 | 86 | 65 | 85 | 62 | 81 | 63 | 80 | 63 |
| 16Hz | 75 | 60 | 82 | 64 | 85 | 65 | 89 | 65 | 84 | 64 | 80 | 63 |
| 20Hz | 81 | 61 | 84 | 65 | 88 | 67 | 84 | 63 | 79 | 62 | 83 | 63 |
| 25Hz | 77 | 62 | 86 | 68 | 89 | 67 | 81 | 65 | 79 | 63 | 81 | 64 |
| 31.5Hz | 77 | 67 | 86 | 69 | 84 | 68 | 79 | 67 | 82 | 68 | 81 | 68 |
| 40Hz | 82 | 67 | 91 | 70 | 84 | 68 | 84 | 67 | 77 | 66 | 81 | 68 |
| 50Hz | 88 | 68 | 84 | 69 | 86 | 69 | 85 | 67 | 82 | 68 | 91 | 71 |
| 63Hz | 82 | 68 | 86 | 69 | 85 | 70 | 87 | 67 | 96 | 72 | 97 | 75 |
| 80Hz | 82 | 64 | 85 | 68 | 88 | 68 | 77 | 62 | 91 | 67 | 84 | 66 |

| 測定日 | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 測定時間帯 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 |
| 開始時間 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 終了時間 | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | | 20:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 98 | 78 | 91 | 75 | 93 | 74 | 95 | 78 | 82 | 71 | 83 |
| 1Hz | 103 | 93 | 103 | 90 | 99 | 89 | 104 | 91 | 101 | 89 | 98 | 87 |
| 1.25Hz | 104 | 93 | 101 | 89 | 97 | 88 | 106 | 91 | 101 | 88 | 99 | 86 |
| 1.6Hz | 100 | 91 | 100 | 87 | 95 | 85 | 105 | 89 | 100 | 87 | 99 | 85 |
| 2Hz | 100 | 88 | 96 | 83 | 92 | 81 | 99 | 85 | 98 | 83 | 97 | 81 |
| 2.5Hz | 96 | 83 | 94 | 78 | 88 | 75 | 96 | 80 | 94 | 78 | 93 | 76 |
| 3.15Hz | 91 | 77 | 90 | 72 | 83 | 70 | 93 | 75 | 89 | 71 | 86 | 70 |
| 4Hz | 90 | 72 | 85 | 67 | 81 | 66 | 90 | 71 | 81 | 66 | 83 | 65 |
| 5Hz | 90 | 69 | 80 | 63 | 74 | 61 | 85 | 65 | 75 | 60 | 78 | 60 |
| 6.3Hz | 84 | 63 | 75 | 59 | 70 | 59 | 77 | 60 | 69 | 54 | 70 | 52 |
| 8Hz | 92 | 67 | 74 | 57 | 72 | 58 | 74 | 58 | 64 | 52 | 60 | 51 |
| 10Hz | 90 | 65 | 80 | 59 | 73 | 58 | 88 | 64 | 63 | 54 | 69 | 54 |
| 12.5Hz | 84 | 63 | 79 | 61 | 78 | 59 | 87 | 64 | 65 | 55 | 72 | 54 |
| 16Hz | 86 | 64 | 81 | 62 | 78 | 61 | 80 | 63 | 72 | 57 | 69 | 55 |
| 20Hz | 84 | 64 | 77 | 62 | 82 | 61 | 79 | 62 | 68 | 57 | 72 | 56 |
| 25Hz | 84 | 65 | 77 | 63 | 79 | 62 | 92 | 70 | 68 | 60 | 66 | 58 |
| 31.5Hz | 79 | 68 | 79 | 69 | 77 | 65 | 84 | 68 | 75 | 65 | 74 | 64 |
| 40Hz | 82 | 67 | 91 | 70 | 78 | 65 | 86 | 68 | 79 | 65 | 77 | 62 |
| 50Hz | 83 | 67 | 87 | 68 | 82 | 68 | 88 | 70 | 87 | 66 | 81 | 63 |
| 63Hz | 89 | 68 | 88 | 67 | 86 | 68 | 91 | 69 | 77 | 63 | 81 | 63 |
| 80Hz | 79 | 63 | 88 | 66 | 79 | 63 | 89 | 68 | 77 | 62 | 75 | 59 |

| 測定場所 | No.1 西側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | |
| 測定時間帯 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 開始時間 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 終了時間 | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | | 2:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 85 | 70 | 94 | 74 | 79 | 68 | 79 | 66 | 96 | 73 | 79 | 64 |
| 1Hz | 99 | 86 | 102 | 86 | 98 | 83 | 99 | 83 | 98 | 83 | 96 | 80 |
| 1.25Hz | 100 | 86 | 103 | 87 | 98 | 82 | 100 | 82 | 102 | 83 | 99 | 81 |
| 1.6Hz | 100 | 85 | 104 | 86 | 99 | 81 | 99 | 80 | 100 | 81 | 99 | 79 |
| 2Hz | 98 | 82 | 98 | 81 | 98 | 78 | 97 | 77 | 95 | 76 | 97 | 76 |
| 2.5Hz | 94 | 77 | 98 | 78 | 95 | 74 | 93 | 72 | 95 | 73 | 94 | 72 |
| 3.15Hz | 87 | 70 | 92 | 73 | 89 | 68 | 85 | 65 | 90 | 68 | 86 | 64 |
| 4Hz | 80 | 63 | 88 | 68 | 80 | 59 | 80 | 59 | 87 | 63 | 80 | 56 |
| 5Hz | 77 | 58 | 83 | 62 | 77 | 54 | 77 | 56 | 82 | 58 | 76 | 54 |
| 6.3Hz | 73 | 53 | 82 | 60 | 73 | 51 | 70 | 50 | 71 | 50 | 70 | 48 |
| 8Hz | 65 | 51 | 71 | 54 | 63 | 50 | 66 | 49 | 64 | 49 | 66 | 45 |
| 10Hz | 62 | 52 | 79 | 59 | 60 | 52 | 68 | 51 | 73 | 54 | 64 | 46 |
| 12.5Hz | 63 | 53 | 81 | 60 | 63 | 52 | 69 | 51 | 74 | 56 | 62 | 48 |
| 16Hz | 68 | 55 | 82 | 61 | 65 | 54 | 62 | 52 | 77 | 57 | 68 | 50 |
| 20Hz | 75 | 56 | 80 | 59 | 66 | 53 | 68 | 52 | 80 | 58 | 67 | 50 |
| 25Hz | 72 | 58 | 79 | 61 | 67 | 56 | 66 | 54 | 91 | 66 | 66 | 51 |
| 31.5Hz | 72 | 64 | 76 | 64 | 79 | 63 | 68 | 62 | 79 | 63 | 66 | 59 |
| 40Hz | 77 | 60 | 85 | 64 | 77 | 59 | 73 | 58 | 73 | 59 | 76 | 54 |
| 50Hz | 86 | 66 | 92 | 69 | 74 | 57 | 75 | 58 | 82 | 62 | 75 | 56 |
| 63Hz | 83 | 63 | 85 | 65 | 74 | 57 | 76 | 56 | 86 | 67 | 81 | 58 |
| 80Hz | 88 | 65 | 83 | 63 | 88 | 64 | 80 | 57 | 91 | 67 | 80 | 56 |

| 測定日 | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 開始時間 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 終了時間 | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | | 8:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 78 | 61 | 88 | 67 | 94 | 75 | 88 | 70 | 91 | 71 | 95 | 73 |
| 1Hz | 98 | 80 | 97 | 79 | 98 | 83 | 104 | 86 | 102 | 88 | 102 | 90 |
| 1.25Hz | 96 | 78 | 97 | 78 | 98 | 83 | 101 | 85 | 100 | 86 | 102 | 89 |
| 1.6Hz | 92 | 74 | 97 | 77 | 99 | 82 | 100 | 84 | 99 | 85 | 104 | 88 |
| 2Hz | 87 | 69 | 94 | 74 | 98 | 80 | 99 | 81 | 96 | 81 | 103 | 85 |
| 2.5Hz | 85 | 63 | 89 | 68 | 95 | 75 | 96 | 77 | 92 | 76 | 98 | 80 |
| 3.15Hz | 82 | 59 | 83 | 60 | 91 | 69 | 89 | 70 | 88 | 70 | 88 | 73 |
| 4Hz | 75 | 51 | 75 | 54 | 84 | 62 | 87 | 66 | 85 | 66 | 92 | 69 |
| 5Hz | 69 | 45 | 73 | 50 | 79 | 58 | 81 | 60 | 79 | 60 | 85 | 65 |
| 6.3Hz | 57 | 40 | 64 | 44 | 73 | 52 | 76 | 55 | 69 | 53 | 84 | 61 |
| 8Hz | 56 | 42 | 63 | 46 | 68 | 52 | 77 | 54 | 69 | 51 | 79 | 57 |
| 10Hz | 57 | 44 | 68 | 49 | 76 | 57 | 80 | 58 | 72 | 53 | 82 | 59 |
| 12.5Hz | 60 | 46 | 75 | 52 | 78 | 59 | 79 | 57 | 72 | 54 | 78 | 57 |
| 16Hz | 66 | 47 | 78 | 56 | 82 | 61 | 73 | 55 | 80 | 58 | 80 | 59 |
| 20Hz | 67 | 48 | 70 | 52 | 84 | 62 | 77 | 57 | 74 | 57 | 84 | 60 |
| 25Hz | 64 | 50 | 72 | 55 | 85 | 63 | 76 | 57 | 78 | 60 | 79 | 60 |
| 31.5Hz | 72 | 52 | 70 | 55 | 88 | 64 | 73 | 56 | 81 | 65 | 79 | 65 |
| 40Hz | 75 | 55 | 79 | 59 | 80 | 61 | 77 | 61 | 80 | 63 | 78 | 63 |
| 50Hz | 91 | 65 | 81 | 60 | 86 | 66 | 79 | 63 | 80 | 63 | 87 | 66 |
| 63Hz | 74 | 55 | 69 | 54 | 83 | 64 | 78 | 60 | 80 | 61 | 80 | 62 |
| 80Hz | 71 | 54 | 74 | 57 | 89 | 66 | 72 | 56 | 77 | 58 | 80 | 62 |

測定地点：No.2 対象事業実施区域（南東側敷地境界）

測定期間：平成29年1月7日9時～翌8日9時

| 測定場所 | No.2南東側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | |
| 測定時間帯 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 開始時間 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 終了時間 | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | | 14:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 77 | 72 | 79 | 72 | 80 | 72 | 75 | 71 | 76 | 71 | 78 |
| 1Hz | 57 | 47 | 65 | 52 | 66 | 53 | 70 | 57 | 68 | 55 | 67 | 51 |
| 1.25Hz | 54 | 45 | 62 | 50 | 64 | 51 | 70 | 56 | 67 | 53 | 62 | 48 |
| 1.6Hz | 52 | 45 | 63 | 50 | 62 | 50 | 65 | 54 | 64 | 51 | 60 | 47 |
| 2Hz | 54 | 44 | 61 | 48 | 62 | 49 | 66 | 54 | 67 | 51 | 58 | 46 |
| 2.5Hz | 53 | 45 | 60 | 48 | 61 | 48 | 65 | 52 | 60 | 49 | 59 | 47 |
| 3.15Hz | 57 | 46 | 58 | 47 | 63 | 49 | 64 | 52 | 64 | 50 | 57 | 46 |
| 4Hz | 55 | 48 | 63 | 49 | 63 | 49 | 61 | 51 | 62 | 49 | 60 | 48 |
| 5Hz | 54 | 48 | 62 | 48 | 58 | 48 | 60 | 50 | 63 | 49 | 55 | 47 |
| 6.3Hz | 57 | 51 | 58 | 51 | 58 | 51 | 58 | 52 | 58 | 51 | 58 | 50 |
| 8Hz | 62 | 54 | 61 | 54 | 64 | 54 | 61 | 54 | 62 | 54 | 62 | 54 |
| 10Hz | 64 | 57 | 64 | 57 | 66 | 57 | 63 | 56 | 62 | 56 | 67 | 57 |
| 12.5Hz | 62 | 57 | 64 | 57 | 66 | 58 | 63 | 57 | 65 | 58 | 66 | 57 |
| 16Hz | 65 | 59 | 64 | 59 | 68 | 59 | 63 | 59 | 67 | 59 | 63 | 59 |
| 20Hz | 65 | 58 | 66 | 58 | 66 | 58 | 64 | 57 | 62 | 57 | 63 | 56 |
| 25Hz | 69 | 61 | 71 | 61 | 69 | 61 | 67 | 61 | 67 | 60 | 72 | 60 |
| 31.5Hz | 76 | 65 | 71 | 65 | 72 | 64 | 72 | 64 | 73 | 63 | 74 | 63 |
| 40Hz | 76 | 64 | 69 | 62 | 67 | 62 | 66 | 61 | 67 | 61 | 69 | 61 |
| 50Hz | 69 | 62 | 66 | 59 | 71 | 64 | 62 | 58 | 63 | 58 | 71 | 59 |
| 63Hz | 72 | 63 | 74 | 69 | 71 | 61 | 62 | 56 | 69 | 58 | 73 | 59 |
| 80Hz | 64 | 57 | 68 | 64 | 70 | 57 | 57 | 52 | 67 | 53 | 64 | 54 |

| 測定日 | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 測定時間帯 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 開始時間 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 終了時間 | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | | 20:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| | G | 78 | 72 | 74 | 71 | 77 | 71 | 76 | 71 | 73 | 70 | 73 |
| 1Hz | 64 | 50 | 79 | 67 | 75 | 59 | 53 | 43 | 68 | 50 | 72 | 56 |
| 1.25Hz | 61 | 49 | 80 | 66 | 72 | 57 | 52 | 43 | 63 | 46 | 67 | 55 |
| 1.6Hz | 60 | 47 | 74 | 63 | 71 | 55 | 52 | 42 | 64 | 47 | 68 | 54 |
| 2Hz | 56 | 46 | 76 | 61 | 68 | 53 | 51 | 43 | 61 | 45 | 63 | 52 |
| 2.5Hz | 55 | 46 | 75 | 60 | 68 | 52 | 50 | 44 | 58 | 45 | 63 | 51 |
| 3.15Hz | 55 | 45 | 72 | 59 | 63 | 51 | 55 | 45 | 60 | 48 | 64 | 50 |
| 4Hz | 53 | 47 | 74 | 58 | 66 | 51 | 54 | 47 | 60 | 47 | 61 | 49 |
| 5Hz | 53 | 47 | 70 | 57 | 65 | 50 | 54 | 47 | 58 | 47 | 58 | 48 |
| 6.3Hz | 57 | 51 | 69 | 56 | 62 | 51 | 58 | 51 | 57 | 50 | 58 | 49 |
| 8Hz | 60 | 54 | 67 | 56 | 63 | 54 | 61 | 54 | 62 | 53 | 60 | 53 |
| 10Hz | 63 | 57 | 65 | 57 | 62 | 56 | 65 | 57 | 64 | 56 | 65 | 55 |
| 12.5Hz | 62 | 57 | 63 | 57 | 64 | 57 | 65 | 57 | 62 | 56 | 60 | 55 |
| 16Hz | 64 | 59 | 64 | 58 | 63 | 58 | 65 | 59 | 63 | 58 | 62 | 56 |
| 20Hz | 67 | 59 | 61 | 56 | 66 | 56 | 63 | 57 | 62 | 55 | 60 | 54 |
| 25Hz | 71 | 61 | 64 | 59 | 65 | 59 | 66 | 60 | 66 | 60 | 63 | 57 |
| 31.5Hz | 75 | 65 | 67 | 63 | 67 | 63 | 67 | 63 | 65 | 62 | 65 | 61 |
| 40Hz | 68 | 63 | 65 | 61 | 66 | 61 | 66 | 61 | 64 | 60 | 63 | 59 |
| 50Hz | 73 | 61 | 66 | 59 | 69 | 59 | 65 | 59 | 65 | 58 | 60 | 56 |
| 63Hz | 76 | 66 | 63 | 57 | 68 | 57 | 61 | 56 | 59 | 55 | 61 | 55 |
| 80Hz | 67 | 58 | 65 | 52 | 65 | 52 | 69 | 53 | 54 | 50 | 57 | 50 |

| 測定場所 | No.2南東側敷地境界 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | |
| 測定時間帯 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 開始時間 | 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 終了時間 | 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | | 2:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 73 | 69 | 73 | 69 | 72 | 68 | 71 | 66 | 77 | 67 | 67 | 59 |
| 1Hz | 72 | 57 | 67 | 50 | 68 | 54 | 55 | 46 | 62 | 50 | 53 | 44 |
| 1.25Hz | 70 | 56 | 64 | 48 | 65 | 51 | 53 | 44 | 59 | 48 | 49 | 41 |
| 1.6Hz | 67 | 53 | 61 | 46 | 61 | 50 | 53 | 42 | 57 | 46 | 51 | 39 |
| 2Hz | 65 | 52 | 58 | 45 | 62 | 49 | 50 | 41 | 55 | 45 | 49 | 38 |
| 2.5Hz | 65 | 51 | 58 | 45 | 61 | 47 | 52 | 42 | 56 | 44 | 49 | 39 |
| 3.15Hz | 65 | 51 | 55 | 45 | 60 | 47 | 61 | 43 | 60 | 46 | 46 | 37 |
| 4Hz | 65 | 50 | 56 | 45 | 58 | 46 | 62 | 44 | 56 | 44 | 44 | 38 |
| 5Hz | 66 | 49 | 52 | 46 | 56 | 46 | 62 | 45 | 53 | 44 | 47 | 38 |
| 6.3Hz | 61 | 49 | 54 | 49 | 55 | 49 | 52 | 47 | 53 | 47 | 48 | 40 |
| 8Hz | 60 | 52 | 59 | 52 | 59 | 52 | 59 | 51 | 57 | 50 | 49 | 43 |
| 10Hz | 61 | 55 | 63 | 56 | 61 | 55 | 61 | 54 | 60 | 54 | 52 | 47 |
| 12.5Hz | 59 | 55 | 62 | 55 | 60 | 55 | 60 | 53 | 66 | 54 | 54 | 48 |
| 16Hz | 61 | 56 | 64 | 57 | 62 | 56 | 59 | 53 | 61 | 54 | 57 | 45 |
| 20Hz | 61 | 54 | 60 | 53 | 60 | 53 | 60 | 52 | 66 | 54 | 52 | 45 |
| 25Hz | 63 | 58 | 62 | 57 | 62 | 57 | 62 | 56 | 70 | 56 | 50 | 44 |
| 31.5Hz | 65 | 61 | 65 | 61 | 66 | 61 | 64 | 58 | 62 | 58 | 54 | 50 |
| 40Hz | 63 | 59 | 65 | 59 | 62 | 58 | 60 | 56 | 64 | 57 | 53 | 46 |
| 50Hz | 63 | 57 | 69 | 57 | 59 | 55 | 57 | 53 | 62 | 53 | 52 | 46 |
| 63Hz | 60 | 54 | 61 | 54 | 62 | 54 | 60 | 52 | 66 | 54 | 60 | 49 |
| 80Hz | 63 | 51 | 59 | 51 | 63 | 50 | 57 | 48 | 70 | 52 | 56 | 46 |

| 測定日 | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 開始時間 | 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 終了時間 | 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | | 8:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 62 | 57 | 71 | 62 | 81 | 65 | 70 | 63 | 72 | 67 | 73 | 67 |
| 1Hz | 50 | 42 | 59 | 47 | 62 | 47 | 65 | 55 | 61 | 47 | 53 | 44 |
| 1.25Hz | 47 | 39 | 57 | 44 | 58 | 44 | 64 | 53 | 60 | 44 | 51 | 42 |
| 1.6Hz | 45 | 36 | 56 | 43 | 53 | 43 | 65 | 52 | 54 | 43 | 49 | 41 |
| 2Hz | 44 | 36 | 56 | 41 | 57 | 42 | 63 | 51 | 52 | 42 | 50 | 40 |
| 2.5Hz | 46 | 36 | 57 | 42 | 55 | 42 | 60 | 50 | 55 | 43 | 49 | 42 |
| 3.15Hz | 44 | 37 | 57 | 41 | 52 | 41 | 60 | 49 | 57 | 45 | 52 | 42 |
| 4Hz | 43 | 37 | 53 | 40 | 54 | 40 | 58 | 47 | 53 | 44 | 51 | 42 |
| 5Hz | 43 | 37 | 51 | 39 | 52 | 40 | 56 | 45 | 53 | 44 | 49 | 43 |
| 6.3Hz | 47 | 40 | 53 | 41 | 54 | 42 | 55 | 44 | 53 | 46 | 54 | 46 |
| 8Hz | 57 | 43 | 57 | 44 | 62 | 47 | 56 | 46 | 56 | 49 | 55 | 49 |
| 10Hz | 53 | 46 | 61 | 47 | 68 | 52 | 59 | 49 | 59 | 52 | 63 | 52 |
| 12.5Hz | 51 | 47 | 57 | 48 | 69 | 52 | 61 | 49 | 59 | 52 | 58 | 52 |
| 16Hz | 52 | 44 | 59 | 47 | 67 | 52 | 57 | 47 | 62 | 55 | 60 | 55 |
| 20Hz | 50 | 44 | 57 | 49 | 70 | 52 | 58 | 49 | 60 | 53 | 61 | 52 |
| 25Hz | 50 | 42 | 64 | 54 | 61 | 53 | 63 | 53 | 66 | 57 | 65 | 56 |
| 31.5Hz | 50 | 43 | 66 | 49 | 62 | 50 | 55 | 47 | 72 | 61 | 71 | 61 |
| 40Hz | 54 | 46 | 58 | 48 | 56 | 49 | 55 | 49 | 60 | 56 | 61 | 56 |
| 50Hz | 63 | 47 | 63 | 52 | 60 | 50 | 62 | 51 | 61 | 55 | 63 | 55 |
| 63Hz | 61 | 47 | 61 | 51 | 60 | 49 | 58 | 49 | 56 | 53 | 61 | 53 |
| 80Hz | 55 | 46 | 59 | 49 | 65 | 49 | 55 | 48 | 57 | 50 | 59 | 51 |

測定地点：No.3 対象事業実施区域周辺（西側民家付近）

測定期間：平成29年1月7日9時～翌8日9時

| 測定場所 | No.3 西側民家付近 | | | | | | | | | | | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定日 | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | |
| 測定時間帯 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 開始時間 | 9:00 | | 10:00 | | 11:00 | | 12:00 | | 13:00 | | 14:00 | |
| 終了時間 | 9:10 | | 10:10 | | 11:10 | | 12:10 | | 13:10 | | 14:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 82 | 70 | 90 | 74 | 92 | 74 | 89 | 73 | 90 | 72 | 88 | 73 |
| 1Hz | 60 | 48 | 71 | 56 | 69 | 56 | 70 | 56 | 69 | 56 | 69 | 53 |
| 1.25Hz | 57 | 47 | 68 | 55 | 68 | 54 | 67 | 55 | 69 | 55 | 63 | 51 |
| 1.6Hz | 59 | 46 | 67 | 54 | 65 | 53 | 65 | 53 | 65 | 54 | 67 | 51 |
| 2Hz | 57 | 46 | 65 | 52 | 63 | 51 | 63 | 52 | 67 | 53 | 68 | 50 |
| 2.5Hz | 59 | 46 | 62 | 50 | 60 | 50 | 63 | 51 | 66 | 51 | 65 | 49 |
| 3.15Hz | 57 | 46 | 66 | 50 | 64 | 49 | 59 | 49 | 65 | 51 | 60 | 48 |
| 4Hz | 57 | 46 | 65 | 49 | 61 | 49 | 61 | 49 | 61 | 49 | 60 | 47 |
| 5Hz | 55 | 45 | 60 | 48 | 61 | 48 | 61 | 48 | 62 | 49 | 60 | 46 |
| 6.3Hz | 54 | 46 | 59 | 49 | 63 | 49 | 64 | 49 | 62 | 48 | 67 | 49 |
| 8Hz | 59 | 50 | 69 | 53 | 69 | 53 | 67 | 51 | 66 | 52 | 76 | 56 |
| 10Hz | 72 | 54 | 72 | 57 | 81 | 60 | 76 | 56 | 72 | 55 | 78 | 60 |
| 12.5Hz | 77 | 56 | 74 | 58 | 84 | 62 | 76 | 57 | 78 | 59 | 77 | 60 |
| 16Hz | 67 | 57 | 75 | 60 | 80 | 61 | 78 | 60 | 80 | 61 | 73 | 59 |
| 20Hz | 71 | 57 | 80 | 61 | 77 | 61 | 77 | 60 | 74 | 58 | 78 | 59 |
| 25Hz | 68 | 58 | 80 | 63 | 82 | 63 | 77 | 61 | 73 | 59 | 72 | 60 |
| 31.5Hz | 72 | 62 | 78 | 64 | 79 | 64 | 78 | 63 | 75 | 63 | 73 | 63 |
| 40Hz | 72 | 61 | 81 | 64 | 79 | 64 | 74 | 61 | 70 | 60 | 73 | 61 |
| 50Hz | 72 | 61 | 75 | 63 | 73 | 63 | 72 | 60 | 73 | 61 | 75 | 63 |
| 63Hz | 77 | 61 | 73 | 61 | 86 | 66 | 77 | 61 | 79 | 63 | 86 | 67 |
| 80Hz | 74 | 59 | 74 | 59 | 74 | 59 | 68 | 55 | 73 | 57 | 78 | 59 |

| 測定日 | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/7 | |
|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 測定時間帯 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 開始時間 | 15:00 | | 16:00 | | 17:00 | | 18:00 | | 19:00 | | 20:00 | |
| 終了時間 | 15:10 | | 16:10 | | 17:10 | | 18:10 | | 19:10 | | 20:10 | |
| 特性及び 中心周波数 | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| G | 88 | 72 | 84 | 70 | 92 | 72 | 88 | 72 | 79 | 67 | 81 | 67 |
| 1Hz | 69 | 53 | 82 | 66 | 81 | 68 | 57 | 46 | 65 | 53 | 73 | 58 |
| 1.25Hz | 71 | 53 | 82 | 65 | 79 | 66 | 59 | 46 | 67 | 52 | 73 | 56 |
| 1.6Hz | 70 | 51 | 79 | 64 | 79 | 65 | 58 | 46 | 59 | 49 | 65 | 53 |
| 2Hz | 65 | 49 | 78 | 62 | 79 | 63 | 60 | 46 | 63 | 48 | 64 | 51 |
| 2.5Hz | 60 | 48 | 73 | 58 | 72 | 60 | 62 | 46 | 58 | 47 | 66 | 49 |
| 3.15Hz | 61 | 47 | 73 | 57 | 71 | 59 | 65 | 46 | 58 | 47 | 63 | 48 |
| 4Hz | 60 | 47 | 69 | 55 | 69 | 57 | 66 | 46 | 56 | 45 | 60 | 46 |
| 5Hz | 59 | 46 | 65 | 53 | 68 | 56 | 62 | 46 | 57 | 44 | 58 | 45 |
| 6.3Hz | 61 | 47 | 67 | 51 | 67 | 54 | 67 | 49 | 58 | 45 | 55 | 45 |
| 8Hz | 64 | 50 | 64 | 52 | 65 | 53 | 73 | 53 | 54 | 49 | 60 | 48 |
| 10Hz | 75 | 56 | 69 | 54 | 71 | 55 | 78 | 58 | 58 | 51 | 75 | 53 |
| 12.5Hz | 72 | 56 | 72 | 55 | 79 | 57 | 78 | 59 | 66 | 51 | 74 | 54 |
| 16Hz | 72 | 58 | 71 | 57 | 76 | 58 | 75 | 60 | 68 | 54 | 68 | 54 |
| 20Hz | 77 | 60 | 73 | 57 | 81 | 60 | 76 | 59 | 67 | 54 | 66 | 53 |
| 25Hz | 76 | 61 | 69 | 59 | 77 | 60 | 74 | 60 | 64 | 56 | 66 | 54 |
| 31.5Hz | 76 | 64 | 69 | 63 | 83 | 62 | 75 | 62 | 65 | 59 | 71 | 59 |
| 40Hz | 76 | 61 | 76 | 63 | 82 | 61 | 75 | 62 | 69 | 59 | 70 | 57 |
| 50Hz | 73 | 60 | 79 | 63 | 82 | 62 | 77 | 63 | 77 | 60 | 67 | 56 |
| 63Hz | 80 | 62 | 74 | 61 | 82 | 62 | 69 | 59 | 67 | 55 | 72 | 57 |
| 80Hz | 78 | 60 | 79 | 59 | 79 | 58 | 78 | 59 | 62 | 53 | 65 | 53 |

| No.3 西側民家付近 | | | | | | | | | | | |
|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 2017/1/7 | | 2017/1/7 | | 2017/1/7 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | |
| 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 21:00 | | 22:00 | | 23:00 | | 0:00 | | 1:00 | | 2:00 | |
| 21:10 | | 22:10 | | 23:10 | | 0:10 | | 1:10 | | 2:10 | |
| 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| 78 | 66 | 85 | 68 | 77 | 64 | 76 | 62 | 92 | 71 | 80 | 62 |
| 68 | 55 | 56 | 45 | 57 | 47 | 55 | 45 | 55 | 45 | 50 | 42 |
| 67 | 53 | 61 | 44 | 56 | 45 | 53 | 42 | 55 | 44 | 47 | 40 |
| 68 | 52 | 60 | 45 | 53 | 43 | 49 | 41 | 57 | 42 | 45 | 37 |
| 63 | 49 | 64 | 46 | 54 | 42 | 54 | 40 | 60 | 42 | 50 | 38 |
| 62 | 48 | 60 | 45 | 54 | 42 | 51 | 41 | 58 | 42 | 47 | 38 |
| 63 | 46 | 59 | 44 | 50 | 41 | 53 | 40 | 57 | 42 | 47 | 37 |
| 54 | 44 | 59 | 44 | 49 | 42 | 52 | 40 | 57 | 41 | 45 | 37 |
| 55 | 43 | 61 | 45 | 48 | 41 | 55 | 41 | 60 | 42 | 46 | 37 |
| 50 | 44 | 61 | 46 | 49 | 43 | 52 | 42 | 63 | 44 | 47 | 38 |
| 54 | 48 | 66 | 50 | 53 | 47 | 57 | 46 | 64 | 47 | 54 | 40 |
| 59 | 50 | 69 | 54 | 56 | 50 | 62 | 50 | 70 | 52 | 54 | 43 |
| 60 | 50 | 73 | 55 | 65 | 49 | 61 | 48 | 83 | 59 | 64 | 47 |
| 68 | 53 | 75 | 57 | 68 | 53 | 64 | 49 | 80 | 58 | 71 | 50 |
| 65 | 51 | 66 | 54 | 61 | 49 | 63 | 48 | 76 | 56 | 66 | 48 |
| 64 | 54 | 70 | 56 | 64 | 53 | 60 | 50 | 76 | 57 | 63 | 48 |
| 64 | 58 | 72 | 59 | 65 | 57 | 63 | 56 | 75 | 57 | 63 | 55 |
| 64 | 55 | 73 | 59 | 65 | 54 | 63 | 53 | 72 | 56 | 64 | 49 |
| 75 | 58 | 73 | 57 | 63 | 53 | 66 | 52 | 71 | 55 | 62 | 49 |
| 72 | 56 | 66 | 55 | 63 | 52 | 65 | 51 | 73 | 59 | 68 | 51 |
| 75 | 56 | 73 | 55 | 74 | 55 | 60 | 48 | 84 | 62 | 61 | 47 |

| 2017/1/8 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | | 2017/1/8 | |
|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 3:00 | | 4:00 | | 5:00 | | 6:00 | | 7:00 | | 8:00 | |
| 3:10 | | 4:10 | | 5:10 | | 6:10 | | 7:10 | | 8:10 | |
| 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) | 最大値 (dB) | パワー平均値 (dB) |
| 73 | 58 | 82 | 64 | 91 | 73 | 82 | 66 | 82 | 68 | 83 | 68 |
| 50 | 42 | 53 | 43 | 63 | 48 | 69 | 56 | 53 | 45 | 53 | 45 |
| 48 | 39 | 51 | 41 | 62 | 46 | 64 | 53 | 57 | 44 | 52 | 43 |
| 46 | 37 | 50 | 38 | 64 | 45 | 65 | 51 | 56 | 44 | 59 | 43 |
| 43 | 36 | 50 | 37 | 60 | 43 | 59 | 49 | 60 | 44 | 64 | 44 |
| 45 | 37 | 54 | 39 | 58 | 43 | 60 | 48 | 56 | 43 | 61 | 44 |
| 46 | 36 | 51 | 39 | 57 | 42 | 57 | 46 | 62 | 44 | 55 | 43 |
| 44 | 36 | 58 | 39 | 58 | 42 | 56 | 44 | 61 | 42 | 59 | 44 |
| 44 | 37 | 54 | 38 | 57 | 43 | 55 | 42 | 56 | 42 | 56 | 43 |
| 45 | 38 | 55 | 39 | 60 | 44 | 57 | 43 | 60 | 44 | 58 | 44 |
| 49 | 39 | 68 | 45 | 69 | 51 | 66 | 47 | 58 | 47 | 59 | 47 |
| 51 | 41 | 73 | 49 | 81 | 59 | 70 | 51 | 65 | 50 | 67 | 51 |
| 58 | 44 | 71 | 51 | 85 | 61 | 72 | 52 | 70 | 53 | 68 | 53 |
| 62 | 44 | 72 | 52 | 77 | 60 | 71 | 52 | 67 | 54 | 72 | 55 |
| 61 | 46 | 63 | 50 | 80 | 59 | 69 | 53 | 69 | 54 | 70 | 55 |
| 59 | 46 | 68 | 51 | 77 | 60 | 66 | 53 | 73 | 57 | 68 | 56 |
| 61 | 48 | 71 | 53 | 78 | 60 | 69 | 53 | 71 | 61 | 71 | 61 |
| 62 | 49 | 67 | 52 | 71 | 56 | 69 | 55 | 69 | 57 | 74 | 58 |
| 73 | 54 | 76 | 56 | 73 | 56 | 71 | 56 | 71 | 57 | 76 | 59 |
| 59 | 47 | 75 | 55 | 75 | 58 | 66 | 53 | 69 | 54 | 66 | 55 |
| 65 | 49 | 64 | 51 | 70 | 55 | 65 | 50 | 63 | 51 | 68 | 55 |