

栄養摂取状況調査の結果
(1日間調査)

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	2,270	532	80	665	1,479	1,594	1,925	2,222	2,616	2,993	3,229	3,497	
	30-39歳	33	2,130	550	111	996	1,262	1,443	1,776	2,095	2,436	2,962	3,089	3,540	
	40-49歳	42	2,035	513	65	921	978	1,384	1,747	2,024	2,326	2,939	3,053	3,145	
	50-59歳	64	2,076	523	78	1,103	1,211	1,336	1,739	1,984	2,510	2,801	2,911	3,782	
	60-69歳	67	2,139	441	64	779	1,448	1,657	1,831	2,100	2,418	2,704	2,814	4,201	
	70歳以上	101	2,144	552	40	1,017	1,248	1,500	1,749	2,066	2,557	2,901	3,112	3,566	
	(再掲)20歳以上※	340	2,124	521	29	968	1,289	1,503	1,795	2,061	2,486	2,829	3,013	3,506	
	(再掲)65-74歳	81	2,250	487	54	1,208	1,591	1,696	1,899	2,228	2,536	2,824	3,289	4,113	
	(再掲)75歳以上	60	2,010	543	35	1,001	1,082	1,304	1,653	1,908	2,364	2,900	3,009	3,331	
	(再掲)20-49歳※	108	2,123	533	56	924	1,301	1,472	1,807	2,064	2,491	2,945	3,053	3,529	
	(再掲)40-74歳※	214	2,125	505	40	944	1,293	1,480	1,828	2,053	2,488	2,801	2,974	3,469	
	女性	20-29歳	30	1,740	519	103	1,011	1,073	1,094	1,366	1,654	1,984	2,700	2,863	2,916
		30-39歳	45	1,666	439	65	290	795	1,041	1,485	1,615	1,891	2,343	2,417	2,620
		40-49歳	64	1,777	507	69	602	867	1,055	1,410	1,801	2,101	2,531	2,613	2,899
50-59歳		66	1,644	338	40	777	1,152	1,211	1,369	1,675	1,850	2,063	2,130	2,756	
60-69歳		64	1,696	365	41	856	1,047	1,270	1,495	1,698	1,951	2,148	2,266	2,741	
70歳以上		142	1,698	468	33	844	919	1,110	1,393	1,698	1,955	2,295	2,595	3,012	
(再掲)20歳以上※		411	1,702	443	25	780	949	1,152	1,420	1,700	1,952	2,240	2,526	2,946	
(再掲)65-74歳		93	1,713	447	46	807	945	1,047	1,413	1,723	1,961	2,276	2,498	2,929	
(再掲)75歳以上		86	1,674	471	35	879	912	1,113	1,389	1,654	1,909	2,194	2,793	3,014	
(再掲)20-49歳※		139	1,733	489	53	502	939	1,081	1,434	1,707	1,983	2,431	2,590	2,912	
(再掲)40-74歳※		250	1,713	424	29	784	1,009	1,167	1,415	1,725	1,958	2,237	2,507	2,774	
男女計		20-29歳	63	2,020	586	68	828	1,088	1,247	1,634	1,971	2,349	2,899	3,007	3,497
		30-39歳	78	1,904	548	65	370	984	1,344	1,563	1,880	2,159	2,662	2,962	3,540
		40-49歳	106	1,909	524	48	656	970	1,232	1,555	1,888	2,242	2,578	2,939	3,080
	50-59歳	130	1,860	490	45	889	1,173	1,261	1,522	1,824	2,079	2,665	2,801	3,355	
	60-69歳	131	1,914	460	45	798	1,215	1,377	1,613	1,893	2,205	2,486	2,738	3,278	
	70歳以上	243	1,887	550	28	907	1,020	1,200	1,518	1,829	2,190	2,652	2,962	3,346	
	(再掲)20歳以上※	751	1,905	526	22	860	1,082	1,265	1,556	1,875	2,190	2,620	2,907	3,299	
	(再掲)65-74歳	174	1,970	537	39	837	1,033	1,270	1,644	1,954	2,329	2,652	2,825	3,503	
	(再掲)75歳以上	146	1,809	526	33	907	959	1,156	1,447	1,756	2,037	2,593	2,961	3,095	
	(再掲)20-49歳※	247	1,934	547	40	690	1,011	1,269	1,563	1,910	2,262	2,690	2,953	3,374	
	(再掲)40-74歳※	464	1,916	509	25	863	1,094	1,271	1,597	1,887	2,225	2,599	2,802	3,287	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

総たんぱく質(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	81.5	26.3	4.32	35.1	46.1	49.2	66.4	78.2	86.6	119.3	138.3	166.2	
	30-39歳	33	74.4	23.7	4.58	28.7	46.1	50.6	58.7	73.6	84.6	100.2	111.6	163.8	
	40-49歳	42	74.3	20.7	2.58	38.1	39.2	49.5	60.4	71.6	82.7	110.4	115.3	125.5	
	50-59歳	64	78.7	26.6	3.40	39.4	43.9	45.7	60.3	73.6	92.4	115.4	127.6	179.6	
	60-69歳	67	83.2	25.1	3.25	26.3	50.4	55.0	67.4	82.5	93.6	110.7	143.0	172.8	
	70歳以上	101	84.4	29.4	2.40	34.6	41.4	51.4	62.1	83.6	99.3	121.5	146.0	176.8	
	(再掲)20歳以上※	340	79.9	26.0	1.57	31.4	44.5	50.8	61.7	76.7	92.8	115.3	125.5	166.4	
	(再掲)65-74歳	81	87.9	26.2	2.80	38.9	55.8	59.5	67.7	85.7	98.5	120.6	145.2	181.0	
	(再掲)75歳以上	60	78.7	27.8	2.33	34.6	36.0	48.4	57.1	78.5	92.7	117.3	131.4	153.7	
	(再掲)20-49歳※	108	76.1	23.2	2.30	32.5	45.4	50.6	60.0	74.4	85.6	102.9	118.7	165.6	
	(再掲)40-74歳※	214	81.0	25.9	2.04	30.8	44.1	51.3	64.4	76.3	95.3	115.4	125.5	171.9	
	女性	20-29歳	30	68.9	28.1	6.49	30.0	37.2	42.5	52.4	64.8	73.9	110.8	135.1	167.1
		30-39歳	45	61.8	19.0	3.16	5.3	28.3	38.6	47.1	64.8	76.1	82.4	93.9	103.4
		40-49歳	64	66.0	23.9	3.36	21.8	30.5	31.8	50.7	61.1	82.3	105.0	109.3	137.7
50-59歳		66	64.8	17.3	2.17	18.8	41.5	44.9	53.6	59.7	76.6	86.9	93.6	115.5	
60-69歳		64	66.8	17.3	2.11	37.0	38.0	41.6	53.4	66.8	75.1	91.5	102.0	110.4	
70歳以上		142	68.8	23.5	1.79	29.5	31.7	36.2	51.9	68.8	85.0	99.2	109.9	139.6	
(再掲)20歳以上※		411	66.6	21.8	1.13	23.7	32.2	40.9	52.7	64.8	78.7	94.8	107.9	138.8	
(再掲)65-74歳		93	69.2	20.7	2.19	30.2	36.2	41.4	54.2	69.3	82.0	99.3	110.0	130.4	
(再掲)75歳以上		86	68.1	24.4	2.05	29.5	31.7	33.8	49.3	65.1	85.1	99.0	111.1	143.9	
(再掲)20-49歳※		139	65.4	23.6	2.67	16.6	30.9	38.7	50.8	62.5	78.1	98.1	110.1	155.5	
(再掲)40-74歳※		250	66.8	20.3	1.30	23.8	32.7	41.9	52.9	64.0	79.2	95.3	105.6	114.5	
男女計		20-29歳	63	75.6	27.7	4.05	30.8	41.1	46.2	57.8	71.8	85.9	111.3	128.5	167.1
		30-39歳	78	68.2	22.3	3.23	9.7	34.0	43.8	54.1	67.6	81.1	94.8	100.9	163.8
		40-49歳	106	70.2	22.6	2.15	24.8	31.9	41.4	55.3	67.1	82.5	104.8	112.0	129.2
	50-59歳	130	71.8	23.5	2.41	21.9	44.1	45.1	56.8	69.1	83.1	99.8	115.6	165.0	
	60-69歳	131	74.9	23.0	2.31	26.5	38.1	50.4	59.7	73.0	87.8	102.4	110.9	152.5	
	70歳以上	243	75.4	27.3	1.59	29.8	34.1	44.6	57.1	72.4	88.9	110.8	127.5	152.6	
	(再掲)20歳以上※	751	73.0	24.8	1.06	28.8	37.9	45.0	57.0	70.9	85.9	104.4	116.3	156.4	
	(再掲)65-74歳	174	78.2	25.2	2.27	30.2	40.1	48.2	62.2	74.5	91.0	110.9	120.9	173.8	
	(再掲)75歳以上	146	72.4	26.3	1.87	29.5	32.3	38.0	53.0	69.6	87.5	105.9	126.8	152.4	
	(再掲)20-49歳※	247	70.9	23.9	1.63	23.2	37.2	44.5	55.5	68.0	82.4	102.9	111.6	165.3	
(再掲)40-74歳※	464	73.8	24.3	1.29	27.4	38.3	46.5	58.3	71.4	86.5	105.0	115.6	151.7		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

たんぱく質エネルギー比率(%)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	14.6	3.8	0.58	6.9	7.9	10.9	12.2	14.6	15.9	20.0	23.2	25.8	
	30-39歳	33	14.1	2.6	0.39	8.7	9.2	9.5	13.2	13.9	15.9	18.0	18.5	19.3	
	40-49歳	42	14.7	2.4	0.34	10.7	10.9	11.5	13.1	14.6	16.3	17.4	19.2	23.3	
	50-59歳	64	15.1	2.6	0.25	10.2	11.4	12.0	13.2	15.0	16.4	18.1	18.8	25.3	
	60-69歳	67	15.5	3.1	0.34	8.6	10.5	10.9	13.4	15.4	17.1	19.8	21.7	22.4	
	70歳以上	101	15.6	3.0	0.31	9.5	10.9	12.1	13.4	15.4	17.8	19.4	21.1	25.0	
	(再掲)20歳以上※	340	15.0	2.9	0.16	8.6	10.6	11.6	13.2	14.9	16.8	18.6	20.1	23.4	
	(再掲)65-74歳	81	15.6	2.7	0.41	9.8	11.6	12.1	13.6	15.4	17.5	19.4	20.0	22.6	
	(再掲)75歳以上	60	15.6	3.2	0.40	9.4	10.2	12.0	13.4	15.3	17.8	19.7	21.3	27.5	
	(再掲)20-49歳※	108	14.5	2.9	0.20	7.0	9.5	11.3	13.1	14.2	15.9	18.0	18.9	23.8	
	(再掲)40-74歳※	214	15.2	2.7	0.21	9.9	10.8	11.8	13.3	15.0	16.9	18.5	19.9	23.0	
	女性	20-29歳	30	15.9	3.7	0.65	10.2	10.5	10.8	13.6	15.2	17.9	21.3	24.1	26.1
		30-39歳	45	14.8	2.8	0.48	7.2	10.5	11.5	12.3	14.4	17.2	18.2	18.2	22.9
		40-49歳	64	15.0	3.8	0.49	8.1	9.2	11.0	12.6	14.6	16.8	19.9	20.9	31.2
50-59歳		66	15.9	3.8	0.49	7.8	10.9	12.2	13.5	15.4	17.6	20.9	22.5	31.3	
60-69歳		64	16.0	3.6	0.31	10.2	10.5	11.4	13.3	15.7	18.9	21.1	22.1	24.5	
70歳以上		142	16.1	3.1	0.28	9.3	11.6	12.5	13.8	16.0	18.3	20.4	21.6	24.6	
(再掲)20歳以上※		411	15.7	3.4	0.16	8.7	10.7	11.7	13.4	15.4	17.9	20.4	21.6	26.0	
(再掲)65-74歳		93	16.3	3.0	0.37	10.0	11.8	12.9	13.9	16.0	18.5	20.5	21.5	24.3	
(再掲)75歳以上		86	16.2	3.3	0.37	9.7	11.0	12.2	13.8	16.1	18.2	20.5	23.0	25.8	
(再掲)20-49歳※		139	15.1	3.5	0.27	7.7	10.3	11.3	12.7	14.7	17.1	19.3	21.0	28.4	
(再掲)40-74歳※		250	15.7	3.6	0.22	8.1	10.6	11.7	13.3	15.3	18.0	20.6	21.5	27.2	
男女計		20-29歳	63	15.2	3.8	0.49	6.9	10.3	10.8	13.1	15.0	16.2	21.0	23.0	26.1
		30-39歳	78	14.4	2.7	0.36	7.5	9.4	11.1	12.8	14.1	16.3	18.2	18.2	22.9
		40-49歳	106	14.8	3.1	0.34	8.1	10.7	11.4	12.7	14.6	16.5	18.8	20.8	29.8
	50-59歳	130	15.5	3.2	0.30	8.2	11.2	12.2	13.3	15.2	16.8	19.1	21.6	28.5	
	60-69歳	131	15.8	3.4	0.26	8.8	10.6	11.3	13.4	15.7	17.8	20.6	21.7	23.7	
	70歳以上	243	15.9	3.1	0.25	9.7	11.6	12.1	13.6	15.9	17.9	19.7	21.4	24.2	
	(再掲)20歳以上※	751	15.4	3.2	0.14	8.6	10.7	11.6	13.3	15.1	17.3	19.4	21.4	24.6	
	(再掲)65-74歳	174	15.9	2.9	0.35	9.7	11.8	12.1	13.8	15.7	17.9	20.0	20.6	23.2	
	(再掲)75歳以上	146	15.9	3.2	0.35	9.6	10.8	12.1	13.6	15.9	17.9	19.9	21.6	25.1	
	(再掲)20-49歳※	247	14.8	3.2	0.15	7.7	10.2	11.3	12.9	14.6	16.4	18.5	20.8	25.9	
	(再掲)40-74歳※	464	15.5	3.2	0.18	8.8	10.9	11.8	13.3	15.1	17.2	19.6	21.5	24.5	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	50.1	24.2	4.18	6.1	13.2	26.2	37.0	46.2	57.5	83.2	103.3	131.9	
	30-39歳	33	44.3	19.4	3.50	4.1	17.1	25.7	30.8	43.8	50.2	71.1	82.8	110.6	
	40-49歳	42	40.1	14.9	1.98	11.0	12.6	23.9	29.0	39.2	52.4	59.9	68.6	79.4	
	50-59歳	64	44.3	24.8	3.24	4.9	5.9	17.0	25.2	42.5	56.8	72.3	77.9	149.8	
	60-69歳	67	45.5	17.4	1.51	9.5	17.9	27.4	31.0	43.8	56.4	74.9	76.5	96.4	
	70歳以上	101	45.7	23.6	1.90	4.9	13.8	21.3	28.8	42.6	57.4	81.5	97.0	133.7	
	(再掲)20歳以上※	340	44.7	21.1	1.13	4.9	14.1	23.0	30.7	43.1	53.8	72.1	81.2	128.8	
	(再掲)65-74歳	81	48.2	21.4	2.62	17.3	21.9	27.0	33.2	43.5	57.4	77.1	88.2	138.0	
	(再掲)75歳以上	60	41.9	22.0	1.92	4.9	5.9	16.9	25.3	39.9	56.2	71.2	82.8	103.5	
	(再掲)20-49歳※	108	43.9	19.3	1.94	5.2	13.3	25.5	31.6	43.2	50.7	65.4	78.2	126.9	
	(再掲)40-74歳※	214	44.5	20.6	1.51	5.4	15.3	22.8	30.8	42.1	55.0	71.8	78.3	135.5	
	女性	20-29歳	30	38.3	14.8	4.29	8.4	15.2	17.1	28.6	36.9	47.4	61.3	68.2	69.6
	30-39歳	45	33.2	15.2	2.29	1.6	8.5	13.0	13.0	21.4	32.5	44.9	54.5	59.4	68.0
	40-49歳	64	35.4	16.6	2.46	3.3	8.5	13.6	13.6	24.3	35.1	43.2	60.6	63.6	97.5
50-59歳	66	37.2	15.7	1.91	1.8	6.8	19.9	19.9	28.5	35.5	46.9	58.4	70.1	75.5	
60-69歳	64	35.6	15.4	1.64	3.7	12.8	17.7	17.7	22.9	34.5	43.0	58.4	69.2	83.5	
70歳以上	142	36.9	17.1	1.34	6.2	7.5	15.2	15.2	24.1	37.8	47.0	55.5	65.8	101.3	
(再掲)20歳以上※	411	36.2	16.1	0.92	4.7	9.8	15.9	15.9	25.1	35.6	45.5	56.9	65.4	77.4	
(再掲)65-74歳	93	37.3	16.0	1.99	3.4	9.6	15.7	15.7	26.5	38.6	46.9	54.9	60.8	97.9	
(再掲)75歳以上	86	36.7	17.9	1.62	6.1	6.3	15.8	15.8	21.6	36.0	47.2	62.6	68.7	101.2	
(再掲)20-49歳※	139	35.4	15.8	2.04	3.3	10.8	14.8	14.8	24.4	34.6	44.7	58.4	64.9	78.6	
(再掲)40-74歳※	250	36.3	15.9	1.15	3.6	9.8	15.6	15.6	26.1	36.2	44.9	57.1	63.0	81.0	
男女計	20-29歳	63	44.6	21.0	3.16	6.1	15.6	23.1	32.6	44.3	50.6	68.7	84.0	131.9	
30-39歳	78	38.9	18.2	2.59	2.2	11.6	17.3	17.3	27.6	37.7	48.4	59.0	71.3	110.6	
40-49歳	106	37.8	15.9	1.63	5.0	12.4	14.8	14.8	26.2	38.0	46.8	59.8	64.7	91.1	
50-59歳	130	40.7	21.0	2.18	3.3	6.1	18.0	18.0	28.4	38.4	49.5	67.7	73.6	131.8	
60-69歳	131	40.5	17.1	1.08	9.3	16.3	20.7	20.7	28.3	37.7	49.9	64.5	75.2	83.5	
70歳以上	243	40.6	20.5	1.27	6.2	8.9	17.7	17.7	26.0	40.1	51.1	64.3	81.1	103.7	
(再掲)20歳以上※	751	40.3	19.2	0.81	5.1	11.8	18.3	18.3	28.1	38.6	50.1	63.4	72.8	103.6	
(再掲)65-74歳	174	42.5	19.5	2.15	5.1	15.2	20.4	20.4	29.6	40.7	51.9	64.3	81.2	107.9	
(再掲)75歳以上	146	38.8	19.8	1.51	5.4	6.3	16.8	16.8	24.2	37.2	50.0	65.0	71.1	102.4	
(再掲)20-49歳※	247	39.8	18.1	1.33	4.7	12.5	17.4	17.4	28.4	38.4	49.9	60.6	69.4	106.6	
(再掲)40-74歳※	464	40.4	18.8	1.03	5.0	12.8	18.6	18.6	28.4	38.8	50.1	63.2	72.6	101.1	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	59.2	12.6	1.99	15.3	25.1	43.4	53.9	58.6	66.8	73.3	78.1	79.4	
	30-39歳	33	57.8	12.1	1.65	14.2	31.0	49.3	51.5	59.2	65.2	72.6	74.9	75.9	
	40-49歳	42	53.0	10.2	1.57	15.0	30.6	39.1	49.8	53.7	58.5	66.8	69.3	76.1	
	50-59歳	64	53.2	15.6	2.01	6.3	13.3	33.9	44.1	57.1	63.8	67.7	72.2	83.4	
	60-69歳	67	54.1	11.4	1.53	30.6	34.3	38.8	46.0	54.0	61.3	71.4	73.5	76.7	
	70歳以上	101	51.9	13.2	1.47	8.6	25.7	34.3	45.8	53.4	62.0	67.2	69.4	78.6	
	(再掲)20歳以上※	340	54.2	12.8	0.90	12.8	32.3	36.9	48.8	55.5	62.4	69.2	72.3	78.9	
	(再掲)65-74歳	81	54.0	12.6	2.02	26.4	32.8	35.2	44.2	53.8	62.4	70.7	73.5	76.9	
	(再掲)75歳以上	60	50.5	13.7	1.61	8.6	15.4	29.0	44.9	54.3	60.6	65.3	66.2	80.9	
	(再掲)20-49歳※	108	56.1	11.7	1.18	14.4	34.4	42.2	51.2	56.0	63.6	69.7	74.2	78.9	
	(再掲)40-74歳※	214	53.5	12.5	1.16	12.4	33.1	36.6	47.0	54.3	62.0	68.7	71.6	79.9	
	女性	20-29歳	30	56.4	13.9	2.86	21.8	22.2	36.3	49.0	61.5	66.0	71.7	77.8	79.5
		30-39歳	45	52.0	13.4	1.72	18.0	28.7	31.9	41.8	53.1	62.6	69.7	71.9	77.5
		40-49歳	64	52.6	13.6	1.82	5.4	28.6	36.4	46.0	53.6	62.7	66.6	74.2	83.4
50-59歳		66	55.4	14.8	1.70	9.0	20.5	36.4	51.5	58.8	62.8	70.6	77.8	82.8	
60-69歳		64	51.8	13.2	1.18	12.9	27.2	30.9	41.5	52.8	60.4	68.2	74.7	77.0	
70歳以上		142	51.9	13.6	1.35	18.8	24.1	33.3	42.9	54.0	62.3	67.2	71.4	75.3	
(再掲)20歳以上※		411	52.9	13.7	0.83	16.3	25.3	34.3	45.7	54.8	62.6	68.5	72.2	78.8	
(再掲)65-74歳		93	52.5	13.7	1.81	12.7	25.3	32.8	44.3	56.0	62.5	67.3	71.9	75.6	
(再掲)75歳以上		86	51.8	13.5	1.44	18.9	20.5	33.7	43.1	53.0	61.7	68.4	73.3	75.9	
(再掲)20-49歳※		139	53.3	13.7	1.24	16.0	28.6	35.8	46.1	54.8	62.8	68.7	72.4	80.6	
(再掲)40-74歳※		250	53.0	13.9	1.06	9.5	25.4	33.9	46.0	55.3	62.3	68.2	72.0	79.8	
男女計		20-29歳	63	57.9	13.2	1.69	15.5	24.3	40.0	52.6	59.9	66.1	72.3	77.6	79.5
		30-39歳	78	55.0	13.0	1.48	14.2	28.7	36.8	49.2	55.2	63.8	71.2	74.1	77.5
		40-49歳	106	52.8	12.0	1.37	12.6	30.5	36.6	47.1	53.6	60.0	66.7	69.9	81.2
	50-59歳	130	54.3	15.2	1.59	7.4	17.0	34.8	47.7	57.6	63.5	68.8	74.5	82.6	
	60-69歳	131	52.9	12.4	1.02	22.6	29.5	36.2	44.8	53.1	60.7	70.6	73.5	76.9	
	70歳以上	243	51.9	13.4	1.23	16.6	25.0	33.8	44.1	53.8	62.3	67.2	70.5	75.7	
	(再掲)20歳以上※	751	53.5	13.3	0.77	14.2	27.5	36.0	47.1	55.0	62.4	68.7	72.2	78.9	
	(再掲)65-74歳	174	53.2	13.2	1.78	21.1	29.6	34.7	44.2	55.1	62.4	70.1	72.1	75.8	
	(再掲)75歳以上	146	51.3	13.5	1.26	9.8	19.8	33.4	43.7	53.1	60.9	65.9	70.4	75.1	
	(再掲)20-49歳※	247	54.7	12.7	0.88	14.6	29.1	37.8	49.1	55.6	63.4	69.3	73.1	79.4	
	(再掲)40-74歳※	464	53.2	13.2	0.98	12.2	28.5	35.4	46.2	55.0	62.2	68.3	71.9	79.8	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※ 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

脂質(g)	性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル										
							1	5	10	25	50	75	90	95	99		
男性		20-29歳	33	74.0	27.1	4.98	28.3	35.9	49.2	58.7	71.8	83.6	102.3	131.4	172.8		
		30-39歳	33	68.1	22.2	3.61	23.7	34.1	42.8	55.2	61.7	77.9	95.2	121.8	131.3		
		40-49歳	42	60.7	21.1	2.75	19.3	26.9	32.9	44.8	61.6	72.3	93.0	97.2	108.8		
		50-59歳	64	63.3	27.2	3.89	17.7	26.7	31.6	45.2	57.8	79.1	104.3	111.6	211.0		
		60-69歳	67	65.4	21.4	1.98	15.7	29.5	37.2	51.5	66.9	78.3	90.7	99.0	173.4		
		70歳以上	101	64.2	27.9	2.72	21.7	25.5	32.7	43.4	61.2	81.0	104.0	110.3	163.3		
		(再掲)20歳以上※	340	65.1	25.0	1.39	19.3	28.9	34.1	48.1	61.8	79.2	96.5	107.4	150.4		
		(再掲)65-74歳	81	70.0	25.7	2.59	18.8	35.7	44.2	54.7	66.7	83.0	107.1	116.1	172.7		
		(再掲)75歳以上	60	56.3	24.3	2.45	22.3	23.2	31.0	36.6	50.5	75.3	98.3	104.2	113.8		
		(再掲)20-49歳※	108	66.3	23.5	2.42	21.8	31.6	36.7	51.7	63.5	78.2	94.8	103.0	163.0		
		(再掲)40-74歳※	214	65.2	24.7	1.83	18.3	28.9	33.4	46.8	63.4	79.7	96.5	107.4	146.7		
		女性		20-29歳	30	58.7	26.4	6.46	24.3	27.2	31.5	42.9	56.0	67.8	109.3	121.9	125.8
				30-39歳	45	56.3	21.1	2.50	5.9	18.9	25.3	44.1	55.5	65.0	80.4	101.8	125.4
				40-49歳	64	58.1	23.1	3.18	15.1	23.5	26.5	41.5	56.9	69.3	91.1	99.8	123.8
50-59歳	66			61.8	19.8	1.99	9.5	31.1	38.3	48.6	65.7	71.6	83.5	99.4	121.4		
60-69歳	64			54.5	17.6	1.94	15.9	21.0	32.1	41.8	55.0	67.7	77.5	85.4	89.6		
70歳以上	142			54.9	24.0	2.20	16.9	20.3	27.6	37.7	53.6	66.8	87.0	93.9	134.4		
(再掲)20歳以上※	411			56.9	22.3	1.14	15.9	23.1	30.4	42.5	55.9	68.8	84.9	96.3	125.7		
(再掲)65-74歳	93			56.4	20.8	2.95	15.9	20.8	30.4	42.3	57.4	68.0	86.6	92.7	124.3		
(再掲)75歳以上	86			52.4	25.7	2.52	15.6	19.5	22.8	33.9	45.6	65.1	85.9	102.5	135.7		
(再掲)20-49歳※	139			57.7	23.2	2.76	15.1	24.6	28.5	43.0	55.9	68.7	90.2	106.6	125.7		
(再掲)40-74歳※	250			58.3	20.4	1.41	15.7	26.1	31.4	43.3	57.8	70.0	84.9	93.2	112.1		
男女計				20-29歳	63	66.8	27.7	3.45	24.3	30.8	35.8	45.6	62.5	75.8	102.8	119.9	172.8
				30-39歳	78	62.3	22.3	2.21	8.4	24.9	36.7	51.3	58.7	75.2	86.9	106.9	131.3
				40-49歳	106	59.4	22.0	2.11	16.8	25.8	29.9	42.9	59.7	71.9	91.7	96.8	114.8
		50-59歳	130	62.5	23.7	2.48	14.1	27.4	33.1	46.9	60.7	76.3	91.4	106.7	123.4		
		60-69歳	131	59.9	20.2	1.49	15.6	26.3	34.1	47.8	60.8	70.9	87.2	90.7	107.3		
		70歳以上	243	58.9	26.1	2.05	18.0	22.4	29.2	39.9	57.0	73.0	93.3	107.1	139.0		
		(再掲)20歳以上※	751	60.9	23.9	1.00	17.7	26.0	32.2	44.1	58.9	73.7	91.1	103.7	131.8		
		(再掲)65-74歳	174	62.9	24.2	2.31	16.2	24.5	34.1	47.1	61.4	74.8	90.8	107.1	152.1		
		(再掲)75歳以上	146	54.0	25.1	2.13	17.1	21.6	25.2	36.3	48.5	66.2	88.9	103.7	130.6		
		(再掲)20-49歳※	247	62.1	23.7	1.76	18.2	26.6	33.0	45.7	59.7	74.6	93.0	103.8	129.6		
		(再掲)40-74歳※	464	61.6	22.9	1.29	16.7	27.4	33.1	45.7	60.6	73.6	90.8	99.6	124.6		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	29.4	7.1	1.48	11.1	19.2	20.0	24.1	29.4	33.7	38.5	44.8	45.2	
	30-39歳	33	28.9	6.4	1.13	17.6	19.8	22.3	24.5	26.9	33.3	39.3	42.3	45.2	
	40-49歳	42	26.6	5.5	0.83	11.4	16.3	18.8	23.1	27.6	30.6	33.2	34.0	38.4	
	50-59歳	64	26.9	7.3	0.94	10.6	14.6	16.3	21.4	26.6	32.6	37.3	38.4	50.2	
	60-69歳	67	27.7	7.5	0.86	8.5	14.2	17.2	22.2	29.1	32.6	37.3	39.7	40.4	
	70歳以上	101	26.4	6.9	0.76	10.5	14.6	17.4	21.3	26.7	30.6	35.8	39.3	45.0	
	(再掲)20歳以上※	340	27.4	6.9	0.41	11.1	15.8	18.5	23.1	27.6	31.9	35.9	39.3	45.0	
	(再掲)65-74歳	81	27.8	6.9	0.70	8.5	13.8	18.7	24.7	28.7	31.6	35.8	38.1	45.0	
	(再掲)75歳以上	60	24.8	6.6	0.93	10.5	14.6	16.9	19.3	24.9	29.4	32.7	36.3	42.7	
	(再掲)20-49歳※	108	28.0	6.3	0.75	11.3	18.2	20.1	23.7	27.8	32.2	35.6	39.4	45.2	
	(再掲)40-74歳※	214	27.3	6.8	0.47	10.8	14.9	18.3	23.1	27.8	31.9	35.6	38.4	43.1	
	女性	20-29歳	30	29.7	6.1	1.53	15.3	17.4	22.8	25.9	30.2	33.3	38.3	39.6	41.4
		30-39歳	45	30.5	8.9	1.16	15.4	17.9	19.3	24.9	28.1	35.6	45.1	48.2	60.0
		40-49歳	64	29.2	7.1	1.01	12.8	15.1	19.6	25.6	28.7	34.2	38.3	41.9	50.6
50-59歳		66	33.9	9.0	1.10	11.1	17.7	20.3	29.0	35.7	38.6	45.8	46.8	60.0	
60-69歳		64	28.9	7.7	0.88	14.0	17.6	18.8	22.9	29.0	34.6	37.2	40.6	53.6	
70歳以上		142	28.5	7.5	0.89	11.8	17.0	18.7	23.0	28.6	34.2	38.1	40.5	48.2	
(再掲)20歳以上※		411	29.8	7.9	0.47	12.3	17.4	19.3	24.4	29.6	35.4	39.0	43.3	51.9	
(再掲)65-74歳		93	29.4	7.1	1.11	14.1	17.2	18.9	24.0	29.4	34.8	38.2	40.1	47.9	
(再掲)75歳以上		86	27.3	7.8	0.97	11.7	14.7	17.7	21.5	27.5	32.1	38.1	40.5	47.8	
(再掲)20-49歳※		139	29.7	7.5	0.77	13.9	17.8	20.0	25.5	29.2	34.5	38.8	42.4	54.4	
(再掲)40-74歳※		250	30.5	7.9	0.57	13.1	17.6	20.1	25.5	30.3	35.9	39.0	43.9	52.7	
男女計		20-29歳	63	29.5	6.6	0.91	11.4	18.6	20.2	24.5	29.9	33.1	38.3	41.1	45.2
		30-39歳	78	29.7	7.7	0.91	15.8	18.9	20.5	24.6	28.1	33.9	39.6	45.1	60.0
		40-49歳	106	27.9	6.4	0.61	11.4	16.5	18.8	23.7	27.9	32.2	35.3	38.4	48.9
	50-59歳	130	30.4	8.9	0.94	10.8	15.7	18.3	24.9	30.4	36.5	40.7	45.9	56.9	
	60-69歳	131	28.3	7.6	0.63	8.5	15.3	18.6	22.4	29.1	34.1	37.2	39.9	49.2	
	70歳以上	243	27.6	7.3	0.77	12.0	16.2	18.5	22.5	27.8	31.9	37.3	39.3	46.9	
	(再掲)20歳以上※	751	28.6	7.5	0.36	12.1	16.7	18.9	23.6	28.4	33.4	38.1	40.5	48.4	
	(再掲)65-74歳	174	28.6	7.0	0.72	10.3	16.6	18.9	24.2	29.0	34.0	37.4	39.3	46.0	
	(再掲)75歳以上	146	26.3	7.4	0.82	11.1	14.7	17.1	20.3	26.1	31.1	36.6	40.5	45.8	
	(再掲)20-49歳※	247	28.8	6.9	0.58	13.1	18.3	20.1	24.4	28.2	32.9	37.9	40.5	48.8	
(再掲)40-74歳※	464	29.0	7.5	0.44	11.5	16.3	18.9	23.9	29.0	34.0	38.2	40.4	48.7		

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※ 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	36.7	14.3	2.04	6.1	13.7	21.0	26.2	34.7	49.2	56.4	63.3	72.5	
	30-39歳	33	40.2	17.1	2.61	3.3	9.8	19.8	29.6	39.7	48.1	60.7	80.3	81.0	
	40-49歳	42	30.3	15.5	2.23	3.5	7.3	10.7	18.1	28.8	39.9	52.2	59.3	65.0	
	50-59歳	64	30.9	18.0	2.34	0.8	4.1	9.8	18.6	29.9	43.3	54.5	60.3	135.9	
	60-69歳	67	32.2	14.6	1.81	0.5	7.3	13.7	24.5	30.8	40.1	49.4	60.7	83.5	
	70歳以上	101	33.0	18.8	1.74	2.2	9.0	12.6	18.5	31.4	43.9	53.9	61.6	108.6	
	(再掲)20歳以上※	340	33.3	17.0	0.90	2.2	8.8	12.7	21.2	31.6	43.9	53.8	61.5	83.7	
	(再掲)65-74歳	81	36.1	17.9	2.03	6.0	10.7	16.4	27.5	32.6	45.0	53.0	64.2	108.8	
	(再掲)75歳以上	60	28.3	16.1	1.65	2.2	4.4	10.4	14.6	26.5	40.1	51.1	58.7	85.1	
	(再掲)20-49歳※	108	35.0	16.2	1.56	3.4	9.6	12.9	24.0	34.7	45.2	53.9	61.6	80.8	
	(再掲)40-74歳※	214	32.6	17.1	1.34	1.5	8.8	11.9	20.2	30.9	42.6	53.6	59.8	100.5	
	女性	20-29歳	30	30.2	14.3	4.55	7.6	8.3	10.2	23.0	27.8	35.4	51.3	58.6	62.2
		30-39歳	45	31.5	20.2	2.05	1.8	6.3	7.8	16.4	30.8	45.3	54.5	69.4	113.4
		40-49歳	64	28.2	13.1	1.85	3.0	7.0	10.3	19.7	26.9	40.0	45.8	50.7	58.7
50-59歳		66	31.8	15.1	1.71	2.2	5.0	10.6	24.4	33.2	41.7	46.7	52.3	95.2	
60-69歳		64	26.2	13.9	2.79	2.3	6.2	11.9	15.4	24.4	31.7	50.9	56.5	60.2	
70歳以上		142	26.7	15.4	1.27	3.7	5.7	7.9	15.7	27.0	35.1	42.3	51.4	82.4	
(再掲)20歳以上※		411	28.5	15.4	0.90	3.4	6.5	9.2	17.5	27.2	36.6	47.6	53.3	78.9	
(再掲)65-74歳		93	27.7	14.1	1.94	3.6	6.3	8.0	17.6	26.7	37.5	49.9	53.2	62.9	
(再掲)75歳以上		86	26.1	16.8	1.88	1.6	5.0	6.4	13.1	27.0	34.5	41.2	52.6	94.2	
(再掲)20-49歳※		139	29.7	15.9	1.85	3.4	7.5	9.7	18.7	28.0	39.2	49.3	55.5	85.4	
(再掲)40-74歳※		250	28.4	13.9	1.26	3.3	7.1	11.1	18.4	27.2	37.9	46.1	52.7	61.8	
男女計		20-29歳	63	33.6	14.6	2.39	6.2	9.7	15.2	25.5	30.8	42.2	53.8	61.7	72.5
		30-39歳	78	36.0	19.1	1.93	2.2	7.0	12.7	22.8	35.6	45.8	56.9	78.9	113.4
		40-49歳	106	29.3	14.4	1.44	3.1	7.8	11.6	19.1	28.2	39.7	48.5	53.3	63.6
	50-59歳	130	31.4	16.6	1.74	1.6	4.8	10.2	19.1	31.3	41.8	51.6	58.3	91.5	
	60-69歳	131	29.1	14.5	1.88	0.5	7.4	12.4	19.8	27.2	37.0	50.1	55.9	71.8	
	70歳以上	243	29.4	17.2	1.09	3.7	5.8	9.2	17.4	29.0	37.8	50.2	56.3	98.5	
	(再掲)20歳以上※	751	30.8	16.4	0.71	3.3	7.1	10.8	19.0	29.9	40.5	51.6	58.4	80.3	
	(再掲)65-74歳	174	31.8	16.5	1.66	4.9	7.9	12.3	19.8	30.6	41.0	51.5	55.3	104.8	
	(再掲)75歳以上	146	27.0	16.5	1.56	1.8	5.1	7.7	14.2	27.0	34.8	47.5	56.5	87.0	
	(再掲)20-49歳※	247	32.4	16.2	1.28	3.4	8.3	12.0	20.5	31.0	43.0	52.8	61.5	80.2	
(再掲)40-74歳※	464	30.5	15.7	1.00	3.1	7.8	11.8	19.2	29.5	40.1	51.3	55.3	77.4		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	2.82	1.98	0.417	0.67	0.89	0.92	1.42	2.73	3.36	4.31	6.71	10.71	
	30-39歳	33	2.22	1.58	0.281	0.35	0.51	0.78	1.12	1.85	2.63	4.85	6.43	6.96	
	40-49歳	42	2.66	1.59	0.283	0.34	0.54	1.03	1.50	2.27	3.45	5.31	5.88	7.67	
	50-59歳	64	2.59	1.43	0.212	0.52	0.70	0.92	1.59	2.44	3.34	4.56	5.59	7.86	
	60-69歳	67	3.22	2.31	0.378	0.55	0.93	0.97	1.55	2.83	3.84	5.33	8.96	11.62	
	70歳以上	101	3.08	2.03	0.239	0.41	0.70	0.89	1.59	2.86	3.96	5.38	6.79	11.25	
	(再掲)20歳以上※	340	2.81	1.88	0.117	0.39	0.76	0.96	1.49	2.44	3.66	5.10	6.30	10.87	
	(再掲)65-74歳	81	3.21	2.07	0.254	0.50	0.78	0.97	1.83	3.06	3.97	5.55	8.66	11.32	
	(再掲)75歳以上	60	2.84	1.81	0.237	0.41	0.60	0.88	1.51	2.30	3.91	5.05	6.53	10.58	
	(再掲)20-49歳※	108	2.56	1.70	0.176	0.35	0.67	0.94	1.25	2.11	3.25	4.86	6.19	10.00	
	(再掲)40-74歳※	214	2.93	1.92	0.163	0.37	0.78	0.97	1.60	2.53	3.70	5.32	6.31	11.50	
	女性	20-29歳	30	1.83	1.11	0.230	0.38	0.41	0.63	0.94	1.59	2.75	2.99	4.10	5.46
		30-39歳	45	1.88	1.27	0.165	0.04	0.33	0.45	0.93	1.63	2.66	3.89	4.66	5.33
		40-49歳	64	2.19	1.36	0.174	0.28	0.49	0.64	1.06	1.91	3.17	3.79	4.94	6.10
50-59歳		66	2.27	1.18	0.160	0.24	0.64	0.90	1.54	2.14	2.90	3.78	4.15	6.80	
60-69歳		64	2.35	1.36	0.119	0.55	0.64	0.91	1.27	2.02	3.23	3.94	5.01	8.62	
70歳以上		142	2.72	1.70	0.158	0.45	0.84	1.01	1.37	2.27	3.62	5.19	6.88	7.34	
(再掲)20歳以上※		411	2.34	1.46	0.084	0.29	0.55	0.82	1.26	1.98	3.10	4.14	5.22	7.06	
(再掲)65-74歳		93	2.70	1.67	0.190	0.42	0.67	0.99	1.37	2.31	3.40	5.08	6.83	8.18	
(再掲)75歳以上		86	2.60	1.68	0.161	0.54	0.85	0.95	1.34	2.01	3.48	5.07	6.44	7.04	
(再掲)20-49歳※		139	2.01	1.28	0.116	0.23	0.41	0.55	0.96	1.69	2.89	3.60	4.76	5.86	
(再掲)40-74歳※		250	2.41	1.42	0.104	0.29	0.61	0.84	1.31	2.19	3.23	4.00	5.17	7.20	
男女計		20-29歳	63	2.35	1.69	0.230	0.39	0.63	0.88	1.22	1.90	3.11	3.88	4.68	10.71
		30-39歳	78	2.05	1.44	0.198	0.12	0.41	0.55	1.09	1.76	2.65	3.94	5.66	6.96
		40-49歳	106	2.43	1.49	0.165	0.28	0.53	0.80	1.24	1.96	3.26	4.78	5.53	6.93
	50-59歳	130	2.43	1.32	0.153	0.29	0.65	0.93	1.56	2.28	3.11	4.03	5.14	6.73	
	60-69歳	131	2.78	1.93	0.216	0.55	0.73	0.97	1.35	2.41	3.65	4.70	5.98	11.15	
	70歳以上	243	2.87	1.85	0.161	0.42	0.75	0.96	1.46	2.38	3.89	5.24	6.78	9.11	
	(再掲)20歳以上※	751	2.57	1.69	0.084	0.37	0.62	0.89	1.34	2.20	3.32	4.63	5.76	8.84	
	(再掲)65-74歳	174	2.94	1.89	0.189	0.47	0.73	0.97	1.44	2.61	3.70	5.32	6.96	9.42	
	(再掲)75歳以上	146	2.69	1.73	0.142	0.41	0.83	0.90	1.39	2.18	3.85	5.07	6.43	7.85	
	(再掲)20-49歳※	247	2.29	1.53	0.108	0.29	0.54	0.75	1.16	1.93	3.12	4.16	5.35	7.00	
	(再掲)40-74歳※	464	2.66	1.71	0.109	0.36	0.65	0.94	1.44	2.36	3.43	4.67	5.77	8.97	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	14.04	9.04	1.809	3.63	6.15	6.84	8.98	12.31	15.57	20.66	32.78	52.56	
	30-39歳	33	11.64	4.97	0.866	4.37	5.10	7.03	8.38	10.57	14.49	18.59	23.72	27.34	
	40-49歳	42	12.17	5.03	0.722	2.56	4.10	5.95	8.88	11.38	15.07	18.62	23.07	24.55	
	50-59歳	64	12.17	5.36	0.811	3.07	4.65	6.03	8.33	11.10	15.77	19.67	22.59	29.25	
	60-69歳	67	12.78	6.25	0.648	2.03	5.76	6.25	8.93	12.48	15.24	19.18	25.32	59.33	
	70歳以上	101	11.93	5.59	0.676	3.48	4.65	6.02	7.21	10.41	16.45	19.85	23.52	26.94	
	(再掲)20歳以上※	340	12.33	5.95	0.358	3.33	4.95	6.18	8.44	11.10	15.26	19.53	22.93	27.39	
	(再掲)65-74歳	81	13.38	6.23	0.742	3.26	6.00	6.99	9.07	13.05	17.23	20.39	25.22	54.70	
	(再掲)75歳以上	60	10.39	4.71	0.505	4.49	4.62	4.91	6.47	9.53	13.84	17.57	19.08	24.01	
	(再掲)20-49歳※	108	12.47	6.29	0.654	3.66	5.01	6.44	8.87	11.31	15.13	19.24	23.09	46.63	
	(再掲)40-74歳※	214	12.65	5.65	0.450	2.97	4.97	6.25	8.74	11.58	16.07	19.86	23.21	26.09	
	女性	20-29歳	30	10.67	6.52	1.324	2.90	3.87	3.97	6.92	9.62	12.64	17.71	25.79	34.25
		30-39歳	45	10.00	4.21	0.563	0.47	3.11	5.07	7.36	9.51	13.93	15.57	17.85	18.24
		40-49歳	64	10.64	4.75	0.594	3.03	3.92	4.61	6.47	10.58	13.40	17.28	19.20	26.22
50-59歳		66	11.33	4.31	0.573	2.22	4.62	5.73	8.16	11.40	13.71	16.51	19.10	26.37	
60-69歳		64	10.47	4.17	0.432	3.37	4.48	5.40	7.18	10.23	12.85	16.14	18.25	21.83	
70歳以上		142	10.06	5.11	0.478	2.66	3.82	4.64	6.44	8.95	13.10	16.30	22.63	28.29	
(再掲)20歳以上※		411	10.46	4.84	0.260	2.68	3.98	4.89	7.02	9.74	13.25	16.34	19.31	26.24	
(再掲)65-74歳		93	10.37	4.76	0.611	2.99	4.56	5.23	6.98	9.68	12.15	16.28	21.75	28.49	
(再掲)75歳以上		86	9.48	4.82	0.458	2.61	3.18	4.40	6.03	8.48	11.97	15.20	20.01	24.85	
(再掲)20-49歳※		139	10.45	5.05	0.497	2.29	3.93	4.68	6.69	10.02	13.31	17.12	19.13	31.07	
(再掲)40-74歳※		250	10.84	4.65	0.342	2.77	4.46	5.34	7.34	10.42	13.48	16.37	19.31	26.30	
男女計		20-29歳	63	12.45	8.08	0.918	3.60	3.93	5.11	7.86	10.50	15.37	19.47	23.80	52.56
		30-39歳	78	10.84	4.66	0.502	1.22	4.68	5.24	8.08	10.22	14.45	15.57	19.40	27.34
		40-49歳	106	11.42	4.93	0.521	2.76	4.00	4.92	7.88	11.26	14.36	18.10	19.76	25.06
	50-59歳	130	11.75	4.87	0.561	2.42	4.73	5.95	8.23	11.21	14.61	18.95	20.08	26.36	
	60-69歳	131	11.61	5.41	0.514	3.38	4.60	5.98	8.12	10.82	14.29	18.46	20.69	26.15	
	70歳以上	243	10.86	5.39	0.498	3.05	4.47	4.93	6.77	9.54	13.96	19.07	22.70	25.54	
	(再掲)20歳以上※	751	11.36	5.48	0.250	3.03	4.53	5.38	7.50	10.50	14.39	18.27	20.68	26.36	
	(再掲)65-74歳	174	11.81	5.71	0.624	3.36	4.61	5.60	7.61	10.84	14.48	19.11	22.94	28.35	
	(再掲)75歳以上	146	9.85	4.79	0.388	2.83	3.94	4.66	6.39	8.90	12.26	16.97	19.05	24.65	
	(再掲)20-49歳※	247	11.49	5.80	0.369	2.67	4.38	5.21	7.96	10.59	14.50	17.87	20.26	32.06	
	(再掲)40-74歳※	464	11.73	5.24	0.358	3.04	4.55	5.70	8.06	11.06	14.53	18.93	21.45	26.08	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	20.60	7.19	1.233	8.13	9.15	11.45	16.34	19.80	25.49	31.85	35.28	36.56	
	30-39歳	33	20.37	6.86	0.874	5.76	6.58	13.16	16.49	19.03	24.65	31.03	33.61	34.65	
	40-49歳	42	16.04	6.13	0.784	4.81	6.04	7.51	11.32	16.29	20.54	25.94	27.08	28.19	
	50-59歳	64	17.36	8.74	1.205	3.68	6.96	7.29	11.01	16.28	20.97	29.24	32.38	72.24	
	60-69歳	67	17.50	6.53	0.689	3.85	7.83	9.84	11.69	17.83	21.41	26.64	29.26	33.65	
	70歳以上	101	18.45	9.26	0.945	4.78	5.81	7.04	11.21	16.91	24.18	31.00	33.59	49.41	
	(再掲)20歳以上※	340	18.15	7.84	0.410	4.58	6.53	8.34	12.23	17.54	22.56	28.43	32.44	38.35	
	(再掲)65-74歳	81	19.87	8.79	0.907	3.85	8.02	9.68	13.13	18.95	24.73	32.67	33.79	49.49	
	(再掲)75歳以上	60	15.84	7.82	0.864	4.54	5.63	5.86	9.98	14.58	21.00	28.48	30.39	37.44	
	(再掲)20-49歳※	108	18.53	6.94	0.621	5.49	7.18	9.15	13.59	17.98	22.12	28.30	32.22	36.25	
	(再掲)40-74歳※	214	17.83	7.96	0.532	4.25	7.10	8.54	11.71	16.91	21.95	28.14	32.89	48.54	
	女性	20-29歳	30	18.08	8.55	2.576	5.55	7.33	8.49	11.29	16.75	21.80	27.24	36.64	41.01
		30-39歳	45	17.21	7.53	0.864	2.72	5.79	9.14	12.82	15.27	20.75	27.31	31.11	45.41
		40-49歳	64	16.84	7.68	1.176	3.27	5.43	7.13	11.60	15.74	22.68	28.12	33.78	34.67
50-59歳		66	18.26	7.31	0.772	3.30	6.86	8.59	13.53	18.54	23.02	26.26	28.81	48.88	
60-69歳		64	15.28	6.16	1.068	3.28	4.89	7.72	10.81	14.83	19.41	23.48	26.30	33.11	
70歳以上		142	15.62	7.67	0.748	2.99	4.02	5.66	10.91	14.43	20.21	25.33	31.45	38.49	
(再掲)20歳以上※		411	16.54	7.51	0.446	3.21	5.31	7.41	11.38	15.52	20.78	25.81	29.98	40.51	
(再掲)65-74歳		93	15.96	6.78	1.002	3.28	4.87	7.24	11.79	15.21	20.63	24.70	27.67	33.24	
(再掲)75歳以上		86	15.06	8.46	0.931	2.98	3.91	5.38	9.48	13.78	19.49	26.31	33.45	41.02	
(再掲)20-49歳※		139	17.25	7.81	1.089	3.30	6.09	7.63	11.66	16.03	21.41	27.15	31.35	41.87	
(再掲)40-74歳※		250	16.70	6.95	0.550	3.32	5.63	7.79	12.10	15.87	20.94	25.75	28.66	34.67	
男女計		20-29歳	63	19.41	7.90	1.351	6.56	8.31	9.37	12.86	18.46	23.93	30.99	36.25	41.01
		30-39歳	78	18.83	7.33	0.550	3.04	6.81	9.56	13.88	18.57	23.00	29.25	32.36	45.41
		40-49歳	106	16.43	6.92	0.682	3.80	5.92	7.50	11.35	16.15	20.84	26.09	28.46	34.57
	50-59歳	130	17.81	8.05	0.847	3.56	7.01	8.01	11.77	16.92	22.63	27.83	30.77	45.83	
	60-69歳	131	16.37	6.43	0.648	3.29	6.69	8.57	11.62	15.42	20.43	25.93	27.35	33.08	
	70歳以上	243	16.82	8.48	0.707	3.02	5.36	5.99	11.03	15.74	22.06	27.35	33.13	46.65	
	(再掲)20歳以上※	751	17.32	7.71	0.359	3.59	5.87	7.72	11.75	16.57	21.54	27.09	31.45	40.25	
	(再掲)65-74歳	174	17.83	8.03	0.838	3.43	5.84	8.42	12.29	16.96	22.36	26.90	33.09	48.94	
	(再掲)75歳以上	146	15.38	8.20	0.766	2.99	4.53	5.68	9.54	13.80	19.96	26.81	31.25	38.48	
	(再掲)20-49歳※	247	17.91	7.39	0.605	4.26	7.03	8.60	12.37	17.60	21.72	28.04	31.57	38.60	
	(再掲)40-74歳※	464	17.26	7.48	0.437	3.74	6.65	8.14	12.07	16.42	21.52	26.53	29.93	35.07	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

一価不飽和脂肪酸(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	27.83	11.07	2.013	9.32	13.10	18.28	21.96	24.91	29.87	39.86	52.36	68.40	
	30-39歳	33	26.02	9.47	1.532	8.17	13.02	14.35	18.85	25.77	30.75	38.13	48.29	49.79	
	40-49歳	42	22.50	8.57	1.076	5.33	7.78	11.30	15.96	22.82	27.29	35.63	36.68	43.62	
	50-59歳	64	23.46	11.04	1.486	5.65	7.21	8.89	16.70	21.50	30.91	37.74	40.79	86.27	
	60-69歳	67	23.71	8.51	0.828	5.20	8.26	11.45	17.56	24.17	30.24	33.86	35.00	57.18	
	70歳以上	101	22.52	11.42	1.081	5.60	7.87	9.62	13.76	20.69	27.89	37.95	45.55	66.90	
	(再掲)20歳以上※	340	23.86	10.24	0.535	5.60	8.78	11.63	17.11	23.13	29.35	36.50	40.64	56.55	
	(再掲)65-74歳	81	24.93	10.33	0.993	5.51	11.27	15.20	18.34	23.29	28.89	36.51	43.93	69.16	
	(再掲)75歳以上	60	19.73	10.32	1.108	5.60	7.68	8.76	11.76	17.77	25.33	36.87	40.67	47.51	
	(再掲)20-49歳※	108	24.93	9.72	0.945	5.56	10.54	13.67	18.87	24.39	29.41	36.45	40.25	64.03	
	(再掲)40-74歳※	214	23.74	9.92	0.654	5.47	8.48	11.81	17.13	22.99	29.65	35.93	39.35	56.09	
	女性	20-29歳	30	20.97	9.48	1.990	7.91	9.26	12.20	14.79	18.38	23.75	34.71	43.38	47.37
		30-39歳	45	20.45	9.22	1.169	1.80	7.06	9.33	15.23	19.46	22.32	32.02	41.32	50.13
		40-49歳	64	21.41	9.50	1.252	4.18	6.76	10.03	13.92	21.20	26.14	36.65	39.90	49.30
50-59歳		66	22.52	7.84	0.726	2.47	10.48	11.66	17.60	22.06	26.71	33.24	38.38	43.72	
60-69歳		64	19.41	7.07	0.727	4.60	6.77	9.92	14.21	19.74	23.88	29.65	33.00	34.20	
70歳以上		142	19.40	9.56	0.853	4.95	6.87	8.00	11.97	17.68	24.40	31.93	35.63	50.82	
(再掲)20歳以上※		411	20.44	8.93	0.398	4.72	7.13	9.92	14.38	19.51	24.91	32.03	37.96	49.89	
(再掲)65-74歳		93	20.03	8.55	1.218	4.61	6.77	9.50	14.38	19.03	25.02	31.88	34.25	47.99	
(再掲)75歳以上		86	18.45	9.98	0.937	4.87	6.79	7.13	11.25	16.36	23.17	32.32	34.68	50.96	
(再掲)20-49歳※		139	21.00	9.36	0.974	4.29	8.05	10.24	14.69	19.50	24.92	34.94	39.99	49.46	
(再掲)40-74歳※		250	21.04	8.36	0.548	4.62	8.36	10.38	15.14	20.71	25.36	32.19	37.50	43.69	
男女計		20-29歳	63	24.59	10.85	1.149	8.24	12.04	12.36	17.65	23.11	27.97	38.84	45.55	68.40
		30-39歳	78	23.30	9.70	1.052	2.69	8.45	12.15	17.58	21.19	28.73	36.35	44.70	50.13
		40-49歳	106	21.97	9.02	0.834	4.83	8.68	10.36	14.19	22.44	26.96	35.67	37.87	45.34
	50-59歳	130	22.99	9.56	0.888	4.26	7.84	10.60	16.93	22.03	28.91	35.80	39.75	48.19	
	60-69歳	131	21.53	8.08	0.615	4.66	7.62	10.52	16.68	21.05	27.34	32.15	34.09	41.30	
	70歳以上	243	20.72	10.49	0.796	5.60	7.12	8.99	12.94	19.02	25.72	34.52	39.99	52.57	
	(再掲)20歳以上※	751	22.09	9.73	0.351	5.32	7.99	10.39	15.30	21.16	27.41	34.73	39.09	50.50	
	(再掲)65-74歳	174	22.38	9.74	0.893	4.72	7.94	11.22	16.14	21.17	27.24	34.06	37.90	56.76	
	(再掲)75歳以上	146	18.97	10.11	0.861	5.60	6.92	7.88	11.41	16.67	24.33	33.48	38.87	50.15	
	(再掲)20-49歳※	247	23.03	9.73	0.667	5.56	9.09	12.09	16.80	22.11	27.83	35.92	39.88	49.91	
	(再掲)40-74歳※	464	22.37	9.25	0.443	5.19	8.64	10.70	16.27	21.63	27.52	34.24	38.03	49.25	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	16.92	10.76	2.153	4.93	6.89	8.17	11.39	14.19	18.97	24.04	38.66	63.28	
	30-39歳	33	14.01	6.02	1.112	5.38	6.18	8.43	10.03	12.30	17.11	22.87	27.31	33.61	
	40-49歳	42	14.88	6.08	0.936	4.34	4.59	7.34	10.69	13.84	19.40	22.43	28.58	29.36	
	50-59歳	64	14.81	6.28	0.969	3.72	5.32	7.12	10.39	13.56	19.33	22.81	27.51	34.00	
	60-69歳	67	16.06	7.98	0.985	4.72	6.93	7.62	10.56	15.25	19.19	23.52	33.71	68.91	
	70歳以上	101	15.09	6.68	0.760	4.93	6.27	7.37	9.51	13.49	20.99	24.51	27.23	31.63	
	(再掲)20歳以上※	340	15.22	7.20	0.456	4.35	6.58	7.50	10.28	13.87	19.18	23.66	27.16	36.23	
	(再掲)65-74歳	81	16.67	7.38	0.865	5.73	7.23	7.94	10.69	15.95	22.11	24.87	27.66	63.61	
	(再掲)75歳以上	60	13.29	5.74	0.669	4.93	5.36	6.80	8.80	11.78	17.39	22.58	24.69	28.04	
	(再掲)20-49歳※	108	15.12	7.54	0.800	4.39	6.18	8.12	10.42	13.77	18.32	22.95	27.67	56.31	
	(再掲)40-74歳※	214	15.64	6.91	0.597	4.08	6.71	7.49	10.61	14.45	20.04	24.48	28.12	35.99	
女性	20-29歳	30	12.52	7.49	1.536	3.28	4.35	5.42	7.97	10.98	14.32	20.64	29.95	39.77	
	30-39歳	45	11.95	4.87	0.670	0.51	3.47	5.68	9.00	11.66	16.90	18.51	19.95	21.89	
	40-49歳	64	12.98	5.57	0.694	3.36	4.71	5.54	8.56	12.69	17.28	20.38	22.38	29.78	
	50-59歳	66	13.66	4.89	0.671	2.46	6.25	7.65	10.56	13.39	15.89	18.99	23.74	30.23	
	60-69歳	64	12.91	5.03	0.425	4.53	5.14	6.56	8.76	12.26	16.70	19.38	23.40	25.36	
	70歳以上	142	12.89	6.10	0.563	4.36	5.36	6.25	8.38	11.45	16.88	20.01	26.13	32.27	
	(再掲)20歳以上※	411	12.88	5.68	0.308	3.31	5.22	6.20	8.77	12.10	16.36	19.99	22.57	30.04	
	(再掲)65-74歳	93	13.18	5.74	0.718	3.78	5.39	6.53	8.78	12.39	17.14	20.00	24.42	34.35	
	(再掲)75歳以上	86	12.17	5.85	0.533	4.34	5.14	5.94	8.10	10.64	15.88	19.88	24.39	30.00	
	(再掲)20-49歳※	139	12.55	5.87	0.568	2.58	4.59	5.69	8.42	11.78	16.78	19.95	22.42	35.81	
	(再掲)40-74歳※	250	13.36	5.45	0.407	3.67	5.35	6.78	9.09	12.95	16.76	20.10	23.30	30.04	
男女計	20-29歳	63	14.85	9.56	1.092	3.58	5.22	6.71	9.09	13.00	17.96	22.73	27.39	63.28	
	30-39歳	78	13.01	5.56	0.670	1.36	5.59	6.28	9.74	12.03	17.10	20.06	22.87	33.61	
	40-49歳	106	13.95	5.89	0.632	3.71	4.72	6.28	9.93	13.37	18.33	21.47	23.29	29.49	
	50-59歳	130	14.24	5.64	0.673	2.95	6.25	7.12	10.55	13.44	17.17	22.02	24.96	30.67	
	60-69歳	131	14.46	6.81	0.692	4.74	6.21	7.24	9.90	13.20	18.08	22.67	25.07	37.65	
	70歳以上	243	13.83	6.44	0.565	4.49	5.56	6.67	8.78	12.25	18.31	23.77	26.77	30.40	
	(再掲)20歳以上※	751	14.01	6.56	0.311	4.26	5.60	6.89	9.45	12.96	17.67	22.50	25.24	33.52	
	(再掲)65-74歳	174	14.85	6.79	0.717	4.81	6.36	7.34	9.50	13.72	18.62	24.48	26.72	33.23	
	(再掲)75歳以上	146	12.62	5.82	0.471	4.43	5.35	5.97	8.13	11.50	16.23	21.14	24.27	29.54	
	(再掲)20-49歳※	247	13.87	6.89	0.444	3.35	5.31	6.50	9.80	12.96	17.42	21.76	23.68	37.81	
	(再掲)40-74歳※	464	14.48	6.31	0.450	4.18	5.73	7.23	9.92	13.47	18.33	22.68	26.09	32.41	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	8.36	2.76	0.489	3.25	3.58	4.33	6.66	7.89	10.09	12.35	13.70	15.15	
	30-39歳	33	8.62	2.33	0.255	4.35	5.26	5.72	6.98	8.36	10.61	11.35	11.62	18.66	
	40-49歳	42	7.06	1.98	0.306	3.01	3.38	4.13	5.61	7.22	8.31	9.68	10.61	11.73	
	50-59歳	64	7.36	2.58	0.364	2.43	3.31	4.21	5.17	7.39	9.56	10.49	11.00	17.19	
	60-69歳	67	7.45	2.62	0.399	1.75	3.48	4.16	5.93	6.90	9.52	11.24	12.11	13.16	
	70歳以上	101	7.56	2.78	0.279	2.11	3.24	4.14	5.47	7.44	8.92	11.86	12.36	15.21	
	(再掲)20歳以上※	340	7.64	2.57	0.149	2.43	3.51	4.43	5.86	7.46	9.18	11.08	12.12	14.70	
	(再掲)65-74歳	81	7.90	2.79	0.302	1.75	3.50	3.94	6.23	7.58	9.01	12.07	12.36	15.27	
	(再掲)75歳以上	60	6.98	2.64	0.333	1.87	2.87	3.70	4.86	6.65	8.91	10.62	12.25	12.93	
	(再掲)20-49歳※	108	7.87	2.40	0.233	3.25	3.89	4.95	6.19	7.79	9.37	11.08	11.69	16.90	
	(再掲)40-74歳※	214	7.47	2.50	0.174	2.43	3.50	4.29	5.78	7.37	8.87	10.82	12.08	14.46	
	女性	20-29歳	30	9.14	2.53	0.804	4.09	4.72	5.51	7.88	8.69	11.09	13.16	13.45	13.52
		30-39歳	45	9.35	3.41	0.451	4.12	4.23	5.45	7.28	9.04	10.83	15.29	17.38	19.49
		40-49歳	64	8.47	2.90	0.454	2.77	3.76	4.09	6.64	8.44	10.45	12.95	14.04	14.66
50-59歳		66	9.88	3.25	0.418	3.30	4.27	5.47	7.83	9.90	12.16	14.11	15.02	24.18	
60-69歳		64	8.08	2.83	0.545	2.75	4.02	4.88	5.73	7.73	9.81	12.77	13.78	14.96	
70歳以上		142	8.10	2.97	0.374	1.92	3.43	4.35	5.93	7.97	10.06	11.81	13.06	16.60	
(再掲)20歳以上※		411	8.65	3.06	0.205	2.70	3.91	4.76	6.46	8.47	10.55	12.93	13.80	16.67	
(再掲)65-74歳		93	8.33	2.96	0.474	3.28	3.92	4.76	5.92	8.02	10.05	13.09	13.77	14.95	
(再掲)75歳以上		86	7.78	3.08	0.409	1.92	2.77	3.95	5.61	7.51	10.10	11.30	12.10	19.41	
(再掲)20-49歳※		139	8.91	3.00	0.362	2.80	4.10	5.10	7.00	8.59	10.72	13.11	14.36	18.42	
(再掲)40-74歳※		250	8.75	3.00	0.272	2.79	3.90	4.99	6.48	8.57	10.83	13.08	13.96	15.09	
男女計		20-29歳	63	8.73	2.66	0.495	3.26	4.14	4.77	6.99	8.38	10.52	12.57	13.49	15.15
		30-39歳	78	8.98	2.92	0.286	4.12	5.10	5.66	7.27	8.45	10.51	12.23	15.32	19.49
		40-49歳	106	7.75	2.56	0.242	2.80	3.55	4.29	6.08	7.55	9.22	11.19	12.96	14.62
	50-59歳	130	8.62	3.18	0.362	2.61	3.73	4.60	6.23	8.64	10.59	12.98	14.11	16.90	
	60-69歳	131	7.77	2.74	0.375	1.75	3.58	4.43	5.84	7.30	9.66	11.95	13.07	14.57	
	70歳以上	243	7.87	2.90	0.295	1.89	3.40	4.23	5.86	7.63	9.90	11.82	12.96	15.08	
	(再掲)20歳以上※	751	8.16	2.88	0.156	2.70	3.72	4.65	6.16	7.97	9.98	12.10	13.15	15.30	
	(再掲)65-74歳	174	8.12	2.88	0.339	2.72	3.66	4.56	6.16	7.79	9.88	12.38	13.34	14.96	
	(再掲)75歳以上	146	7.46	2.93	0.304	1.82	2.91	3.86	5.12	7.05	9.72	11.26	12.20	16.59	
	(再掲)20-49歳※	247	8.38	2.75	0.223	3.25	3.91	5.02	6.63	8.17	9.89	11.66	13.48	17.57	
(再掲)40-74歳※	464	8.12	2.84	0.191	2.75	3.71	4.66	6.16	7.84	9.89	12.13	13.15	14.96		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	0.87	0.47	0.092	0.30	0.36	0.44	0.54	0.73	1.14	1.50	1.90	2.38	
	30-39歳	33	0.75	0.36	0.044	0.32	0.34	0.36	0.54	0.69	0.90	1.10	1.63	2.22	
	40-49歳	42	1.01	0.43	0.072	0.34	0.40	0.46	0.68	0.96	1.34	1.71	1.76	1.96	
	50-59歳	64	0.95	0.40	0.053	0.21	0.43	0.53	0.68	0.91	1.17	1.49	1.61	2.88	
	60-69歳	67	0.99	0.43	0.062	0.31	0.36	0.42	0.65	0.99	1.27	1.49	1.82	2.18	
	70歳以上	101	0.95	0.47	0.056	0.23	0.37	0.44	0.62	0.83	1.12	1.63	2.04	2.64	
	(再掲)20歳以上※	340	0.93	0.44	0.025	0.30	0.36	0.45	0.62	0.84	1.14	1.55	1.76	2.34	
	(再掲)65-74歳	81	0.94	0.41	0.049	0.31	0.36	0.40	0.57	0.95	1.24	1.47	1.65	2.17	
	(再掲)75歳以上	60	0.99	0.53	0.072	0.23	0.34	0.46	0.67	0.84	1.07	1.97	2.19	2.71	
	(再掲)20-49歳※	108	0.89	0.43	0.033	0.31	0.36	0.44	0.60	0.76	1.10	1.53	1.75	2.34	
	(再掲)40-74歳※	214	0.97	0.41	0.027	0.26	0.39	0.47	0.65	0.94	1.20	1.56	1.75	1.98	
	女性	20-29歳	30	0.74	0.35	0.089	0.29	0.30	0.36	0.49	0.63	0.98	1.26	1.51	1.64
		30-39歳	45	0.77	0.37	0.057	0.19	0.27	0.31	0.50	0.73	0.93	1.24	1.49	2.03
		40-49歳	64	0.86	0.37	0.047	0.14	0.28	0.50	0.65	0.81	0.97	1.34	1.63	2.46
50-59歳		66	0.83	0.34	0.042	0.33	0.39	0.47	0.59	0.75	1.00	1.27	1.44	2.13	
60-69歳		64	0.93	0.40	0.069	0.28	0.39	0.48	0.61	0.89	1.14	1.62	1.66	2.56	
70歳以上		142	0.96	0.48	0.055	0.22	0.34	0.47	0.64	0.83	1.19	1.65	1.98	2.59	
(再掲)20歳以上※		411	0.88	0.41	0.024	0.22	0.34	0.43	0.59	0.79	1.05	1.42	1.66	2.21	
(再掲)65-74歳		93	0.93	0.45	0.059	0.32	0.38	0.44	0.59	0.83	1.17	1.62	1.68	2.71	
(再掲)75歳以上		86	0.96	0.47	0.064	0.19	0.33	0.49	0.68	0.83	1.16	1.87	1.98	2.48	
(再掲)20-49歳※		139	0.80	0.36	0.040	0.14	0.30	0.36	0.55	0.76	0.95	1.27	1.55	2.05	
(再掲)40-74歳※		250	0.89	0.40	0.035	0.23	0.38	0.48	0.62	0.82	1.07	1.42	1.66	2.51	
男女計		20-29歳	63	0.81	0.42	0.059	0.29	0.32	0.39	0.53	0.70	1.00	1.43	1.60	2.38
		30-39歳	78	0.75	0.36	0.038	0.20	0.31	0.36	0.53	0.70	0.90	1.21	1.36	2.22
		40-49歳	106	0.94	0.40	0.040	0.14	0.36	0.46	0.65	0.85	1.18	1.57	1.76	2.07
	50-59歳	130	0.89	0.38	0.038	0.21	0.43	0.49	0.62	0.82	1.08	1.37	1.56	2.40	
	60-69歳	131	0.96	0.42	0.056	0.29	0.38	0.48	0.65	0.94	1.17	1.58	1.74	2.30	
	70歳以上	243	0.95	0.47	0.048	0.23	0.36	0.46	0.64	0.83	1.16	1.65	1.98	2.53	
	(再掲)20歳以上※	751	0.90	0.43	0.020	0.26	0.36	0.44	0.60	0.82	1.10	1.49	1.75	2.25	
	(再掲)65-74歳	174	0.94	0.43	0.048	0.31	0.38	0.41	0.59	0.88	1.21	1.57	1.66	2.34	
	(再掲)75歳以上	146	0.97	0.49	0.053	0.22	0.35	0.47	0.68	0.84	1.13	1.94	2.01	2.50	
	(再掲)20-49歳※	247	0.85	0.40	0.022	0.22	0.33	0.39	0.56	0.76	1.06	1.38	1.71	2.20	
	(再掲)40-74歳※	464	0.93	0.41	0.025	0.28	0.38	0.48	0.64	0.86	1.16	1.50	1.73	2.10	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	409	193	34.8	129	133	144	269	400	536	684	831	845	
	30-39歳	33	327	225	38.4	47	94	119	188	256	420	685	770	1,170	
	40-49歳	42	324	169	25.4	38	59	130	190	302	391	556	695	755	
	50-59歳	64	361	241	40.1	17	37	99	184	354	492	648	703	1,270	
	60-69歳	67	351	171	18.1	36	62	87	231	364	450	570	633	1,245	
	70歳以上	101	363	233	19.4	17	59	104	176	347	479	626	782	1,354	
	(再掲)20歳以上※	340	354	210	11.0	35	69	119	197	342	467	616	704	1,174	
	(再掲)65-74歳	81	373	195	19.2	53	74	122	250	360	466	609	703	1,191	
	(再掲)75歳以上	60	339	251	28.3	17	33	71	149	310	452	593	795	1,404	
	(再掲)20-49歳※	108	346	196	19.7	39	101	137	203	307	432	643	715	1,089	
	(再掲)40-74歳※	214	354	198	14.5	33	69	119	206	351	467	584	701	1,132	
	女性	20-29歳	30	319	182	40.3	36	71	107	194	278	409	666	700	710
		30-39歳	45	295	190	26.1	10	44	86	177	273	398	517	606	1,038
		40-49歳	64	300	163	20.4	23	77	118	171	288	401	561	633	664
50-59歳		66	324	194	27.7	7	59	88	164	326	416	569	700	891	
60-69歳		64	300	150	17.6	36	60	82	153	321	388	468	585	806	
70歳以上		142	297	160	18.4	15	48	83	159	303	399	494	584	786	
(再掲)20歳以上※		411	304	169	9.2	24	62	89	172	300	398	508	623	824	
(再掲)65-74歳		93	311	148	16.1	25	43	91	227	328	376	504	586	784	
(再掲)75歳以上		86	292	173	22.7	13	58	80	128	274	416	499	606	791	
(再掲)20-49歳※		139	303	176	18.2	24	68	105	176	287	401	521	644	889	
(再掲)40-74歳※		250	307	163	10.9	23	61	89	175	317	393	511	608	837	
男女計		20-29歳	63	367	192	27.4	36	108	134	202	355	498	669	725	845
		30-39歳	78	312	208	26.0	19	62	108	184	263	409	522	695	1,170
		40-49歳	106	312	166	17.9	26	72	122	181	293	390	553	643	749
	50-59歳	130	343	219	29.5	12	51	88	179	331	469	620	680	1,225	
	60-69歳	131	325	162	11.0	37	68	87	200	350	409	531	587	835	
	70歳以上	243	325	197	16.7	19	59	86	169	318	417	539	626	1,032	
	(再掲)20歳以上※	751	328	191	8.5	25	67	99	187	318	420	560	663	964	
	(再掲)65-74歳	174	341	174	15.5	25	70	113	231	345	415	557	638	1,055	
	(再掲)75歳以上	146	311	208	23.4	15	44	82	134	299	441	541	625	1,137	
	(再掲)20-49歳※	247	325	187	14.2	33	88	122	187	296	413	586	687	953	
	(再掲)40-74歳※	464	330	182	11.4	24	67	99	189	328	417	558	643	935	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	296.8	80.2	14.13	51.8	164.9	204.4	235.6	307.5	323.9	416.7	450.8	466.7	
	30-39歳	33	271.1	75.3	15.72	126.8	135.6	169.0	201.2	277.9	324.0	370.6	385.0	406.1	
	40-49歳	42	269.9	72.4	10.29	110.1	135.0	198.3	216.7	260.0	334.4	369.1	407.5	444.0	
	50-59歳	64	274.7	71.3	8.95	123.7	168.0	196.0	218.7	267.5	324.4	359.2	405.0	525.3	
	60-69歳	67	278.9	70.9	11.29	123.6	170.5	194.5	220.7	279.7	324.5	377.5	406.9	469.9	
	70歳以上	101	282.7	71.9	7.28	132.1	171.9	183.8	228.7	282.0	334.8	373.2	406.8	491.6	
	(再掲)20歳以上※	340	278.5	73.0	4.82	126.4	167.2	193.0	225.4	276.1	325.9	371.6	406.1	464.2	
	(再掲)65-74歳	81	285.9	68.5	8.41	129.7	167.3	200.0	231.7	287.1	333.3	387.0	403.6	468.6	
	(再掲)75歳以上	60	277.3	76.1	7.30	138.5	175.6	183.5	213.6	264.1	340.5	369.9	427.6	522.9	
	(再掲)20-49歳※	108	277.0	75.6	8.32	113.4	140.7	184.6	220.9	275.4	325.6	372.6	409.2	463.6	
	(再掲)40-74歳※	214	277.2	70.5	5.76	121.0	166.5	198.0	223.5	272.4	327.1	370.7	400.9	460.2	
	女性	20-29歳	30	225.4	64.2	8.53	109.7	126.5	144.1	188.2	215.3	254.8	325.1	330.1	389.5
		30-39歳	45	220.4	70.1	10.48	27.4	75.1	149.2	175.8	221.1	256.9	323.9	354.1	417.8
		40-49歳	64	234.6	75.9	10.74	28.4	97.6	136.8	189.4	227.6	298.9	329.2	345.5	416.7
50-59歳		66	199.2	61.2	7.79	85.6	108.3	115.4	149.8	198.2	238.9	284.2	303.1	398.1	
60-69歳		64	228.1	66.4	7.42	101.3	119.3	153.3	180.2	224.0	263.4	324.3	363.1	404.3	
70歳以上		142	228.4	62.0	5.60	111.2	126.9	143.5	188.5	229.6	266.6	303.7	322.5	435.1	
(再掲)20歳以上※		411	223.8	66.7	4.24	78.2	114.8	139.1	181.0	222.9	263.3	309.5	334.8	414.9	
(再掲)65-74歳		93	227.7	66.2	5.93	104.1	125.6	135.2	182.4	228.8	270.4	309.0	338.9	434.9	
(再掲)75歳以上		86	228.7	59.8	6.58	111.4	136.4	146.4	187.3	229.3	261.2	295.2	323.0	431.7	
(再掲)20-49歳※		139	227.9	71.3	7.10	32.3	111.7	139.8	188.4	224.4	270.4	329.2	340.0	416.9	
(再掲)40-74歳※		250	222.6	68.8	4.84	79.4	112.8	130.8	176.6	220.7	267.6	319.4	337.5	409.0	
男女計		20-29歳	63	263.1	81.0	9.59	76.6	140.1	165.7	199.4	254.8	319.5	380.0	422.2	466.7
		30-39歳	78	246.4	76.7	8.82	43.0	132.6	159.4	189.8	240.6	303.8	360.8	372.5	417.8
		40-49歳	106	252.6	75.9	7.80	59.2	125.2	150.1	207.7	245.9	305.9	350.2	385.4	425.7
	50-59歳	130	237.1	76.3	6.49	94.9	115.2	131.1	182.8	235.7	282.6	335.5	361.7	483.0	
	60-69歳	131	253.1	73.0	7.64	100.7	150.5	164.9	203.9	237.7	308.7	353.3	380.6	449.0	
	70歳以上	243	251.4	71.5	5.37	111.7	139.2	164.7	202.5	244.4	290.5	346.9	382.8	442.9	
	(再掲)20歳以上※	751	250.2	74.9	3.90	100.5	132.7	158.6	199.6	243.3	302.9	349.1	377.7	440.7	
	(再掲)65-74歳	174	255.6	73.2	5.51	110.7	131.9	159.0	204.1	245.7	305.2	352.6	388.3	454.3	
	(再掲)75歳以上	146	248.3	70.8	6.65	111.7	143.7	171.9	199.6	239.8	287.2	346.3	401.0	450.1	
	(再掲)20-49歳※	247	253.2	77.4	6.25	56.1	134.8	157.0	202.8	251.0	309.1	351.2	396.6	449.6	
(再掲)40-74歳※	464	249.5	74.8	4.40	100.3	127.7	152.8	202.9	241.8	303.6	348.9	377.5	429.2		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせたための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	56.0	8.0	1.59	33.7	43.0	48.5	51.1	54.9	61.5	67.9	68.7	80.4	
	30-39歳	33	57.0	7.3	1.17	39.8	42.4	46.9	51.3	57.7	62.2	66.3	69.6	71.7	
	40-49歳	42	58.7	6.3	0.93	43.6	49.1	50.9	54.0	59.3	62.7	66.9	67.8	77.0	
	50-59歳	64	58.0	8.5	1.07	35.6	45.0	45.5	51.4	57.7	64.5	68.7	71.8	77.9	
	60-69歳	67	56.8	8.8	1.10	38.6	45.8	46.5	49.5	54.2	63.6	68.7	71.7	79.1	
	70歳以上	101	58.0	8.4	0.90	37.7	42.1	48.2	53.0	57.0	64.4	69.0	70.9	78.5	
	(再掲)20歳以上※	340	57.6	7.9	0.49	39.8	44.0	48.3	52.1	57.2	62.9	68.4	70.5	78.1	
	(再掲)65-74歳	81	56.6	8.1	0.95	37.3	42.2	48.5	51.3	55.2	61.6	66.7	71.6	79.0	
	(再掲)75歳以上	60	59.6	8.3	1.20	40.0	45.8	48.6	53.7	59.8	67.6	70.3	71.3	78.9	
	(再掲)20-49歳※	108	57.5	7.1	0.80	40.3	44.0	48.7	53.4	57.5	62.1	66.9	68.5	78.6	
	(再掲)40-74歳※	214	57.5	7.9	0.62	38.5	44.3	48.1	51.9	57.0	62.8	68.3	70.5	77.8	
	女性	20-29歳	30	54.5	8.1	1.85	33.7	37.2	45.6	48.8	55.4	59.6	63.5	69.5	74.2
		30-39歳	45	54.8	9.4	1.07	17.1	38.1	44.7	49.5	56.0	60.2	66.4	67.8	74.5
		40-49歳	64	55.9	8.5	1.19	18.2	45.2	48.1	51.5	54.5	60.5	66.3	72.5	76.5
50-59歳		66	50.3	10.8	1.40	25.5	34.5	36.5	43.5	48.5	58.0	67.2	68.3	79.7	
60-69歳		64	55.1	9.1	1.00	32.8	39.6	42.0	49.1	54.8	62.9	66.8	69.5	71.5	
70歳以上		142	55.3	8.5	0.95	37.2	40.8	45.3	49.6	54.7	61.0	66.3	70.8	75.8	
(再掲)20歳以上※		411	54.5	9.2	0.52	32.7	38.5	43.2	48.7	54.3	60.3	66.2	69.6	75.6	
(再掲)65-74歳		93	54.4	7.9	1.13	36.8	40.9	44.6	48.8	53.7	59.4	65.6	69.5	71.2	
(再掲)75歳以上		86	56.5	9.2	1.12	37.1	40.3	44.5	50.6	55.8	62.9	68.7	73.2	78.2	
(再掲)20-49歳※		139	55.2	8.7	0.84	21.3	42.2	45.9	49.6	55.2	60.3	65.7	69.7	76.0	
(再掲)40-74歳※		250	53.7	9.2	0.66	31.6	37.9	42.6	47.9	53.7	60.0	66.0	68.9	76.4	
男女計		20-29歳	63	55.3	8.0	1.20	33.7	42.5	45.7	49.1	55.2	60.2	65.4	68.6	80.4
		30-39歳	78	55.9	8.4	0.85	35.8	40.3	45.2	49.7	57.3	61.6	66.1	68.4	74.5
		40-49歳	106	57.3	7.6	0.69	36.5	47.9	48.8	53.0	57.0	61.6	66.6	70.0	76.9
	50-59歳	130	54.1	10.4	1.11	30.0	36.0	40.4	46.8	54.3	60.3	68.4	70.6	79.4	
	60-69歳	131	56.0	8.9	0.75	33.5	41.7	45.7	49.4	54.3	62.9	68.3	69.6	77.7	
	70歳以上	243	56.4	8.5	0.87	37.2	41.4	46.1	50.6	55.6	62.0	68.5	70.8	77.2	
	(再掲)20歳以上※	751	56.0	8.7	0.42	34.4	41.6	45.5	50.2	55.6	61.9	67.5	69.7	76.7	
	(再掲)65-74歳	174	55.4	8.1	0.82	37.0	42.0	46.4	50.1	54.5	60.5	66.3	69.6	77.3	
	(再掲)75歳以上	146	57.8	9.0	1.03	37.5	41.2	45.8	51.8	57.9	64.4	69.2	72.9	78.6	
	(再掲)20-49歳※	247	56.4	8.0	0.63	33.5	44.0	48.1	51.5	56.5	61.0	66.4	68.5	76.6	
	(再掲)40-74歳※	464	55.6	8.8	0.54	33.8	41.6	45.1	49.9	55.1	61.2	67.3	69.6	76.9	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	19.5	5.2	0.70	5.7	9.7	11.9	16.2	20.0	22.2	25.8	29.4	34.1	
	30-39歳	33	17.2	4.9	0.86	6.9	8.0	12.8	14.1	16.4	19.8	23.9	28.3	29.0	
	40-49歳	42	19.8	6.4	0.86	8.6	9.6	10.6	15.1	18.7	24.1	29.4	31.3	41.9	
	50-59歳	64	20.2	7.4	1.04	7.9	9.5	12.4	14.9	18.3	23.8	32.0	37.8	40.1	
	60-69歳	67	23.0	8.8	1.53	6.3	10.4	11.7	16.6	21.7	27.4	33.5	45.7	46.9	
	70歳以上	101	23.8	8.5	0.85	9.0	11.4	13.8	18.0	22.4	28.4	34.8	39.7	49.8	
	(再掲)20歳以上※	340	21.1	7.7	0.63	8.0	10.6	12.6	15.7	20.2	25.1	31.2	35.0	46.4	
	(再掲)65-74歳	81	24.3	9.2	1.57	9.0	11.2	13.7	18.0	22.5	28.0	36.4	46.0	50.2	
	(再掲)75歳以上	60	23.1	7.8	0.65	11.5	11.6	14.0	17.5	21.7	29.4	33.7	38.0	43.6	
	(再掲)20-49歳※	108	18.9	5.8	0.51	7.2	9.8	11.3	15.0	18.5	22.1	27.2	29.9	34.2	
	(再掲)40-74歳※	214	21.7	8.1	0.86	8.5	9.9	11.3	16.3	20.7	26.2	32.4	36.5	48.3	
	女性	20-29歳	30	18.9	13.0	2.39	7.6	9.0	9.4	11.7	15.2	19.7	31.1	50.5	72.8
		30-39歳	45	15.6	5.3	0.72	1.6	6.1	9.8	11.3	15.9	18.5	23.6	24.1	27.3
		40-49歳	64	18.8	8.3	1.33	2.2	7.3	10.5	13.9	17.7	21.6	32.1	37.5	39.8
50-59歳		66	17.2	6.0	0.67	5.9	8.7	9.8	13.0	16.5	20.5	26.3	29.3	34.3	
60-69歳		64	19.8	6.3	0.68	6.7	9.7	12.8	16.1	18.9	22.4	28.1	33.2	37.3	
70歳以上		142	20.8	7.7	0.57	7.4	10.6	12.4	15.9	19.1	24.2	30.3	35.7	48.2	
(再掲)20歳以上※		411	19.0	7.9	0.40	5.3	9.5	10.9	14.1	17.9	22.2	28.4	33.2	43.8	
(再掲)65-74歳		93	20.4	7.8	0.91	6.7	10.8	13.3	15.9	19.0	23.9	28.2	35.5	49.5	
(再掲)75歳以上		86	20.4	7.0	1.04	6.9	10.0	12.4	15.6	19.5	25.1	29.6	34.6	40.4	
(再掲)20-49歳※		139	17.8	9.0	0.81	2.1	8.5	10.2	11.9	16.8	20.6	27.8	33.6	59.7	
(再掲)40-74歳※		250	19.2	7.5	0.55	4.7	9.5	11.1	14.4	18.3	22.5	28.1	33.9	44.5	
男女計		20-29歳	63	19.2	9.6	1.21	7.5	9.2	10.8	13.3	18.5	22.1	27.5	32.9	72.8
		30-39歳	78	16.4	5.1	0.64	2.3	7.8	10.5	13.3	16.3	18.7	23.2	27.4	29.0
		40-49歳	106	19.3	7.4	0.79	2.9	9.0	10.6	14.5	18.6	22.7	30.6	32.4	40.4
	50-59歳	130	18.7	6.9	0.67	6.5	9.1	10.7	14.2	17.8	21.6	29.0	34.1	40.0	
	60-69歳	131	21.4	7.8	1.02	6.3	10.2	12.4	16.3	20.1	25.1	32.7	35.7	46.0	
	70歳以上	243	22.1	8.2	0.53	8.7	11.0	13.3	16.4	20.5	26.4	32.5	37.0	49.9	
	(再掲)20歳以上※	751	20.0	7.8	0.43	6.5	9.8	11.2	14.9	18.7	23.4	30.4	34.0	46.0	
	(再掲)65-74歳	174	22.2	8.7	1.19	7.9	11.2	13.4	16.5	20.7	25.7	33.2	45.7	50.0	
	(再掲)75歳以上	146	21.5	7.4	0.76	7.4	10.6	12.9	16.0	20.2	26.8	31.3	36.0	42.8	
	(再掲)20-49歳※	247	18.4	7.5	0.44	4.0	9.1	10.6	13.7	17.5	21.6	27.3	31.2	39.7	
(再掲)40-74歳※	464	20.4	7.9	0.65	6.3	9.8	11.2	15.1	19.1	24.0	31.7	35.7	48.2		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

水溶性食物繊維(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	3.4	1.5	0.22	0.8	0.9	1.5	2.3	3.2	4.5	5.5	6.5	7.1	
	30-39歳	33	2.9	1.2	0.22	0.4	0.5	1.1	2.2	2.8	3.8	4.5	4.9	5.3	
	40-49歳	42	3.8	1.4	0.19	0.9	1.4	1.8	2.6	3.9	5.0	5.6	6.3	6.4	
	50-59歳	64	3.6	1.6	0.22	0.7	1.4	1.8	2.3	3.3	4.5	6.1	6.6	8.5	
	60-69歳	67	4.3	2.0	0.28	0.6	1.7	2.0	3.2	4.0	5.4	7.0	8.6	11.3	
	70歳以上	101	4.7	2.0	0.21	0.8	2.1	2.3	3.1	4.4	5.8	7.5	8.3	10.7	
	(再掲)20歳以上※	340	3.9	1.8	0.12	0.7	1.5	1.9	2.6	3.7	5.0	6.4	7.2	9.2	
	(再掲)65-74歳	81	4.8	2.1	0.30	0.7	1.5	2.6	3.2	4.4	6.3	8.0	8.8	11.0	
	(再掲)75歳以上	60	4.5	1.9	0.21	1.7	2.1	2.3	3.0	4.1	5.3	7.4	8.3	10.9	
	(再掲)20-49歳※	108	3.4	1.4	0.14	0.4	0.9	1.6	2.4	3.2	4.5	5.3	5.9	6.9	
	(再掲)40-74歳※	214	4.1	1.8	0.17	0.7	1.5	1.9	2.7	3.8	5.2	6.6	7.4	9.3	
	女性	20-29歳	30	3.6	2.1	0.36	0.9	1.7	1.8	2.4	3.1	4.2	5.5	8.6	11.4
		30-39歳	45	2.9	1.2	0.19	0.6	1.2	1.4	2.1	2.6	3.9	4.8	5.4	6.1
40-49歳		64	3.8	1.9	0.26	0.4	1.1	1.6	2.5	3.5	4.7	6.3	7.7	10.0	
50-59歳		66	3.6	1.4	0.17	0.6	1.3	1.8	2.8	3.5	4.5	5.5	6.5	7.6	
60-69歳		64	4.0	1.5	0.18	1.1	1.8	2.2	2.9	3.9	4.9	5.9	6.9	8.8	
70歳以上		142	4.3	2.4	0.16	1.0	2.0	2.2	2.9	3.8	5.4	6.6	7.7	12.9	
(再掲)20歳以上※		411	3.9	2.0	0.11	0.9	1.6	2.0	2.6	3.6	4.7	6.1	7.0	9.3	
(再掲)65-74歳		93	4.2	1.7	0.17	1.1	2.0	2.2	3.0	3.7	5.1	6.4	7.7	9.4	
(再掲)75歳以上		86	4.3	2.7	0.29	0.5	1.9	2.1	2.9	3.8	5.2	6.7	7.7	26.7	
(再掲)20-49歳※		139	3.5	1.8	0.15	0.6	1.3	1.6	2.4	3.1	4.3	5.5	6.5	10.9	
(再掲)40-74歳※		250	3.9	1.7	0.13	0.8	1.6	2.1	2.8	3.7	4.8	6.4	7.1	9.2	
男女計		20-29歳	63	3.5	1.8	0.22	0.8	1.5	1.7	2.4	3.2	4.4	5.5	6.6	11.4
		30-39歳	78	2.9	1.2	0.18	0.4	0.9	1.4	2.1	2.7	3.8	4.7	5.2	6.1
	40-49歳	106	3.8	1.7	0.16	0.5	1.3	1.7	2.6	3.6	4.9	6.0	6.5	9.5	
	50-59歳	130	3.6	1.5	0.16	0.7	1.4	1.8	2.5	3.4	4.5	5.7	6.6	7.9	
	60-69歳	131	4.2	1.7	0.20	0.7	1.9	2.1	3.1	4.0	5.1	6.6	7.7	8.9	
	70歳以上	243	4.5	2.2	0.14	0.9	2.0	2.3	3.0	4.0	5.5	7.2	8.0	9.9	
	(再掲)20歳以上※	751	3.9	1.9	0.10	0.7	1.5	1.9	2.6	3.6	4.8	6.2	7.2	9.4	
	(再掲)65-74歳	174	4.5	2.0	0.22	1.0	2.0	2.4	3.2	3.9	5.6	7.2	8.6	9.4	
	(再掲)75歳以上	146	4.4	2.4	0.20	1.0	2.0	2.2	2.9	3.9	5.3	7.1	7.8	14.0	
	(再掲)20-49歳※	247	3.4	1.6	0.10	0.4	1.1	1.6	2.4	3.2	4.4	5.5	6.1	8.9	
	(再掲)40-74歳※	464	4.0	1.7	0.13	0.8	1.6	2.0	2.8	3.8	5.0	6.4	7.2	9.3	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

不溶性食物繊維(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	11.3	3.0	0.41	3.4	5.0	6.8	9.3	11.8	13.0	15.2	15.9	16.9	
	30-39歳	33	10.0	3.1	0.46	4.0	4.8	6.4	7.7	9.6	12.5	14.2	15.3	18.9	
	40-49歳	42	12.2	4.2	0.58	5.3	5.6	6.1	9.3	11.7	15.0	18.8	19.7	20.2	
	50-59歳	64	12.5	5.7	0.81	4.3	5.5	7.1	9.0	11.6	13.3	20.8	25.9	29.7	
	60-69歳	67	14.6	6.2	1.15	3.3	6.2	7.2	9.7	13.7	17.5	23.6	27.1	29.9	
	70歳以上	101	15.3	6.3	0.72	5.4	7.3	7.9	11.6	14.1	18.7	23.3	26.3	37.4	
	(再掲)20歳以上※	340	13.1	5.5	0.49	4.4	6.0	7.1	9.3	12.3	15.4	20.3	23.6	29.9	
	(再掲)65-74歳	81	15.5	6.8	1.21	4.7	7.2	8.2	11.9	14.0	17.8	24.8	29.2	37.8	
	(再掲)75歳以上	60	14.8	5.6	0.53	5.9	7.3	7.8	10.7	13.9	18.7	23.3	24.2	30.6	
	(再掲)20-49歳※	108	11.3	3.7	0.32	4.2	5.5	6.4	8.7	11.3	13.3	16.6	18.9	20.1	
	(再掲)40-74歳※	214	13.6	5.9	0.66	4.5	6.0	7.1	9.5	12.8	16.4	21.1	25.2	33.2	
	女性	20-29歳	30	12.4	11.3	2.10	4.6	5.2	5.8	6.7	9.2	12.2	21.5	40.0	61.0
		30-39歳	45	9.7	3.5	0.51	0.6	3.8	6.0	7.0	9.2	11.7	14.9	16.8	18.5
		40-49歳	64	12.2	6.2	1.03	1.4	3.6	6.6	8.6	10.6	13.7	21.7	27.0	29.4
50-59歳		66	11.0	4.0	0.44	2.9	4.5	6.6	8.3	10.7	12.6	16.5	18.2	23.4	
60-69歳		64	13.1	4.9	0.53	3.6	6.0	7.5	10.4	12.7	14.5	19.4	24.8	26.0	
70歳以上		142	13.6	5.9	0.47	4.6	6.8	7.8	9.6	12.1	15.8	20.1	24.0	37.1	
(再掲)20歳以上※		411	12.4	6.1	0.32	2.9	5.6	6.8	8.7	11.4	14.3	19.0	24.0	34.2	
(再掲)65-74歳		93	13.6	6.1	0.73	3.6	6.7	7.9	10.2	12.4	15.0	19.8	24.9	37.8	
(再掲)75歳以上		86	13.1	5.1	0.77	3.8	6.6	7.2	9.4	12.0	16.0	19.5	21.5	32.9	
(再掲)20-49歳※		139	11.5	7.2	0.69	1.3	4.8	6.2	7.5	9.7	13.1	18.6	24.1	48.5	
(再掲)40-74歳※		250	12.6	5.7	0.43	3.0	5.6	6.8	9.0	11.7	14.4	19.8	24.5	33.1	
男女計		20-29歳	63	11.8	8.0	1.04	3.7	5.4	6.1	8.0	10.5	13.0	16.2	21.1	61.0
		30-39歳	78	9.9	3.3	0.40	1.0	4.9	6.3	7.7	9.6	11.9	14.4	15.8	18.9
		40-49歳	106	12.2	5.3	0.59	2.9	5.2	6.3	8.7	11.4	14.7	19.5	21.8	29.1
	50-59歳	130	11.7	5.0	0.46	3.5	5.1	6.9	8.6	10.9	13.2	17.9	22.8	28.9	
	60-69歳	131	13.8	5.6	0.78	3.3	6.1	7.3	10.1	13.1	16.4	23.4	25.1	29.4	
	70歳以上	243	14.3	6.1	0.46	5.5	6.9	7.8	10.2	13.3	16.9	21.9	24.7	38.1	
	(再掲)20歳以上※	751	12.7	5.8	0.34	3.6	6.0	6.8	8.9	11.8	14.7	19.8	23.6	31.6	
	(再掲)65-74歳	174	14.5	6.5	0.93	4.1	6.8	7.9	10.4	13.2	16.4	22.3	27.7	38.2	
	(再掲)75歳以上	146	13.8	5.3	0.56	4.7	7.0	7.7	9.5	12.7	16.9	21.5	23.5	31.8	
	(再掲)20-49歳※	247	11.4	5.7	0.36	2.7	5.2	6.3	8.3	10.6	13.2	17.0	19.8	28.8	
	(再掲)40-74歳※	464	13.1	5.8	0.51	3.4	6.0	7.1	9.2	12.1	15.5	20.2	24.8	33.4	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ビタミンA(μgRE)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	415	224	38	65	99	125	227	446	538	642	862	1,169	
	30-39歳	33	484	400	59	44	76	118	254	390	582	1,036	1,567	1,701	
	40-49歳	42	430	245	37	64	99	132	254	403	508	797	966	1,238	
	50-59歳	64	535	720	89	82	106	141	269	397	595	957	1,393	6,848	
	60-69歳	67	642	1,976	117	10	74	176	286	458	593	956	1,337	35,415	
	70歳以上	101	843	1,963	228	35	78	147	279	409	659	1,083	1,831	13,863	
	(再掲)20歳以上※	340	596	1,339	68	51	96	132	276	406	582	904	1,334	7,590	
	(再掲)65-74歳	81	794	2,024	172	75	101	195	270	452	875	1,340	1,461	27,501	
	(再掲)75歳以上	60	881	2,326	356	25	64	127	280	391	571	782	3,217	14,605	
	(再掲)20-49歳※	108	443	296	30	49	97	129	253	405	545	805	1,020	1,662	
	(再掲)40-74歳※	214	581	1,246	71	61	101	154	278	407	608	963	1,329	7,230	
	女性	20-29歳	30	587	703	114	77	87	174	241	377	714	1,233	1,720	4,628
		30-39歳	45	430	293	39	43	71	119	172	358	649	811	986	1,705
		40-49歳	64	476	352	54	41	112	145	231	390	567	954	1,391	1,973
50-59歳		66	513	493	65	76	151	187	273	386	565	921	1,257	3,734	
60-69歳		64	655	1,283	85	100	134	183	314	480	638	1,002	1,255	17,907	
70歳以上		142	545	445	44	29	90	141	278	435	690	1,018	1,333	2,639	
(再掲)20歳以上※		411	537	661	27	60	117	151	269	412	638	967	1,264	2,788	
(再掲)65-74歳		93	615	1,131	65	34	116	182	280	433	671	989	1,378	10,095	
(再掲)75歳以上		86	553	497	73	28	84	127	278	434	680	988	1,193	3,816	
(再掲)20-49歳※		139	488	448	38	42	100	138	232	362	588	917	1,269	2,527	
(再掲)40-74歳※		250	545	749	31	80	128	169	280	417	617	943	1,321	2,508	
男女計		20-29歳	63	496	514	62	66	99	129	241	426	551	825	1,243	4,628
		30-39歳	78	458	351	45	43	84	118	240	359	594	884	1,161	1,705
		40-49歳	106	453	302	35	45	110	140	245	400	553	898	1,064	1,625
	50-59歳	130	524	616	59	77	132	160	274	394	578	918	1,269	4,607	
	60-69歳	131	649	1,656	96	17	119	183	314	474	635	959	1,322	8,907	
	70歳以上	243	671	1,328	105	39	88	145	279	434	673	1,046	1,437	8,726	
	(再掲)20歳以上※	751	565	1,044	38	59	102	145	272	407	611	947	1,270	3,804	
	(再掲)65-74歳	174	700	1,620	100	70	114	183	276	435	701	1,103	1,437	8,660	
	(再掲)75歳以上	146	686	1,528	160	30	79	128	279	429	657	967	1,252	12,246	
	(再掲)20-49歳※	247	465	378	25	44	102	130	243	390	561	853	1,076	1,718	
(再掲)40-74歳※	464	563	1,023	44	63	118	167	280	412	611	956	1,321	2,689		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

β-カロテン当量(μg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	2,520	1,813	303	49	60	399	1,039	2,450	3,397	4,604	7,126	7,783	
	30-39歳	33	2,954	2,750	415	67	73	183	854	2,537	4,089	6,147	10,230	11,483	
	40-49歳	42	3,293	3,309	361	351	495	527	1,157	3,150	4,213	6,997	8,448	10,140	
	50-59歳	64	3,309	3,267	535	51	348	400	952	2,490	4,651	6,247	9,564	16,566	
	60-69歳	67	3,629	2,982	378	35	310	547	1,454	3,081	4,796	7,010	12,729	13,138	
	70歳以上	101	3,481	3,048	346	82	188	508	1,374	2,633	4,785	7,704	9,214	14,100	
	(再掲)20歳以上※	340	3,278	2,812	188	58	242	514	1,263	2,763	4,297	6,728	9,075	13,922	
	(再掲)65-74歳	81	4,107	3,589	570	36	302	638	1,462	2,742	6,017	9,071	12,881	14,236	
	(再掲)75歳以上	60	2,901	2,361	305	156	160	297	1,080	2,613	3,655	6,011	6,923	12,065	
	(再掲)20-49歳※	108	2,993	2,350	260	49	168	517	1,194	2,795	3,890	6,004	8,058	11,236	
	(再掲)40-74歳※	214	3,559	3,024	273	59	373	530	1,359	2,874	4,627	7,276	9,407	15,287	
	女性	20-29歳	30	3,438	3,675	682	220	294	512	1,137	2,342	4,411	6,986	13,758	17,775
		30-39歳	45	2,869	2,483	342	15	33	150	907	2,134	4,282	7,025	7,822	10,028
		40-49歳	64	3,596	3,534	573	35	70	254	1,198	2,936	4,807	7,940	13,321	16,566
50-59歳		66	3,191	2,695	365	24	260	380	1,159	2,312	4,757	7,328	9,184	12,154	
60-69歳		64	3,747	2,894	255	40	285	784	1,890	2,995	4,916	6,454	9,836	18,897	
70歳以上		142	3,793	3,179	262	94	253	598	1,362	2,925	5,655	8,751	9,393	14,404	
(再掲)20歳以上※		411	3,529	3,103	168	34	199	554	1,322	2,821	4,890	7,935	9,123	16,111	
(再掲)65-74歳		93	3,763	3,236	327	40	510	846	1,477	2,745	5,018	8,587	11,485	14,375	
(再掲)75歳以上		86	3,616	2,861	384	36	156	364	1,318	2,977	5,628	8,629	9,005	14,082	
(再掲)20-49歳※		139	3,330	3,272	324	16	73	367	1,029	2,640	4,442	7,056	8,348	17,297	
(再掲)40-74歳※		250	3,638	3,198	229	38	252	746	1,463	2,921	4,900	7,966	10,207	16,194	
男女計		20-29歳	63	2,953	2,864	340	49	213	454	1,234	2,403	3,427	6,080	7,834	17,775
		30-39歳	78	2,912	2,608	345	15	66	175	877	2,149	4,268	6,865	8,602	11,483
		40-49歳	106	3,442	2,966	361	47	255	519	1,195	3,064	4,242	7,031	9,083	16,454
	50-59歳	130	3,250	2,986	347	35	271	397	1,115	2,429	4,743	6,293	9,352	16,290	
	60-69歳	131	3,689	2,930	258	36	329	653	1,816	2,995	4,872	6,684	10,393	14,948	
	70歳以上	243	3,661	3,122	230	120	225	564	1,380	2,823	5,265	8,639	9,238	14,349	
	(再掲)20歳以上※	751	3,408	2,967	139	48	220	518	1,310	2,777	4,548	7,132	9,072	14,490	
	(再掲)65-74歳	174	3,928	3,406	357	40	340	744	1,477	2,738	5,674	8,734	12,715	14,409	
	(再掲)75歳以上	146	3,328	2,687	310	100	160	317	1,278	2,823	4,548	7,122	8,901	12,467	
	(再掲)20-49歳※	247	3,156	2,835	211	37	137	481	1,053	2,759	4,139	6,753	8,232	16,323	
	(再掲)40-74歳※	464	3,599	3,111	220	49	351	633	1,394	2,890	4,744	7,761	9,618	15,960	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ビタミンD(μg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	6.0	6.6	1.19	0.4	0.6	1.0	2.2	3.3	7.0	18.7	23.9	24.5	
	30-39歳	33	6.8	9.3	1.71	0.2	0.4	0.7	1.3	2.6	7.8	25.2	29.7	32.5	
	40-49歳	42	6.4	6.2	1.06	0.4	1.1	1.1	1.5	3.2	9.8	17.1	20.2	25.8	
	50-59歳	64	7.0	6.3	0.72	0.1	0.6	1.2	2.0	4.6	10.6	18.3	22.0	27.6	
	60-69歳	67	10.8	12.5	1.70	1.0	1.3	1.8	3.1	6.1	14.9	27.6	33.4	59.9	
	70歳以上	101	10.0	8.0	0.75	0.4	1.0	1.5	3.5	7.5	14.0	22.6	26.3	33.0	
	(再掲)20歳以上※	340	8.2	8.6	0.57	0.4	0.9	1.2	2.2	4.9	11.2	19.4	24.9	33.6	
	(再掲)65-74歳	81	8.9	7.7	0.73	0.6	1.3	1.6	3.5	6.7	13.2	23.1	27.6	34.0	
	(再掲)75歳以上	60	10.8	8.4	1.02	0.4	0.9	1.4	3.6	8.6	17.8	23.2	26.9	33.6	
	(再掲)20-49歳※	108	6.4	7.3	0.80	0.3	0.7	1.0	1.4	3.2	8.7	18.8	24.5	31.5	
	(再掲)40-74歳※	214	8.2	8.7	0.66	0.3	1.1	1.4	2.3	5.6	11.0	19.1	24.6	43.0	
	女性	20-29歳	30	3.7	5.0	0.93	0.3	0.5	0.7	0.9	1.5	5.3	12.4	19.3	20.4
		30-39歳	45	6.0	8.6	1.49	0.1	0.2	0.3	1.2	2.4	6.7	18.8	29.6	33.8
		40-49歳	64	5.0	6.2	0.73	0.1	0.3	0.5	1.3	2.2	6.6	17.4	19.2	31.3
50-59歳		66	5.5	6.5	0.89	0.1	0.2	0.8	1.6	3.6	5.7	11.0	23.5	33.9	
60-69歳		64	7.1	6.9	0.85	0.4	0.7	1.1	1.9	3.9	11.1	16.7	21.5	33.1	
70歳以上		142	9.7	9.0	0.87	0.4	1.1	1.4	3.3	7.1	13.8	22.4	24.1	46.8	
(再掲)20歳以上※		411	7.0	7.8	0.65	0.2	0.5	0.9	1.5	3.9	9.5	18.8	23.0	33.7	
(再掲)65-74歳		93	7.9	6.4	0.77	0.4	1.1	1.4	2.7	6.5	12.3	17.7	21.1	30.6	
(再掲)75歳以上		86	10.7	10.3	1.34	0.4	1.1	1.2	3.4	7.2	17.0	23.7	27.0	58.4	
(再掲)20-49歳※		139	5.0	6.8	0.68	0.1	0.3	0.5	1.2	2.1	5.5	15.9	20.5	32.6	
(再掲)40-74歳※		250	6.3	6.5	0.50	0.2	0.5	0.8	1.6	3.9	8.8	16.2	21.0	31.7	
男女計		20-29歳	63	4.9	6.0	0.88	0.3	0.5	0.8	1.3	2.7	5.5	16.8	20.5	24.5
		30-39歳	78	6.4	8.9	1.51	0.1	0.3	0.6	1.2	2.5	7.7	23.5	30.7	33.8
		40-49歳	106	5.7	6.2	0.61	0.2	0.5	0.8	1.4	2.6	8.4	17.3	19.0	25.7
	50-59歳	130	6.2	6.4	0.69	0.1	0.4	0.9	1.9	4.0	8.7	14.5	22.2	30.9	
	60-69歳	131	8.9	10.2	1.04	0.5	1.1	1.4	2.1	5.1	12.8	20.3	28.6	53.9	
	70歳以上	243	9.8	8.6	0.68	0.4	1.1	1.5	3.4	7.4	13.8	22.4	24.6	33.6	
	(再掲)20歳以上※	751	7.5	8.2	0.55	0.2	0.7	1.1	1.9	4.2	10.5	19.4	24.1	33.6	
	(再掲)65-74歳	174	8.4	7.1	0.63	0.5	1.3	1.5	2.9	6.5	12.5	19.9	23.2	31.9	
	(再掲)75歳以上	146	10.8	9.6	1.09	0.4	1.0	1.3	3.4	7.5	17.4	23.3	26.4	46.8	
	(再掲)20-49歳※	247	5.7	7.1	0.64	0.2	0.4	0.8	1.3	2.6	6.9	17.0	23.0	30.8	
	(再掲)40-74歳※	464	7.2	7.7	0.46	0.2	0.7	1.2	2.0	4.2	10.1	18.0	22.6	32.8	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ビタミンE(mg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	7.4	4.2	0.65	1.1	2.4	4.0	4.5	6.7	9.6	11.9	17.9	22.0	
	30-39歳	33	6.4	3.0	0.63	2.3	2.3	2.7	4.8	5.7	7.5	9.6	13.0	15.0	
	40-49歳	42	6.8	2.6	0.42	1.9	2.2	2.8	4.7	7.0	9.0	10.2	10.9	11.1	
	50-59歳	64	6.9	3.8	0.66	1.9	2.5	3.2	4.7	6.1	7.9	11.4	14.3	23.3	
	60-69歳	67	7.9	3.6	0.48	0.9	2.6	3.3	5.4	7.2	10.2	13.8	15.5	17.9	
	70歳以上	101	8.0	4.0	0.48	2.0	2.5	3.3	5.0	7.2	10.0	13.5	14.6	20.2	
	(再掲)20歳以上※	340	7.3	3.6	0.26	1.9	2.5	3.2	4.8	6.8	9.2	12.0	14.3	20.4	
	(再掲)65-74歳	81	8.2	3.6	0.45	1.9	3.2	3.8	5.5	7.6	10.4	13.8	15.4	17.7	
	(再掲)75歳以上	60	7.5	4.3	0.57	1.9	2.4	2.5	4.2	6.5	9.7	13.5	15.9	20.8	
	(再掲)20-49歳※	108	6.8	3.2	0.28	2.0	2.3	2.9	4.8	6.5	8.6	10.2	11.5	20.5	
	(再掲)40-74歳※	214	7.5	3.4	0.33	1.9	2.7	3.4	5.0	7.1	9.3	11.8	14.0	18.6	
	女性	20-29歳	30	5.9	3.5	0.48	1.5	2.4	3.0	3.4	5.0	6.9	11.5	14.5	18.2
		30-39歳	45	5.8	2.7	0.39	0.7	1.8	2.6	3.8	5.3	7.3	9.7	11.8	12.7
		40-49歳	64	7.0	4.1	0.65	0.9	2.0	3.5	4.6	5.9	8.3	11.1	15.1	22.4
50-59歳		66	7.0	2.8	0.33	1.4	3.3	3.9	5.2	6.7	8.4	11.1	12.1	16.1	
60-69歳		64	7.2	3.6	0.36	2.1	2.8	3.5	5.4	6.4	8.4	11.7	13.2	28.5	
70歳以上		142	7.7	4.0	0.36	1.8	2.6	3.5	4.6	7.3	9.8	12.5	16.4	21.5	
(再掲)20歳以上※		411	7.0	3.7	0.25	1.7	2.6	3.4	4.6	6.1	8.6	11.6	13.4	21.8	
(再掲)65-74歳		93	7.5	3.5	0.39	1.8	2.7	3.7	5.2	7.1	8.9	12.0	13.8	20.6	
(再掲)75歳以上		86	7.3	4.1	0.48	2.0	2.5	3.1	4.1	6.7	9.3	11.9	16.3	21.6	
(再掲)20-49歳※		139	6.4	3.6	0.39	0.8	2.2	3.2	4.1	5.6	7.7	10.8	12.6	22.3	
(再掲)40-74歳※		250	7.3	3.7	0.32	1.7	3.2	3.8	5.1	6.6	8.8	11.8	13.7	22.3	
男女計		20-29歳	63	6.7	3.9	0.51	1.5	2.5	3.1	4.1	5.7	8.7	11.1	16.1	22.0
		30-39歳	78	6.1	2.9	0.47	0.7	2.2	2.7	4.2	5.6	7.3	9.5	12.4	15.0
		40-49歳	106	6.9	3.4	0.37	1.4	2.2	3.3	4.7	6.3	8.8	10.7	11.2	22.3
	50-59歳	130	7.0	3.3	0.38	1.7	2.8	3.5	4.9	6.6	8.1	11.3	12.6	21.4	
	60-69歳	131	7.5	3.6	0.36	1.6	2.8	3.5	5.4	7.0	8.8	12.8	15.3	21.2	
	70歳以上	243	7.8	4.0	0.32	1.9	2.5	3.4	4.7	7.3	9.8	13.3	16.6	21.0	
	(再掲)20歳以上※	751	7.2	3.7	0.23	1.9	2.5	3.3	4.7	6.5	8.8	11.7	14.0	21.3	
	(再掲)65-74歳	174	7.9	3.6	0.33	1.9	2.8	3.8	5.3	7.4	9.5	13.2	15.3	17.1	
	(再掲)75歳以上	146	7.4	4.2	0.42	2.0	2.5	2.8	4.2	6.6	9.6	13.0	16.3	21.3	
	(再掲)20-49歳※	247	6.6	3.4	0.29	1.6	2.3	3.1	4.5	5.8	8.2	10.5	12.5	22.0	
	(再掲)40-74歳※	464	7.4	3.5	0.29	1.9	2.8	3.6	5.1	6.9	8.9	11.7	13.9	21.0	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ビタミンK(μg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	193	96	15.2	57	65	80	109	180	255	277	412	470	
	30-39歳	33	228	151	23.6	44	44	81	118	151	383	455	520	559	
	40-49歳	42	273	221	34.0	20	41	67	132	213	298	760	807	846	
	50-59歳	64	232	145	20.0	34	59	86	133	203	313	430	538	808	
	60-69歳	67	307	190	23.2	10	88	91	157	275	428	581	665	942	
	70歳以上	101	314	212	18.9	25	51	65	166	287	426	560	674	1,008	
	(再掲)20歳以上※	340	269	188	11.5	23	58	80	132	222	373	505	631	954	
	(再掲)65-74歳	81	330	219	28.8	32	62	84	162	309	426	634	828	986	
	(再掲)75歳以上	60	295	187	24.5	25	35	65	177	264	418	512	608	1,012	
	(再掲)20-49歳※	108	239	177	19.7	23	57	79	117	179	285	487	667	839	
	(再掲)40-74歳※	214	284	202	16.9	21	58	83	138	228	381	567	754	960	
	女性	20-29歳	30	188	111	14.7	31	46	70	92	158	279	356	411	453
		30-39歳	45	197	122	17.1	12	32	61	98	166	291	392	447	498
		40-49歳	64	249	193	23.6	41	65	85	113	187	295	542	728	858
50-59歳		66	274	188	27.6	26	80	88	136	232	368	492	619	936	
60-69歳		64	281	172	18.3	31	70	105	151	262	374	523	650	942	
70歳以上		142	302	234	19.0	25	46	74	127	247	415	574	700	1,226	
(再掲)20歳以上※		411	264	195	10.0	26	60	80	122	215	351	492	641	996	
(再掲)65-74歳		93	303	243	27.1	31	66	89	142	250	387	539	945	1,334	
(再掲)75歳以上		86	296	204	24.9	25	40	64	127	268	430	563	661	1,029	
(再掲)20-49歳※		139	218	158	11.6	26	57	71	106	182	295	428	523	828	
(再掲)40-74歳※		250	277	208	15.1	36	71	88	132	215	352	526	655	1,016	
男女計		20-29歳	63	191	103	10.7	33	59	71	106	174	260	347	401	470
		30-39歳	78	213	138	18.0	18	45	66	115	161	299	436	469	559
		40-49歳	106	262	207	25.2	22	52	82	116	198	294	589	805	854
	50-59歳	130	253	168	19.4	28	65	88	134	207	344	470	600	912	
	60-69歳	131	294	181	18.8	15	77	92	154	266	411	555	650	935	
	70歳以上	243	308	225	15.6	25	47	70	139	271	422	572	689	1,029	
	(再掲)20歳以上※	751	267	192	9.2	25	58	80	126	217	357	500	637	966	
	(再掲)65-74歳	174	316	232	25.2	32	64	87	153	273	421	576	823	1,124	
	(再掲)75歳以上	146	296	197	22.9	25	38	66	138	267	425	531	623	1,020	
	(再掲)20-49歳※	247	229	168	13.7	26	57	75	112	182	288	447	548	828	
	(再掲)40-74歳※	464	281	205	14.4	30	64	88	136	225	375	549	716	983	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ビタミンB₁(mg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	1.14	0.51	0.088	0.42	0.57	0.64	0.80	1.04	1.27	1.96	2.39	2.94	
	30-39歳	33	1.09	0.57	0.104	0.34	0.37	0.46	0.71	0.86	1.69	1.99	2.15	2.35	
	40-49歳	42	1.09	0.51	0.071	0.29	0.35	0.51	0.70	0.94	1.38	1.84	2.15	2.44	
	50-59歳	64	1.02	0.55	0.082	0.36	0.45	0.56	0.65	0.87	1.19	1.77	2.18	3.48	
	60-69歳	67	1.14	0.58	0.072	0.11	0.44	0.54	0.76	0.98	1.51	1.77	2.03	3.64	
	70歳以上	101	1.10	0.54	0.054	0.33	0.44	0.52	0.67	1.02	1.37	1.83	2.22	3.09	
	(再掲)20歳以上※	340	1.10	0.54	0.038	0.33	0.44	0.56	0.70	0.97	1.36	1.84	2.16	2.95	
	(再掲)65-74歳	81	1.21	0.64	0.071	0.34	0.53	0.60	0.75	1.03	1.50	2.09	2.55	3.61	
	(再掲)75歳以上	60	0.97	0.39	0.041	0.34	0.42	0.47	0.63	1.01	1.31	1.48	1.57	1.89	
	(再掲)20-49歳※	108	1.10	0.53	0.051	0.30	0.42	0.57	0.71	0.96	1.33	1.92	2.16	2.80	
女性	(再掲)40-74歳※	214	1.12	0.57	0.047	0.28	0.45	0.57	0.70	0.96	1.41	1.83	2.19	3.44	
	20-29歳	30	0.91	0.43	0.069	0.36	0.43	0.48	0.61	0.83	1.07	1.59	1.86	2.38	
	30-39歳	45	0.88	0.50	0.085	0.14	0.33	0.35	0.51	0.76	1.07	1.75	2.09	2.25	
	40-49歳	64	1.05	0.69	0.096	0.16	0.31	0.50	0.67	0.84	1.12	1.72	2.69	4.28	
	50-59歳	66	0.87	0.36	0.044	0.22	0.39	0.48	0.67	0.78	1.03	1.27	1.55	2.45	
	60-69歳	64	0.99	0.47	0.071	0.32	0.42	0.53	0.65	0.89	1.13	1.73	1.97	2.48	
	70歳以上	142	0.92	0.43	0.037	0.29	0.40	0.42	0.61	0.86	1.13	1.45	1.92	2.13	
	(再掲)20歳以上※	411	0.94	0.49	0.031	0.24	0.39	0.47	0.63	0.83	1.11	1.52	1.96	2.92	
	(再掲)65-74歳	93	0.95	0.47	0.055	0.31	0.39	0.48	0.65	0.87	1.07	1.68	2.01	2.81	
	(再掲)75歳以上	86	0.91	0.40	0.041	0.26	0.40	0.41	0.55	0.88	1.15	1.45	1.67	1.99	
男女計	(再掲)20-49歳※	139	0.96	0.58	0.056	0.15	0.35	0.47	0.60	0.83	1.10	1.70	2.09	3.46	
	(再掲)40-74歳※	250	0.96	0.52	0.040	0.22	0.40	0.50	0.66	0.83	1.10	1.65	1.96	3.37	
	20-29歳	63	1.03	0.49	0.057	0.38	0.47	0.56	0.67	0.94	1.18	1.72	2.08	2.94	
	30-39歳	78	0.99	0.55	0.076	0.20	0.35	0.41	0.61	0.83	1.22	1.97	2.09	2.35	
	40-49歳	106	1.07	0.61	0.068	0.19	0.36	0.50	0.69	0.90	1.31	1.75	2.11	3.72	
	50-59歳	130	0.94	0.47	0.050	0.29	0.44	0.50	0.66	0.82	1.09	1.53	1.86	3.04	
	60-69歳	131	1.06	0.53	0.063	0.16	0.43	0.54	0.71	0.92	1.36	1.76	1.97	3.20	
	70歳以上	243	1.00	0.49	0.035	0.32	0.40	0.45	0.64	0.92	1.24	1.60	1.97	2.87	
	(再掲)20歳以上※	751	1.01	0.52	0.030	0.28	0.41	0.50	0.66	0.90	1.24	1.73	1.99	2.92	
	(再掲)65-74歳	174	1.08	0.57	0.055	0.32	0.42	0.54	0.70	0.92	1.29	1.84	2.25	3.12	
(再掲)75歳以上	146	0.93	0.40	0.035	0.29	0.40	0.44	0.58	0.91	1.24	1.46	1.59	1.98		
(再掲)20-49歳※	247	1.03	0.56	0.041	0.23	0.38	0.49	0.67	0.87	1.28	1.88	2.09	3.28		
(再掲)40-74歳※	464	1.04	0.55	0.036	0.25	0.42	0.52	0.68	0.90	1.27	1.77	2.09	3.30		

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ビタミンB₂(mg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	1.16	0.32	0.064	0.46	0.59	0.78	0.91	1.17	1.36	1.58	1.76	1.88	
	30-39歳	33	1.25	0.69	0.168	0.42	0.45	0.54	0.74	1.11	1.46	2.37	2.74	2.94	
	40-49歳	42	1.08	0.38	0.044	0.47	0.58	0.65	0.80	1.00	1.34	1.54	1.87	2.14	
	50-59歳	64	1.22	0.54	0.089	0.38	0.43	0.55	0.91	1.11	1.61	1.82	2.37	3.08	
	60-69歳	67	1.34	0.69	0.057	0.15	0.64	0.72	1.02	1.27	1.68	1.82	2.12	11.04	
	70歳以上	101	1.42	0.61	0.053	0.29	0.50	0.81	1.06	1.29	1.74	2.23	2.54	3.50	
	(再掲)20歳以上※	340	1.27	0.58	0.038	0.32	0.53	0.68	0.92	1.17	1.53	1.88	2.33	3.16	
	(再掲)65-74歳	81	1.43	0.72	0.071	0.51	0.66	0.81	1.04	1.27	1.75	2.17	2.50	8.76	
	(再掲)75歳以上	60	1.36	0.61	0.089	0.27	0.34	0.71	1.02	1.28	1.55	2.14	2.48	3.51	
	(再掲)20-49歳※	108	1.15	0.49	0.062	0.42	0.55	0.64	0.81	1.09	1.40	1.67	2.21	2.88	
女性	(再掲)40-74歳※	214	1.26	0.58	0.041	0.39	0.57	0.68	0.93	1.17	1.57	1.85	2.15	3.11	
	20-29歳	30	1.04	0.45	0.107	0.30	0.45	0.53	0.72	0.90	1.35	1.78	1.98	2.06	
	30-39歳	45	1.01	0.45	0.093	0.14	0.38	0.51	0.70	0.98	1.23	1.62	1.95	2.26	
	40-49歳	64	1.18	0.46	0.058	0.48	0.61	0.69	0.81	1.09	1.52	1.71	1.99	2.83	
	50-59歳	66	1.17	0.42	0.048	0.29	0.47	0.69	0.85	1.07	1.42	1.67	1.95	2.32	
	60-69歳	64	1.19	0.57	0.082	0.36	0.46	0.55	0.82	1.11	1.46	1.72	2.18	6.07	
	70歳以上	142	1.28	0.52	0.050	0.29	0.39	0.59	0.86	1.30	1.65	1.97	2.21	2.64	
	(再掲)20歳以上※	411	1.18	0.50	0.027	0.33	0.48	0.61	0.81	1.11	1.48	1.86	2.12	2.52	
	(再掲)65-74歳	93	1.26	0.57	0.046	0.34	0.45	0.60	0.87	1.18	1.55	1.96	2.22	3.85	
	(再掲)75歳以上	86	1.28	0.53	0.072	0.33	0.37	0.52	0.84	1.31	1.69	1.97	2.16	2.77	
男女計	(再掲)20-49歳※	139	1.09	0.46	0.049	0.32	0.49	0.61	0.76	1.01	1.35	1.73	1.92	2.58	
	(再掲)40-74歳※	250	1.20	0.49	0.032	0.35	0.49	0.68	0.84	1.11	1.49	1.78	2.21	2.71	
	20-29歳	63	1.10	0.39	0.064	0.38	0.52	0.63	0.81	1.04	1.35	1.65	1.89	2.06	
	30-39歳	78	1.13	0.59	0.116	0.19	0.43	0.54	0.73	1.01	1.36	2.16	2.37	2.94	
	40-49歳	106	1.13	0.42	0.036	0.48	0.59	0.66	0.81	1.02	1.39	1.67	1.89	2.70	
	50-59歳	130	1.19	0.48	0.058	0.31	0.44	0.66	0.88	1.07	1.47	1.79	2.10	2.84	
	60-69歳	131	1.26	0.64	0.062	0.17	0.49	0.68	0.95	1.17	1.53	1.80	2.19	3.48	
	70歳以上	243	1.34	0.56	0.040	0.31	0.43	0.66	0.98	1.30	1.68	2.00	2.26	3.34	
	(再掲)20歳以上※	751	1.22	0.54	0.029	0.34	0.49	0.64	0.85	1.15	1.50	1.87	2.20	2.88	
	(再掲)65-74歳	174	1.34	0.65	0.050	0.36	0.55	0.70	0.98	1.22	1.63	2.01	2.36	3.36	
(再掲)75歳以上	146	1.31	0.57	0.072	0.30	0.37	0.54	0.92	1.30	1.65	2.00	2.26	3.47		
(再掲)20-49歳※	247	1.12	0.47	0.047	0.40	0.54	0.62	0.79	1.02	1.37	1.68	2.08	2.87		
(再掲)40-74歳※	464	1.23	0.54	0.030	0.39	0.54	0.69	0.87	1.15	1.52	1.83	2.16	2.83		

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ナインシ当量(mgNE)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	35.3	16.9	2.97	15.9	18.4	19.1	26.0	32.5	36.7	56.9	76.7	98.4	
	30-39歳	33	33.3	11.6	2.41	10.8	17.4	18.3	27.0	32.7	40.1	50.2	54.2	70.0	
	40-49歳	42	33.8	9.7	1.19	14.7	16.6	21.2	28.0	32.8	38.7	47.7	52.9	71.8	
	50-59歳	64	35.4	14.5	1.66	14.1	17.9	20.2	27.7	31.7	44.5	51.8	57.1	97.1	
	60-69歳	67	37.5	13.3	1.92	10.8	20.6	24.6	27.7	36.8	45.5	53.8	69.6	79.7	
	70歳以上	101	37.4	15.9	1.26	14.0	15.6	20.7	25.0	34.9	46.5	58.4	64.2	92.0	
	(再掲)20歳以上※	340	35.7	13.9	0.80	12.4	17.7	20.6	27.2	33.7	41.4	52.7	60.4	92.6	
	(再掲)65-74歳	81	39.5	14.6	1.78	15.8	21.1	24.6	28.3	37.7	46.0	59.5	64.2	90.5	
	(再掲)75歳以上	60	34.2	14.4	1.28	14.0	14.1	17.1	23.3	31.9	43.1	56.0	58.5	93.1	
	(再掲)20-49歳※	108	34.0	12.4	1.26	11.5	17.7	19.4	27.3	32.8	38.7	49.8	53.1	92.2	
	(再掲)40-74歳※	214	36.7	13.7	1.04	14.1	17.9	22.5	27.9	34.9	43.5	52.9	62.1	89.5	
	女性	20-29歳	30	28.1	9.7	2.17	11.7	15.0	15.8	22.1	26.2	33.9	41.0	48.6	57.8
		30-39歳	45	26.4	8.7	1.43	2.8	11.5	15.1	20.4	26.3	33.5	36.3	42.8	44.4
		40-49歳	64	29.0	11.3	1.52	10.5	15.5	16.0	21.5	25.9	34.5	46.1	49.9	69.3
50-59歳		66	28.4	8.9	1.22	8.6	16.6	19.2	22.4	27.7	32.9	40.0	46.3	56.0	
60-69歳		64	29.1	8.9	1.07	13.4	16.1	17.7	22.4	28.9	33.7	43.3	44.0	64.1	
70歳以上		142	29.9	12.2	0.98	10.2	12.9	15.0	20.7	28.8	35.7	47.1	54.5	60.6	
(再掲)20歳以上※		411	28.8	10.5	0.52	10.0	14.6	16.1	21.8	27.6	34.3	43.0	47.6	59.8	
(再掲)65-74歳		93	30.8	11.4	1.26	13.7	14.8	16.8	22.5	28.9	36.2	47.4	53.8	62.7	
(再掲)75歳以上		86	29.0	12.1	1.13	9.8	11.6	13.9	20.2	28.2	35.3	43.0	53.1	90.7	
(再掲)20-49歳※		139	28.0	10.2	1.06	6.7	15.1	15.9	21.6	26.2	33.6	41.7	46.3	68.8	
(再掲)40-74歳※		250	29.4	10.4	0.60	10.9	15.8	17.2	22.2	27.8	34.5	44.9	49.2	60.7	
男女計		20-29歳	63	31.9	14.3	2.09	12.1	15.8	18.8	23.6	30.9	35.1	43.2	59.3	98.4
		30-39歳	78	29.9	10.8	1.70	4.4	14.8	17.4	22.8	29.0	34.9	42.8	50.2	70.0
		40-49歳	106	31.5	10.8	0.86	11.9	15.9	18.4	24.1	29.9	37.7	46.8	51.3	70.9
	50-59歳	130	31.9	12.5	1.27	10.0	17.4	19.6	24.1	28.8	38.2	48.0	52.9	92.4	
	60-69歳	131	33.2	12.0	1.24	10.9	17.0	20.6	25.1	31.3	39.2	46.2	54.1	79.2	
	70歳以上	243	33.1	14.4	0.88	10.9	14.0	16.1	22.9	31.1	40.2	52.9	59.6	88.1	
	(再掲)20歳以上※	751	32.2	12.7	0.55	10.9	15.7	18.0	23.7	30.5	38.3	47.6	55.4	79.1	
	(再掲)65-74歳	174	35.0	13.7	1.47	14.1	16.0	19.1	25.7	32.7	41.5	53.2	61.3	83.0	
	(再掲)75歳以上	146	31.1	13.3	1.01	10.2	13.0	15.2	21.9	29.1	38.9	48.3	56.1	79.6	
	(再掲)20-49歳※	247	31.1	11.7	0.80	9.8	15.8	18.2	23.5	30.0	35.6	45.1	51.5	70.7	
(再掲)40-74歳※	464	33.0	12.6	0.65	12.9	16.0	19.2	24.9	30.8	38.7	48.8	54.4	79.9		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ビタミンB₆(mg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	1.27	0.60	0.120	0.48	0.61	0.74	0.90	1.15	1.36	2.10	2.84	3.39	
	30-39歳	33	1.29	0.54	0.126	0.43	0.50	0.58	0.86	1.19	1.61	2.04	2.22		
	40-49歳	42	1.21	0.37	0.047	0.42	0.55	0.72	0.95	1.23	1.44	1.75	1.91		
	50-59歳	64	1.32	0.56	0.073	0.47	0.60	0.71	0.93	1.19	1.71	1.97	2.45		
	60-69歳	67	1.51	0.62	0.099	0.47	0.69	0.89	1.04	1.38	1.74	2.40	3.03		
	70歳以上	101	1.49	0.60	0.044	0.49	0.72	0.84	1.03	1.35	1.95	2.30	2.61		
	(再掲)20歳以上※	340	1.37	0.56	0.033	0.46	0.61	0.78	0.97	1.25	1.66	2.10	2.43		
	(再掲)65-74歳	81	1.52	0.57	0.061	0.61	0.81	0.91	1.09	1.39	1.94	2.24	2.66		
	(再掲)75歳以上	60	1.40	0.58	0.059	0.48	0.55	0.75	0.96	1.24	1.90	2.29	2.36		
	(再掲)20-49歳※	108	1.25	0.49	0.051	0.42	0.53	0.69	0.92	1.20	1.46	1.95	2.07		
(再掲)40-74歳※	214	1.39	0.56	0.037	0.42	0.67	0.81	1.00	1.28	1.67	2.10	2.46			
女性	20-29歳	30	1.07	0.38	0.066	0.29	0.44	0.63	0.76	1.04	1.40	1.50	1.83		
	30-39歳	45	1.00	0.37	0.054	0.09	0.40	0.56	0.75	0.95	1.32	1.46	1.59		
	40-49歳	64	1.11	0.56	0.084	0.39	0.51	0.59	0.76	0.93	1.24	1.83	2.45		
	50-59歳	66	1.09	0.38	0.047	0.28	0.61	0.70	0.83	1.03	1.37	1.63	1.80		
	60-69歳	64	1.26	0.41	0.043	0.48	0.58	0.81	0.99	1.19	1.51	1.91	2.08		
	70歳以上	142	1.26	0.48	0.036	0.46	0.52	0.64	0.95	1.24	1.55	1.99	2.13		
	(再掲)20歳以上※	411	1.17	0.46	0.028	0.33	0.53	0.67	0.83	1.09	1.42	1.79	2.05		
	(再掲)65-74歳	93	1.28	0.45	0.051	0.45	0.60	0.71	0.97	1.22	1.56	2.04	2.12		
	(再掲)75歳以上	86	1.25	0.51	0.051	0.41	0.49	0.63	0.90	1.25	1.57	2.01	2.14		
	(再掲)20-49歳※	139	1.07	0.46	0.048	0.12	0.50	0.59	0.76	0.96	1.31	1.58	1.89		
(再掲)40-74歳※	250	1.18	0.46	0.034	0.40	0.59	0.69	0.84	1.09	1.46	1.82	2.06			
男女計	20-29歳	63	1.18	0.52	0.080	0.30	0.59	0.72	0.88	1.07	1.36	1.66	2.24		
	30-39歳	78	1.15	0.48	0.085	0.10	0.48	0.58	0.78	1.08	1.43	1.98	2.33		
	40-49歳	106	1.16	0.47	0.042	0.39	0.53	0.65	0.84	1.07	1.41	1.78	1.94		
	50-59歳	130	1.20	0.49	0.048	0.31	0.63	0.71	0.85	1.11	1.51	1.78	2.10		
	60-69歳	131	1.38	0.53	0.063	0.47	0.67	0.84	1.00	1.27	1.65	2.10	2.39		
	70歳以上	243	1.36	0.55	0.031	0.47	0.58	0.72	1.00	1.26	1.70	2.10	2.33		
	(再掲)20歳以上※	751	1.26	0.52	0.026	0.41	0.57	0.70	0.90	1.18	1.54	2.00	2.18		
	(再掲)65-74歳	174	1.40	0.52	0.046	0.52	0.65	0.81	1.04	1.29	1.66	2.10	2.30		
	(再掲)75歳以上	146	1.31	0.54	0.048	0.46	0.53	0.66	0.92	1.25	1.69	2.11	2.30		
	(再掲)20-49歳※	247	1.16	0.48	0.039	0.33	0.53	0.65	0.82	1.08	1.40	1.78	2.04		
(再掲)40-74歳※	464	1.28	0.52	0.028	0.42	0.60	0.71	0.93	1.19	1.56	1.95	2.22			

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ビタミンB₁₂(μ g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	5.54	6.15	1.03	0.73	1.04	1.57	2.30	3.13	6.36	13.05	21.72	29.54	
	30-39歳	33	6.71	7.64	1.66	0.67	0.98	1.38	2.11	3.36	8.84	21.23	26.17	28.48	
	40-49歳	42	6.06	5.06	0.79	0.98	1.32	2.11	4.11	4.87	8.87	14.33	18.43	20.47	
	50-59歳	64	5.94	4.99	0.53	0.15	1.05	1.65	2.32	4.48	7.68	14.99	17.74	26.06	
	60-69歳	67	7.92	7.37	0.98	1.26	1.77	1.90	3.30	5.37	10.63	17.10	25.14	72.02	
	70歳以上	101	9.72	9.91	1.12	0.11	1.14	1.70	3.59	6.50	11.27	22.87	31.04	47.51	
	(再掲)20歳以上※	340	7.34	7.53	0.39	0.67	1.65	2.41	4.96	9.25	17.46	22.69	43.51	60.41	
	(再掲)65-74歳	81	8.30	7.60	1.00	0.91	1.81	3.30	5.82	10.97	18.37	24.89	60.41	60.41	
	(再掲)75歳以上	60	10.06	11.04	1.50	0.11	1.56	4.50	6.61	11.04	22.41	46.16	47.54	47.54	
	(再掲)20-49歳※	108	6.13	6.20	0.66	0.70	1.41	2.19	3.67	8.12	15.57	18.79	29.29	29.29	
(再掲)40-74歳※	214	7.12	6.51	0.50	0.86	1.72	2.45	5.00	9.41	17.26	19.34	30.50	30.50		
女性	20-29歳	30	3.91	3.82	0.82	0.30	0.82	0.93	1.61	2.20	5.54	10.31	12.55	17.43	
	30-39歳	45	5.27	6.85	1.26	0.14	0.30	0.53	1.52	2.32	5.00	17.86	22.19	25.28	
	40-49歳	64	4.20	4.26	0.47	0.29	0.77	1.23	2.35	3.05	6.26	9.43	14.00	22.74	
	50-59歳	66	5.78	7.19	0.83	0.46	0.93	1.07	1.68	3.05	8.32	13.35	16.83	45.79	
	60-69歳	64	5.62	5.37	0.58	0.82	1.01	1.87	3.62	6.62	16.37	17.41	36.74	36.74	
	70歳以上	142	7.78	7.12	0.60	0.67	1.29	1.43	3.08	5.52	10.60	18.23	23.37	35.85	
	(再掲)20歳以上※	411	5.94	6.34	0.42	0.32	0.81	1.06	1.80	3.46	7.80	14.36	18.83	25.88	
	(再掲)65-74歳	93	6.75	5.76	0.69	0.86	1.25	2.12	5.21	9.41	16.55	18.69	27.19	27.19	
	(再掲)75歳以上	86	8.15	7.86	0.73	0.61	1.17	1.43	3.27	5.76	10.46	21.38	24.53	45.34	
	(再掲)20-49歳※	139	4.47	5.13	0.53	0.28	0.54	1.44	2.26	5.63	12.02	17.42	24.67	24.67	
(再掲)40-74歳※	250	5.61	5.77	0.35	0.36	0.82	1.80	3.12	7.39	13.44	17.46	23.17	23.17		
男女計	20-29歳	63	4.77	5.21	0.67	0.46	0.82	1.00	1.95	2.75	5.62	11.01	17.46	29.54	
	30-39歳	78	6.00	7.26	1.43	0.17	0.54	0.80	1.79	2.68	6.13	17.76	24.80	28.48	
	40-49歳	106	5.15	4.75	0.48	0.31	0.77	0.99	1.66	3.13	7.68	11.92	17.27	21.93	
	50-59歳	130	5.86	6.17	0.57	0.22	1.01	1.16	2.04	3.36	7.70	13.65	17.07	36.43	
	60-69歳	131	6.75	6.51	0.73	0.83	1.29	1.77	2.54	4.96	8.38	16.47	19.21	30.29	
	70歳以上	243	8.60	8.46	0.68	0.65	1.24	1.62	3.16	6.00	10.73	19.00	24.87	46.95	
	(再掲)20歳以上※	751	6.62	6.97	0.36	0.33	0.98	1.33	2.08	4.32	8.51	16.26	19.86	31.12	
	(再掲)65-74歳	174	7.49	6.73	0.78	0.92	1.29	1.68	2.78	5.40	10.21	17.30	21.27	29.77	
	(再掲)75歳以上	146	8.92	9.29	0.85	0.32	1.11	1.50	3.44	6.39	10.66	22.39	26.62	47.45	
	(再掲)20-49歳※	247	5.32	5.76	0.53	0.29	0.77	0.98	1.79	2.82	6.69	12.99	17.95	28.05	
(再掲)40-74歳※	464	6.35	6.19	0.35	0.47	1.04	2.01	4.36	8.40	15.41	18.43	27.81	27.81		

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※ 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	261	93	22.6	95	128	154	187	242	328	408	434	483	
	30-39歳	33	251	108	24.2	43	56	119	163	241	344	400	429	438	
	40-49歳	42	291	104	15.1	99	147	159	220	274	338	460	485	497	
	50-59歳	64	289	116	16.8	62	147	153	214	268	371	484	533	651	
	60-69歳	67	359	180	17.6	36	132	178	264	353	443	529	598	2,562	
	70歳以上	101	397	258	28.2	110	141	198	276	346	454	592	867	1,872	
	(再掲)20歳以上※	340	322	180	11.6	63	137	160	221	290	388	482	541	962	
	(再掲)65-74歳	81	390	208	19.8	128	174	215	281	348	460	595	700	2,170	
	(再掲)75歳以上	60	390	291	44.4	89	114	190	258	345	425	541	850	1,971	
	(再掲)20-49歳※	108	271	104	12.6	43	125	148	188	258	335	439	459	495	
	(再掲)40-74歳※	214	330	160	11.7	81	149	171	235	298	403	496	562	906	
	女性	20-29歳	30	257	183	34.5	76	91	132	171	205	291	389	790	1,000
		30-39歳	45	240	93	14.0	54	99	110	178	229	296	366	420	491
		40-49歳	64	275	120	16.0	91	131	149	196	247	314	451	525	695
50-59歳		66	306	130	15.2	103	135	162	224	288	363	462	575	828	
60-69歳		64	330	150	16.2	119	133	168	242	314	407	496	602	1,434	
70歳以上		142	356	154	17.1	87	135	183	248	333	433	555	632	941	
(再掲)20歳以上※		411	310	147	9.0	88	132	158	208	280	381	499	585	877	
(再掲)65-74歳		93	350	159	14.9	98	152	186	246	315	415	570	634	1,007	
(再掲)75歳以上		86	356	156	24.0	78	132	163	251	344	434	539	610	1,008	
(再掲)20-49歳※		139	260	131	10.9	69	104	139	178	241	304	411	487	880	
(再掲)40-74歳※		250	315	140	10.4	96	136	167	226	284	383	499	596	810	
男女計		20-29歳	63	259	142	21.2	76	125	144	176	218	322	395	445	1,000
		30-39歳	78	246	100	15.6	43	93	119	177	241	318	382	427	491
		40-49歳	106	284	112	10.9	91	138	160	209	261	334	458	488	667
	50-59歳	130	298	123	13.1	84	141	158	219	282	365	460	536	744	
	60-69歳	131	344	166	14.1	47	140	169	249	322	425	524	594	854	
	70歳以上	243	373	205	17.9	110	137	191	258	336	435	570	639	1,205	
	(再掲)20歳以上※	751	315	164	8.1	85	133	158	216	284	385	491	568	933	
	(再掲)65-74歳	174	369	185	14.3	121	159	198	260	323	434	591	688	1,110	
	(再掲)75歳以上	146	370	220	26.7	110	132	177	255	344	432	540	623	1,551	
	(再掲)20-49歳※	247	266	117	8.1	62	124	144	182	246	326	427	460	648	
	(再掲)40-74歳※	464	322	150	9.0	98	147	169	231	289	394	496	586	830	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別		年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
							1	5	10	25	50	75	90	95	99	
男性		20-29歳	33	6.02	1.56	0.241	2.22	3.17	3.85	5.47	5.79	6.85	7.38	9.53	10.60	
		30-39歳	33	5.84	2.15	0.525	2.82	3.09	3.46	4.48	5.21	6.91	8.70	10.50	11.63	
		40-49歳	42	5.67	1.93	0.235	1.93	2.73	3.49	4.29	5.13	7.24	8.16	8.89	10.43	
		50-59歳	64	6.03	1.99	0.303	2.41	2.85	3.51	4.70	5.96	6.72	9.21	10.67	11.09	
		60-69歳	67	6.46	2.36	0.273	1.12	3.02	3.92	5.08	6.38	7.48	9.47	10.55	26.42	
		70歳以上	101	6.82	2.77	0.255	1.86	3.43	4.02	5.10	6.04	8.03	9.95	12.03	17.04	
		(再掲)20歳以上※	340	6.22	2.29	0.141	1.91	3.14	3.73	4.69	5.89	7.34	9.31	10.36	14.23	
		(再掲)65-74歳	81	6.88	2.67	0.312	3.25	3.76	4.09	5.14	6.38	7.82	9.95	12.06	23.04	
		(再掲)75歳以上	60	6.58	2.71	0.381	1.70	2.52	3.80	5.05	5.94	8.39	9.60	10.81	17.36	
		(再掲)20-49歳※	108	5.81	1.91	0.217	1.93	3.08	3.66	4.51	5.70	7.00	8.02	10.00	11.37	
		(再掲)40-74歳※	214	6.25	2.30	0.190	1.88	3.26	3.81	4.67	6.05	7.45	9.15	10.66	14.42	
女性		20-29歳	30	5.31	1.80	0.397	2.03	3.06	3.15	4.55	4.95	5.71	8.12	9.30	9.82	
		30-39歳	45	4.78	1.67	0.283	0.66	1.69	2.60	3.59	4.72	6.10	6.63	7.22	8.11	
		40-49歳	64	5.24	1.90	0.273	1.86	2.79	3.12	3.71	4.72	6.47	8.43	9.03	10.01	
		50-59歳	66	5.42	1.62	0.185	2.08	2.68	3.57	4.41	5.42	6.27	6.97	7.88	10.98	
		60-69歳	64	5.39	1.64	0.211	2.22	3.02	3.64	4.21	5.00	6.60	7.40	8.27	14.89	
		70歳以上	142	5.66	2.16	0.171	1.57	2.27	3.04	4.19	5.45	6.72	8.64	9.80	11.79	
		(再掲)20歳以上※	411	5.38	1.89	0.106	1.84	2.58	3.13	4.14	5.19	6.44	7.84	8.88	11.32	
		(再掲)65-74歳	93	5.63	2.06	0.181	1.82	2.34	3.50	4.34	5.21	6.56	8.64	9.68	12.20	
		(再掲)75歳以上	86	5.64	2.16	0.300	1.92	2.27	2.83	3.96	5.58	6.94	8.54	9.03	11.77	
		(再掲)20-49歳※	139	5.11	1.81	0.220	0.99	2.59	3.06	3.85	4.81	6.18	7.70	8.71	9.89	
		(再掲)40-74歳※	250	5.42	1.83	0.114	2.08	2.81	3.33	4.19	5.17	6.44	7.55	8.92	11.31	
男女計		20-29歳	63	5.68	1.70	0.233	2.04	3.06	3.37	4.65	5.59	6.68	7.53	9.54	10.60	
		30-39歳	78	5.32	1.99	0.363	0.73	2.60	2.99	3.85	5.06	6.46	7.72	8.82	11.63	
		40-49歳	106	5.46	1.92	0.166	1.68	2.78	3.29	4.13	4.77	6.98	8.22	8.92	10.37	
		50-59歳	130	5.72	1.84	0.208	2.17	2.87	3.56	4.67	5.56	6.51	7.62	10.10	11.05	
		60-69歳	131	5.92	2.09	0.229	1.31	3.11	3.81	4.54	5.79	6.92	8.25	9.63	12.26	
		70歳以上	243	6.15	2.50	0.149	1.81	2.36	3.43	4.62	5.69	7.23	9.32	10.77	15.04	
		(再掲)20歳以上※	751	5.79	2.13	0.101	1.91	2.74	3.41	4.44	5.56	6.86	8.46	9.85	12.02	
		(再掲)65-74歳	174	6.23	2.44	0.234	2.11	3.29	3.89	4.63	5.82	7.39	9.42	11.77	14.95	
		(再掲)75歳以上	146	6.02	2.43	0.306	1.76	2.36	3.21	4.41	5.65	7.19	9.00	10.06	15.03	
		(再掲)20-49歳※	247	5.47	1.89	0.157	1.83	2.74	3.20	4.20	5.23	6.63	7.96	9.05	10.48	
		(再掲)40-74歳※	464	5.83	2.11	0.134	1.92	2.93	3.57	4.45	5.51	6.91	8.37	9.91	11.99	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

ビタミンC(mg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	75	38	8	15	26	29	46	61	103	134	146	158	
	30-39歳	33	68	43	9	4	8	16	39	60	84	144	158	160	
	40-49歳	42	83	45	6	14	24	32	51	84	104	142	155	231	
	50-59歳	64	81	52	7	6	19	31	39	69	110	168	200	235	
	60-69歳	67	102	63	7	2	30	38	59	89	143	188	209	496	
	70歳以上	101	114	67	8	13	27	36	75	98	135	203	266	375	
	(再掲)20歳以上※	340	91	57	3	6	21	32	51	83	116	159	205	289	
	(再掲)65-74歳	81	109	61	6	21	33	56	71	88	134	203	217	383	
	(再掲)75歳以上	60	116	71	11	10	21	29	71	105	138	207	284	351	
	(再掲)20-49歳※	108	76	42	4	4	19	27	47	67	100	142	151	227	
	(再掲)40-74歳※	214	93	57	4	12	28	35	52	85	118	159	205	268	
	女性	20-29歳	30	66	40	7	13	26	29	33	49	99	117	133	206
		30-39歳	45	69	45	8	0	10	12	41	66	92	118	178	187
		40-49歳	64	79	53	8	2	13	27	43	70	94	153	216	250
50-59歳		66	90	48	6	13	26	34	50	82	116	163	185	242	
60-69歳		64	106	77	9	7	22	35	57	92	129	204	220	452	
70歳以上		142	124	65	8	10	37	59	78	113	157	205	280	329	
(再掲)20歳以上※		411	98	63	4	7	24	31	55	88	123	185	214	323	
(再掲)65-74歳		93	120	73	9	7	31	50	76	105	144	191	303	427	
(再掲)75歳以上		86	122	62	8	4	31	57	75	114	152	211	248	323	
(再掲)20-49歳※		139	73	48	4	1	12	25	38	65	95	124	174	246	
(再掲)40-74歳※		250	99	65	5	6	25	35	57	87	124	186	215	330	
男女計		20-29歳	63	71	39	5	13	27	29	40	58	100	122	140	206
		30-39歳	78	68	43	7	1	10	13	41	63	89	135	159	187
		40-49歳	106	81	49	5	2	21	29	50	75	101	146	174	248
	50-59歳	130	85	50	5	12	25	32	45	77	112	162	186	239	
	60-69歳	131	104	70	7	2	28	38	58	91	134	200	214	450	
	70歳以上	243	120	66	7	12	31	56	77	105	141	203	269	340	
	(再掲)20歳以上※	751	95	60	3	7	21	31	52	85	121	171	208	307	
	(再掲)65-74歳	174	115	67	7	9	33	55	75	98	136	200	217	383	
	(再掲)75歳以上	146	119	66	8	10	30	43	74	109	142	208	263	339	
	(再掲)20-49歳※	247	75	45	3	3	14	26	43	66	97	140	157	234	
	(再掲)40-74歳※	464	96	61	4	8	28	35	54	86	123	173	211	320	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りに合わせて実際のR1人口構成に合わせた重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	10.9	4.0	0.72	2.0	4.7	5.9	8.4	10.6	12.5	16.0	20.5	21.4	
	30-39歳	33	10.0	3.4	0.76	6.6	6.6	6.7	7.3	9.2	11.8	16.1	17.9	20.1	
	40-49歳	42	10.8	3.4	0.46	4.2	5.6	6.1	8.0	10.8	12.8	14.9	17.7	21.3	
	50-59歳	64	11.1	3.7	0.53	4.6	5.4	7.0	8.1	10.8	13.6	16.2	17.7	24.5	
	60-69歳	67	11.9	3.9	0.70	3.5	5.2	6.9	9.1	11.5	14.3	17.8	18.6	31.1	
	70歳以上	101	12.1	5.3	0.42	4.3	4.8	5.5	7.9	11.6	14.9	19.0	21.6	28.0	
	(再掲)20歳以上※	340	11.3	4.2	0.26	4.2	5.5	6.6	8.1	10.9	13.7	17.3	19.1	24.4	
	(再掲)65-74歳	81	12.9	5.1	0.54	4.7	5.5	6.9	9.3	12.9	15.0	19.6	21.7	30.2	
	(再掲)75歳以上	60	10.8	4.4	0.46	4.3	4.8	5.0	7.2	10.4	13.7	17.9	18.9	22.5	
	(再掲)20-49歳※	108	10.6	3.5	0.39	4.1	5.9	6.6	8.1	10.2	12.6	15.1	17.6	21.4	
	(再掲)40-74歳※	214	11.7	4.3	0.34	4.1	5.5	6.6	8.7	11.3	14.1	17.6	19.4	27.6	
	女性	20-29歳	30	9.1	3.8	0.67	4.3	4.8	5.1	6.7	7.6	10.8	14.0	18.3	18.7
		30-39歳	45	8.6	2.9	0.50	0.4	4.3	5.3	6.7	8.4	10.3	12.1	13.7	17.2
		40-49歳	64	9.6	4.2	0.63	3.4	3.6	4.6	6.5	8.5	12.6	16.1	17.5	23.3
50-59歳		66	9.4	3.3	0.43	3.6	4.9	5.4	6.9	8.8	11.4	14.1	15.5	17.8	
60-69歳		64	10.5	3.5	0.60	2.6	4.9	6.3	7.8	10.2	13.1	14.9	16.5	20.1	
70歳以上		142	10.3	4.2	0.41	3.8	4.3	5.3	7.2	9.8	12.8	15.9	18.2	22.8	
(再掲)20歳以上※		411	9.8	3.8	0.21	3.4	4.6	5.3	7.0	9.2	12.1	14.8	16.8	21.0	
(再掲)65-74歳		93	10.6	4.1	0.52	4.5	5.6	6.3	7.6	9.6	13.2	16.0	18.2	23.3	
(再掲)75歳以上		86	9.8	3.8	0.42	3.5	4.2	5.2	6.6	9.8	12.4	14.4	16.6	20.1	
(再掲)20-49歳※		139	9.2	3.8	0.40	3.1	4.3	5.2	6.6	8.4	11.5	14.0	17.4	21.0	
(再掲)40-74歳※		250	10.1	4.0	0.28	3.3	4.7	5.4	7.3	9.4	12.7	15.7	17.5	23.4	
男女計		20-29歳	63	10.0	4.0	0.46	2.0	5.1	5.4	7.2	9.5	12.1	15.3	18.6	21.4
		30-39歳	78	9.3	3.2	0.51	1.5	5.4	6.3	7.0	8.7	11.0	13.5	17.2	20.1
		40-49歳	106	10.2	3.8	0.33	3.4	4.2	5.4	7.3	10.1	12.7	15.0	17.7	22.8
	50-59歳	130	10.3	3.6	0.41	4.0	5.1	5.8	7.6	9.8	12.4	15.4	16.8	20.6	
	60-69歳	131	11.2	3.8	0.61	2.8	5.4	6.7	8.5	11.0	13.8	15.9	18.1	20.1	
	70歳以上	243	11.1	4.8	0.33	4.1	4.7	5.3	7.4	10.2	14.0	17.8	19.7	27.5	
	(再掲)20歳以上※	751	10.5	4.1	0.19	3.5	5.1	5.8	7.5	9.9	12.8	15.9	18.1	22.5	
	(再掲)65-74歳	174	11.7	4.7	0.48	4.7	5.5	6.5	8.1	10.9	14.6	18.4	19.9	27.8	
	(再掲)75歳以上	146	10.2	4.1	0.35	3.6	4.3	5.2	7.0	9.8	12.6	16.3	18.6	20.6	
	(再掲)20-49歳※	247	9.9	3.7	0.26	3.2	5.0	5.7	7.1	9.5	12.0	14.5	17.5	21.3	
(再掲)40-74歳※	464	10.9	4.2	0.27	3.5	5.2	5.9	7.8	10.6	13.5	16.2	18.1	23.6		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	2,284	767	150	926	1,044	1,317	1,903	2,099	2,683	3,125	3,809	5,298	
	30-39歳	33	2,227	701	157	990	1,200	1,334	1,663	2,032	2,848	3,112	3,451	3,700	
	40-49歳	42	2,328	694	105	863	1,220	1,525	1,807	2,291	2,835	3,202	3,495	4,761	
	50-59歳	64	2,471	879	150	974	1,176	1,385	1,900	2,287	3,051	4,142	4,242	4,575	
	60-69歳	67	2,738	873	116	542	1,436	1,800	2,099	2,658	3,322	3,691	4,023	5,816	
	70歳以上	101	2,914	1,095	97	873	1,326	1,833	2,119	2,726	3,774	4,307	4,994	6,119	
	(再掲)20歳以上※	340	2,555	915	67	840	1,220	1,513	1,947	2,433	3,101	3,843	4,210	5,465	
	(再掲)65-74歳	81	2,979	1,061	133	1,071	1,555	1,869	2,188	2,753	3,529	4,584	5,159	6,158	
	(再掲)75歳以上	60	2,694	969	100	873	873	1,477	2,013	2,527	3,587	3,966	4,480	5,181	
	(再掲)20-49歳※	108	2,285	711	85	863	1,220	1,435	1,778	2,176	2,718	3,141	3,481	5,019	
	(再掲)40-74歳※	214	2,635	943	89	701	1,262	1,593	2,001	2,503	3,141	3,857	4,309	5,775	
	女性	20-29歳	30	2,249	1,474	276	830	1,051	1,179	1,604	1,770	2,539	3,594	5,841	8,372
		30-39歳	45	1,874	632	85	417	565	1,046	1,391	1,918	2,229	2,731	2,834	3,344
		40-49歳	64	2,347	917	139	899	1,153	1,403	1,833	2,083	2,644	3,717	4,514	4,889
50-59歳		66	2,371	727	78	685	1,334	1,484	2,016	2,190	2,828	3,354	3,641	5,166	
60-69歳		64	2,538	810	86	1,077	1,211	1,489	2,046	2,445	2,988	3,627	4,268	5,261	
70歳以上		142	2,637	987	88	767	1,119	1,435	1,980	2,587	3,183	4,075	4,674	5,358	
(再掲)20歳以上※		411	2,415	958	52	768	1,121	1,365	1,838	2,243	2,838	3,634	4,245	5,240	
(再掲)65-74歳		93	2,642	941	98	1,062	1,230	1,516	2,037	2,576	3,025	3,986	4,602	5,310	
(再掲)75歳以上		86	2,588	978	131	744	1,096	1,244	1,972	2,603	3,232	3,918	4,558	5,461	
(再掲)20-49歳※		139	2,175	1,023	98	437	1,041	1,168	1,620	1,980	2,508	3,294	3,941	6,994	
(再掲)40-74歳※		250	2,482	873	66	867	1,245	1,508	1,953	2,293	2,918	3,662	4,304	5,224	
男女計		20-29歳	63	2,268	1,147	158	839	1,055	1,212	1,631	2,051	2,565	3,303	3,935	8,372
		30-39歳	78	2,054	688	105	419	1,044	1,188	1,656	2,028	2,586	2,945	3,365	3,700
		40-49歳	106	2,337	808	76	863	1,191	1,458	1,816	2,170	2,721	3,468	3,876	4,864
	50-59歳	130	2,421	806	89	766	1,189	1,434	1,958	2,256	2,845	3,488	4,202	4,710	
	60-69歳	131	2,636	845	88	566	1,239	1,623	2,068	2,577	3,226	3,675	4,192	5,479	
	70歳以上	243	2,755	1,041	66	809	1,124	1,564	2,056	2,656	3,341	4,187	4,778	5,541	
	(再掲)20歳以上※	751	2,483	940	48	830	1,167	1,421	1,891	2,319	2,966	3,700	4,214	5,311	
	(再掲)65-74歳	174	2,804	1,012	101	1,079	1,322	1,606	2,120	2,674	3,242	4,252	4,987	5,886	
	(再掲)75歳以上	146	2,631	973	102	768	995	1,356	2,012	2,564	3,297	3,961	4,408	5,241	
	(再掲)20-49歳※	247	2,232	877	63	728	1,080	1,308	1,682	2,080	2,612	3,243	3,716	4,955	
	(再掲)40-74歳※	464	2,557	911	65	858	1,246	1,528	1,966	2,415	3,056	3,721	4,312	5,379	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

カルシウム(mg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	459	220	39	105	160	175	244	459	559	778	896	999	
	30-39歳	33	466	207	39	146	153	183	329	443	579	741	905	1,083	
	40-49歳	42	448	212	31	120	177	195	292	413	535	789	850	1,138	
	50-59歳	64	473	225	35	139	161	220	292	430	642	772	893	1,143	
	60-69歳	67	623	319	61	83	189	341	465	574	700	887	1,216	1,891	
	70歳以上	101	619	283	29	120	211	271	394	615	795	973	1,266	1,308	
	(再掲)20歳以上※	340	530	265	21	120	177	222	354	491	675	866	987	1,300	
	(再掲)65-74歳	81	641	274	41	153	252	331	463	613	785	989	1,293	1,428	
	(再掲)75歳以上	60	555	246	29	120	158	240	367	552	723	886	942	1,225	
	(再掲)20-49歳※	108	457	211	23	114	173	185	292	427	557	772	810	1,084	
	(再掲)40-74歳※	214	548	283	31	122	185	245	355	498	691	889	1,032	1,588	
	女性	20-29歳	30	435	247	63	132	153	179	233	391	557	728	1,015	1,134
		30-39歳	45	429	229	38	84	154	176	237	387	526	883	945	986
		40-49歳	64	495	229	26	118	173	220	311	468	640	753	1,065	1,077
50-59歳		66	538	233	28	124	158	267	364	512	692	785	1,005	1,253	
60-69歳		64	563	207	32	139	157	266	413	573	707	800	902	998	
70歳以上		142	610	304	29	117	207	260	375	570	775	1,031	1,223	1,432	
(再掲)20歳以上※		411	538	263	18	118	176	222	333	509	703	893	1,029	1,338	
(再掲)65-74歳		93	580	251	24	139	181	283	392	567	708	886	1,171	1,282	
(再掲)75歳以上		86	613	326	39	117	179	214	349	579	782	1,068	1,328	1,604	
(再掲)20-49歳※		139	460	234	22	103	162	183	272	417	598	745	945	1,111	
(再掲)40-74歳※		250	548	236	16	128	184	268	374	541	692	848	989	1,226	
男女計		20-29歳	63	448	232	37	105	156	177	243	432	546	735	916	1,134
		30-39歳	78	448	217	28	96	155	178	250	436	574	747	944	1,083
		40-49歳	106	471	221	17	118	181	206	308	421	614	772	925	1,093
	50-59歳	130	505	231	27	134	163	231	328	467	668	776	957	1,215	
	60-69歳	131	593	269	44	85	176	305	449	573	705	859	961	1,783	
	70歳以上	243	614	295	25	117	210	264	387	578	787	985	1,233	1,373	
	(再掲)20歳以上※	751	534	264	18	120	177	222	340	500	691	874	998	1,307	
	(再掲)65-74歳	174	609	263	28	147	208	289	429	575	711	969	1,189	1,300	
	(再掲)75歳以上	146	590	297	31	117	192	226	356	562	752	947	1,181	1,431	
	(再掲)20-49歳※	247	458	222	15	116	173	185	281	424	576	757	926	1,081	
	(再掲)40-74歳※	464	548	260	22	128	187	261	363	518	692	868	1,009	1,299	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

マグネシウム(mg)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	236	79	13.5	102	112	145	186	224	276	318	417	494	
	30-39歳	33	242	82	17.0	103	130	140	195	225	302	324	429	534	
	40-49歳	42	254	83	10.2	121	139	154	187	236	315	379	404	556	
	50-59歳	64	269	81	12.8	133	141	171	205	259	327	375	442	469	
	60-69歳	67	320	141	30.0	85	175	197	235	291	365	449	672	869	
	70歳以上	101	314	117	10.3	113	138	170	225	303	389	441	576	642	
	(再掲)20歳以上※	340	280	108	9.0	112	138	165	208	263	334	405	466	639	
	(再掲)65-74歳	81	328	118	18.2	122	163	201	239	305	389	479	612	759	
	(再掲)75歳以上	60	287	100	8.7	113	130	165	212	284	363	413	425	583	
	(再掲)20-49歳※	108	246	82	9.2	107	132	147	190	227	300	354	403	534	
	(再掲)40-74歳※	214	293	116	13.0	121	147	172	213	276	350	417	477	808	
	女性	20-29歳	30	218	154	30.3	85	118	125	142	190	240	299	564	911
		30-39歳	45	209	75	13.3	22	86	125	161	218	243	282	380	398
		40-49歳	64	244	91	11.4	85	129	142	173	228	300	397	449	470
50-59歳		66	242	76	7.8	103	137	152	184	228	287	352	380	485	
60-69歳		64	268	78	10.6	116	125	172	207	267	320	367	425	510	
70歳以上		142	275	110	9.5	95	108	154	206	254	330	418	524	591	
(再掲)20歳以上※		411	252	101	6.0	92	123	141	186	234	297	376	429	587	
(再掲)65-74歳		93	273	96	11.2	116	141	175	210	257	305	413	487	581	
(再掲)75歳以上		86	271	112	11.6	91	106	128	198	254	331	403	511	593	
(再掲)20-49歳※		139	227	106	8.4	55	118	130	165	211	249	343	398	736	
(再掲)40-74歳※		250	258	89	6.8	108	138	158	196	239	300	376	429	542	
男女計		20-29歳	63	228	119	16.7	87	117	129	164	211	248	311	406	911
		30-39歳	78	226	80	11.2	35	120	133	175	219	265	311	381	534
		40-49歳	106	249	87	7.7	98	135	151	185	233	303	377	417	493
	50-59歳	130	255	79	8.2	114	139	156	201	242	303	361	421	472	
	60-69歳	131	293	116	19.7	88	157	189	227	276	334	417	456	847	
	70歳以上	243	291	115	7.9	101	127	158	210	271	365	420	554	611	
	(再掲)20歳以上※	751	265	106	6.8	103	130	153	198	244	312	395	439	612	
	(再掲)65-74歳	174	299	111	13.5	121	157	183	223	279	365	432	555	631	
	(再掲)75歳以上	146	278	107	8.9	95	108	148	203	262	351	409	486	591	
	(再掲)20-49歳※	247	237	94	6.3	84	127	137	175	219	283	346	400	528	
	(再掲)40-74歳※	464	275	104	9.3	114	141	165	203	259	330	403	449	613	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセントाइル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	1,075	320	53	453	506	657	911	1,107	1,193	1,536	1,830	1,886	
	30-39歳	33	1,011	319	65	349	584	642	769	975	1,202	1,342	1,503	2,107	
	40-49歳	42	1,017	293	34	504	565	634	796	1,014	1,258	1,427	1,620	1,885	
	50-59歳	64	1,093	366	54	494	515	653	883	1,026	1,219	1,677	1,851	2,208	
	60-69歳	67	1,211	448	77	329	664	808	953	1,152	1,351	1,564	2,346	2,936	
	70歳以上	101	1,228	456	40	407	647	705	888	1,175	1,502	1,894	2,091	2,716	
	(再掲)20歳以上※	340	1,122	394	28	384	594	667	876	1,086	1,305	1,592	1,886	2,535	
	(再掲)65-74歳	81	1,269	405	48	611	715	843	978	1,222	1,442	1,889	2,109	2,766	
	(再掲)75歳以上	60	1,140	428	38	407	494	671	827	1,056	1,416	1,764	1,896	2,365	
	(再掲)20-49歳※	108	1,030	307	31	410	559	656	817	1,022	1,201	1,382	1,598	2,051	
	(再掲)40-74歳※	214	1,149	407	38	458	606	684	895	1,095	1,313	1,600	1,916	2,838	
	女性	20-29歳	30	995	528	120	469	495	580	673	888	1,054	1,706	2,295	3,024
		30-39歳	45	853	277	45	106	292	476	643	894	1,042	1,198	1,308	1,748
		40-49歳	64	961	357	49	443	506	533	686	918	1,149	1,577	1,727	2,178
50-59歳		66	965	274	34	295	496	610	791	925	1,117	1,283	1,483	1,732	
60-69歳		64	985	237	29	459	595	656	824	996	1,154	1,263	1,358	1,696	
70歳以上		142	1,038	365	30	366	465	555	795	1,006	1,247	1,579	1,834	2,867	
(再掲)20歳以上※		411	982	345	19	362	490	571	752	954	1,155	1,387	1,697	2,852	
(再掲)65-74歳		93	1,028	322	32	455	507	645	796	1,006	1,196	1,396	1,747	2,871	
(再掲)75歳以上		86	1,025	375	40	364	398	518	764	951	1,247	1,579	1,748	2,845	
(再掲)20-49歳※		139	935	386	43	198	483	539	677	912	1,070	1,380	1,725	2,519	
(再掲)40-74歳※		250	989	308	21	412	521	576	776	984	1,163	1,347	1,694	2,851	
男女計		20-29歳	63	1,038	429	66	453	502	581	747	991	1,148	1,627	1,810	3,024
		30-39歳	78	934	308	45	139	435	582	713	938	1,162	1,283	1,364	2,107
		40-49歳	106	989	326	27	471	512	566	729	988	1,185	1,432	1,691	1,785
	50-59歳	130	1,029	329	38	336	524	652	835	1,004	1,182	1,484	1,739	2,145	
	60-69歳	131	1,097	373	50	362	601	722	863	1,074	1,257	1,476	1,601	2,801	
	70歳以上	243	1,118	416	26	370	485	627	844	1,073	1,325	1,712	1,876	2,323	
	(再掲)20歳以上※	751	1,049	376	20	369	521	615	810	1,009	1,230	1,510	1,746	2,236	
	(再掲)65-74歳	174	1,144	383	37	462	610	725	891	1,100	1,322	1,674	1,882	2,406	
	(再掲)75歳以上	146	1,072	400	35	366	421	598	813	1,006	1,318	1,636	1,845	2,166	
	(再掲)20-49歳※	247	984	350	24	342	507	580	731	959	1,150	1,374	1,691	2,017	
	(再掲)40-74歳※	464	1,068	369	26	456	539	650	832	1,025	1,252	1,504	1,739	2,252	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	7.5	2.1	0.38	3.4	3.8	4.5	5.9	7.6	8.6	11.0	11.3	11.9	
	30-39歳	33	7.3	3.0	0.83	3.2	3.8	4.5	5.2	6.6	7.9	12.2	14.1	14.8	
	40-49歳	42	7.6	2.7	0.31	3.7	4.7	4.9	5.5	6.6	9.2	13.2	13.3	13.7	
	50-59歳	64	8.0	2.8	0.46	2.9	3.4	4.1	6.0	7.5	9.8	11.8	12.8	21.3	
	60-69歳	67	9.9	4.8	0.83	2.5	4.4	5.0	6.7	9.4	11.5	14.7	19.1	43.5	
	70歳以上	101	9.9	4.8	0.42	3.0	4.6	5.3	6.8	8.9	12.0	15.8	18.5	34.3	
	(再掲)20歳以上※	340	8.6	3.9	0.29	3.0	4.2	4.8	6.0	7.7	10.4	13.1	14.8	23.1	
	(再掲)65-74歳	81	10.1	4.0	0.45	4.1	4.6	5.5	7.8	9.7	12.3	15.5	16.2	38.0	
	(再掲)75歳以上	60	9.5	5.5	0.70	3.0	4.7	5.2	6.5	8.2	11.0	14.6	19.4	36.7	
	(再掲)20-49歳※	108	7.5	2.7	0.33	3.3	4.1	4.7	5.5	6.9	8.6	11.3	13.3	14.6	
	(再掲)40-74歳※	214	8.8	3.8	0.39	3.0	4.2	5.0	6.1	8.1	10.9	13.3	14.9	23.4	
	女性	20-29歳	30	6.8	4.9	0.98	2.6	3.0	3.5	4.6	5.7	7.3	9.0	18.0	28.9
		30-39歳	45	6.8	2.5	0.51	0.5	2.8	4.1	5.0	6.6	8.8	10.5	11.7	11.9
40-49歳		64	7.1	2.6	0.33	2.2	3.4	4.1	5.0	6.6	8.4	11.0	12.2	13.4	
50-59歳		66	7.2	2.5	0.32	2.0	3.6	4.3	5.5	6.8	8.7	10.4	11.0	16.7	
60-69歳		64	8.3	2.8	0.28	3.4	4.7	5.3	6.1	7.9	10.2	12.1	12.3	25.0	
70歳以上		142	8.7	3.8	0.35	2.3	4.0	4.7	6.1	7.9	10.5	14.0	16.6	21.1	
(再掲)20歳以上※		411	7.8	3.4	0.20	2.3	3.6	4.3	5.7	7.1	9.4	11.7	13.3	19.1	
(再掲)65-74歳		93	8.5	3.2	0.29	4.0	4.6	5.2	6.2	7.8	10.2	12.9	15.8	19.0	
(再掲)75歳以上		86	8.8	4.1	0.50	2.0	3.1	4.4	6.0	8.1	10.5	14.4	18.4	22.6	
(再掲)20-49歳※		139	6.9	3.3	0.30	1.7	3.3	4.0	4.7	6.4	8.2	10.4	11.8	22.7	
(再掲)40-74歳※		250	7.8	2.9	0.21	3.0	4.0	4.6	5.8	7.3	9.6	11.5	12.4	16.4	
男女計		20-29歳	63	7.2	3.7	0.51	2.6	3.4	4.0	4.8	7.1	8.3	10.4	11.2	28.9
		30-39歳	78	7.1	2.8	0.62	1.0	3.4	4.2	5.2	6.6	8.2	11.2	12.5	14.8
	40-49歳	106	7.3	2.6	0.25	2.9	4.0	4.4	5.4	6.6	8.5	11.7	13.2	13.6	
	50-59歳	130	7.6	2.7	0.32	2.7	3.6	4.3	5.7	7.3	9.5	11.3	12.3	16.3	
	60-69歳	131	9.1	4.0	0.54	2.7	4.4	5.1	6.3	8.3	11.0	12.8	14.8	24.9	
	70歳以上	243	9.2	4.3	0.33	2.7	4.1	5.1	6.3	8.3	10.9	15.0	17.2	22.0	
	(再掲)20歳以上※	751	8.2	3.7	0.22	2.8	4.0	4.5	5.8	7.4	10.0	12.3	14.5	20.6	
	(再掲)65-74歳	174	9.3	3.7	0.33	4.1	4.6	5.2	6.7	8.4	11.2	14.6	16.4	19.6	
	(再掲)75歳以上	146	9.1	4.7	0.55	2.3	3.1	4.9	6.1	8.1	10.6	14.2	18.7	30.2	
	(再掲)20-49歳※	247	7.2	3.0	0.25	2.3	3.7	4.3	5.3	6.6	8.3	11.2	12.9	14.5	
(再掲)40-74歳※	464	8.3	3.4	0.27	3.0	4.1	4.7	5.9	7.7	10.2	12.4	14.3	19.0		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	9.3	2.1	0.33	3.7	5.2	6.9	8.4	9.2	9.9	11.8	14.4	15.4	
	30-39歳	33	8.8	2.7	0.53	3.6	4.5	5.4	7.1	8.4	9.9	12.7	13.7	16.9	
	40-49歳	42	8.6	3.0	0.34	3.7	4.2	4.9	6.4	8.0	10.5	13.3	14.6	15.6	
	50-59歳	64	9.0	3.0	0.46	4.6	5.1	5.1	6.7	8.9	10.4	13.2	14.3	21.1	
	60-69歳	67	9.3	3.3	0.52	2.1	5.8	6.2	7.5	8.6	10.8	12.9	17.4	27.8	
	70歳以上	101	9.5	3.4	0.28	4.1	5.0	5.7	7.2	8.8	11.2	14.4	16.1	20.1	
	(再掲)20歳以上※	340	9.1	3.0	0.18	3.7	4.9	5.6	7.2	8.7	10.8	13.3	15.3	18.6	
	(再掲)65-74歳	81	9.7	3.3	0.33	4.8	5.9	6.4	7.5	8.9	10.9	14.7	16.4	25.6	
	(再掲)75歳以上	60	8.8	3.1	0.33	4.1	4.1	5.3	6.3	8.3	10.8	13.7	15.5	16.7	
	(再掲)20-49歳※	108	8.8	2.7	0.29	3.6	4.5	5.2	6.9	8.5	10.4	12.6	14.2	16.6	
	(再掲)40-74歳※	214	9.2	3.2	0.24	3.5	5.0	5.3	7.1	8.6	10.9	13.6	15.5	19.0	
	女性	20-29歳	30	7.9	3.3	0.67	2.7	4.2	4.4	5.3	7.6	9.0	12.7	15.1	18.3
		30-39歳	45	7.3	2.4	0.37	0.5	3.0	4.4	5.8	7.3	9.3	10.1	11.4	13.6
		40-49歳	64	7.5	2.7	0.34	1.3	3.6	3.9	5.9	7.0	9.0	11.6	12.4	14.4
50-59歳		66	7.2	2.0	0.26	2.4	3.8	4.7	5.7	7.1	8.5	9.9	10.7	12.0	
60-69歳		64	7.4	2.2	0.28	3.5	3.7	4.4	6.5	7.2	8.3	9.9	11.5	15.9	
70歳以上		142	7.6	2.7	0.22	3.2	3.5	4.3	5.8	7.3	8.8	11.7	13.1	15.5	
(再掲)20歳以上※		411	7.5	2.5	0.13	2.3	3.8	4.4	5.9	7.2	8.9	10.7	12.3	14.6	
(再掲)65-74歳		93	7.6	2.7	0.24	3.2	3.5	4.2	5.6	7.4	8.8	11.5	12.9	16.0	
(再掲)75歳以上		86	7.5	2.6	0.27	3.2	3.4	4.3	5.8	7.2	9.0	10.8	13.3	15.5	
(再掲)20-49歳※		139	7.6	2.7	0.29	1.3	3.9	4.3	5.9	7.2	9.1	11.4	12.6	16.7	
(再掲)40-74歳※		250	7.4	2.4	0.14	2.4	3.8	4.4	5.9	7.1	8.6	10.7	12.0	14.5	
男女計		20-29歳	63	8.7	2.8	0.36	2.8	4.3	4.9	6.8	8.6	9.7	12.5	14.0	18.3
		30-39歳	78	8.1	2.7	0.33	1.1	4.0	4.8	6.3	7.9	9.7	11.4	12.8	16.9
		40-49歳	106	8.1	2.9	0.23	1.7	3.9	4.7	6.2	7.8	9.3	12.0	14.0	15.5
	50-59歳	130	8.1	2.7	0.31	3.2	4.6	5.1	6.1	7.8	9.4	11.3	13.2	18.3	
	60-69歳	131	8.4	2.9	0.37	2.7	4.1	4.9	6.9	7.8	9.6	11.8	14.6	18.2	
	70歳以上	243	8.4	3.1	0.18	3.2	4.0	4.7	6.1	7.9	10.1	13.0	14.3	17.5	
	(再掲)20歳以上※	751	8.3	2.9	0.12	3.2	4.1	4.9	6.3	7.9	9.7	12.0	13.6	17.4	
	(再掲)65-74歳	174	8.6	3.2	0.24	3.2	4.2	4.9	6.7	7.8	9.9	13.0	14.9	19.3	
	(再掲)75歳以上	146	8.0	2.9	0.26	3.2	3.9	4.7	6.0	7.9	9.5	11.9	13.6	16.5	
	(再掲)20-49歳※	247	8.2	2.8	0.19	2.0	4.0	4.8	6.3	8.1	9.7	11.9	13.2	16.4	
(再掲)40-74歳※	464	8.3	3.0	0.15	3.0	4.1	5.0	6.4	7.8	9.7	12.0	14.2	17.5		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

エネルギー及び栄養素の摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	1.17	0.28	0.043	0.39	0.72	0.77	1.00	1.21	1.31	1.61	1.70	1.74	
	30-39歳	33	1.13	0.38	0.094	0.50	0.53	0.71	0.80	1.13	1.33	1.70	1.76	1.99	
	40-49歳	42	1.17	0.40	0.058	0.48	0.59	0.73	0.90	1.08	1.34	1.88	1.99	2.02	
	50-59歳	64	1.19	0.33	0.051	0.52	0.76	0.80	0.89	1.16	1.38	1.64	1.96	2.08	
	60-69歳	67	1.33	0.48	0.070	0.45	0.70	0.80	0.97	1.29	1.57	1.88	2.43	4.01	
	70歳以上	101	1.41	0.48	0.037	0.57	0.73	0.88	1.04	1.34	1.67	1.99	2.34	3.11	
	(再掲)20歳以上※	340	1.26	0.43	0.032	0.52	0.71	0.77	0.97	1.18	1.50	1.80	1.99	2.57	
	(再掲)65-74歳	81	1.42	0.47	0.068	0.58	0.77	0.85	1.07	1.34	1.69	1.98	2.34	3.76	
	(再掲)75歳以上	60	1.37	0.47	0.046	0.68	0.70	0.85	1.01	1.29	1.65	1.98	2.20	3.19	
	(再掲)20-49歳※	108	1.16	0.36	0.044	0.48	0.62	0.74	0.88	1.13	1.33	1.73	1.88	2.02	
	(再掲)40-74歳※	214	1.27	0.44	0.043	0.51	0.71	0.79	0.97	1.20	1.51	1.88	2.02	2.58	
	女性	20-29歳	30	1.10	0.78	0.153	0.52	0.56	0.65	0.74	0.94	1.09	1.43	2.95	4.66
		30-39歳	45	1.02	0.35	0.067	0.19	0.42	0.63	0.76	0.98	1.27	1.62	1.75	2.29
		40-49歳	64	1.04	0.37	0.047	0.25	0.46	0.63	0.74	1.06	1.19	1.52	1.65	2.27
50-59歳		66	0.99	0.28	0.031	0.42	0.52	0.64	0.76	0.97	1.17	1.46	1.50	1.71	
60-69歳		64	1.11	0.28	0.031	0.62	0.68	0.73	0.92	1.09	1.25	1.45	1.66	2.31	
70歳以上		142	1.18	0.40	0.028	0.51	0.58	0.68	0.91	1.12	1.39	1.67	2.11	2.29	
(再掲)20歳以上※		411	1.09	0.41	0.020	0.42	0.58	0.67	0.84	1.06	1.29	1.53	1.69	2.31	
(再掲)65-74歳		93	1.14	0.38	0.035	0.53	0.62	0.68	0.90	1.07	1.32	1.65	1.89	2.31	
(再掲)75歳以上		86	1.20	0.40	0.045	0.51	0.53	0.71	0.92	1.16	1.41	1.68	2.10	2.23	
(再掲)20-49歳※		139	1.05	0.49	0.045	0.23	0.52	0.64	0.75	0.99	1.21	1.49	1.62	3.71	
(再掲)40-74歳※		250	1.07	0.34	0.021	0.43	0.61	0.67	0.84	1.06	1.23	1.50	1.64	2.31	
男女計		20-29歳	63	1.14	0.57	0.078	0.51	0.63	0.68	0.84	1.09	1.25	1.46	1.69	4.66
		30-39歳	78	1.08	0.37	0.074	0.20	0.51	0.66	0.78	1.09	1.26	1.64	1.71	1.99
		40-49歳	106	1.11	0.39	0.038	0.30	0.53	0.69	0.83	1.06	1.30	1.73	1.88	2.23
	50-59歳	130	1.09	0.32	0.033	0.43	0.64	0.70	0.86	1.10	1.27	1.52	1.66	2.01	
	60-69歳	131	1.22	0.41	0.045	0.53	0.70	0.79	0.95	1.17	1.40	1.73	1.90	2.57	
	70歳以上	243	1.28	0.45	0.020	0.52	0.63	0.75	0.99	1.19	1.52	1.86	2.21	2.55	
	(再掲)20歳以上※	751	1.17	0.43	0.022	0.45	0.63	0.71	0.89	1.12	1.38	1.69	1.90	2.36	
	(再掲)65-74歳	174	1.27	0.45	0.048	0.55	0.66	0.74	0.98	1.19	1.49	1.89	2.31	2.55	
	(再掲)75歳以上	146	1.27	0.44	0.040	0.52	0.63	0.77	0.97	1.18	1.51	1.77	2.13	2.80	
	(再掲)20-49歳※	247	1.11	0.43	0.034	0.27	0.57	0.68	0.83	1.08	1.26	1.65	1.75	2.17	
	(再掲)40-74歳※	464	1.17	0.40	0.029	0.44	0.64	0.71	0.90	1.10	1.37	1.72	1.93	2.41	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。