

エネルギー及び栄養素の摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

米・米加工品（g）

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	400.2	178.1	21.5	0.0	164.0	188.3	266.3	390.9	515.7	641.2	740.7	900.0
	30-39歳	65	466.8	195.4	31.0	140.0	192.7	251.0	301.2	431.4	560.0	790.3	903.5	1000.0
	40-49歳	93	491.2	220.0	23.8	0.0	158.6	200.0	360.0	500.0	600.0	727.9	806.5	1380.0
	50-59歳	98	411.3	204.8	27.5	0.0	0.0	151.4	300.0	400.0	580.0	675.2	750.0	891.6
	60-69歳	118	401.0	195.0	23.4	0.0	150.0	152.8	286.2	374.2	500.0	664.3	754.0	1010.6
	70歳以上	152	371.2	149.0	13.4	21.8	137.0	200.0	280.0	347.4	467.3	600.0	630.0	801.1
	(再掲)20-49歳※1	204	460.5	204.0	15.8	54.0	165.0	200.0	309.5	430.6	579.1	700.0	811.6	1194.3
	(再掲)40-74歳※1	357	430.1	205.2	14.4	0.0	134.3	180.0	300.0	402.2	560.0	673.2	750.0	1009.8
	(再掲)65-74歳	105	408.6	179.0	17.7	0.0	150.0	200.0	299.3	391.9	514.0	619.3	684.4	981.5
	(再掲)75歳以上	104	356.8	138.0	15.8	62.2	140.6	192.4	266.9	320.8	450.0	600.0	622.2	674.0
	(再掲)20歳以上※1	572	421.8	194.5	11.4	0.0	142.0	200.0	300.0	400.0	550.0	658.3	750.0	992.7
	(再掲)20歳以上※2	572	423.1	194.9	11.5	0.0	141.0	199.7	300.0	400.0	551.9	660.0	750.0	985.2
女性	20-29歳	41	236.5	145.1	24.9	0.0	0.0	0.0	130.0	239.0	300.0	452.0	492.8	510.0
	30-39歳	71	315.2	155.3	23.8	0.0	100.0	150.0	181.8	315.6	404.7	552.4	598.9	800.0
	40-49歳	106	313.1	157.3	15.1	29.6	102.2	141.4	196.4	299.2	407.7	547.0	613.4	907.0
	50-59歳	128	257.1	128.2	12.9	0.0	0.0	100.0	180.9	250.8	350.0	404.2	460.7	690.0
	60-69歳	120	276.3	118.5	10.5	0.0	102.1	120.0	200.0	280.0	350.0	429.6	487.0	600.0
	70歳以上	191	272.5	132.0	11.1	39.0	100.0	122.6	180.0	253.1	350.0	450.0	500.0	690.0
	(再掲)20-49歳※1	218	295.6	156.7	16.1	0.0	81.7	102.4	180.0	287.8	400.0	499.5	577.9	698.1
	(再掲)40-74歳※1	413	276.4	136.5	8.5	0.0	89.2	119.2	187.1	265.0	357.5	450.0	526.4	627.7
	(再掲)65-74歳	118	270.8	128.3	12.2	0.0	86.5	109.8	178.3	260.0	350.0	450.0	500.0	630.6
	(再掲)75歳以上	132	285.1	130.7	14.5	59.0	100.0	140.0	189.8	270.0	370.0	450.0	508.5	727.6
	(再掲)20歳以上※1	657	279.8	139.8	8.9	0.0	89.4	110.0	185.0	270.0	370.0	454.7	532.9	651.6
	(再掲)20歳以上※2	657	278.7	142.1	10.0	0.0	80.0	109.7	180.0	270.0	370.0	459.2	540.0	651.5
男女計	20-29歳	87	320.4	181.7	17.2	0.0	0.0	93.2	200.0	300.0	429.7	580.0	642.9	900.0
	30-39歳	136	392.5	192.0	20.0	80.1	140.0	159.4	268.4	372.9	516.9	620.0	795.6	997.9
	40-49歳	199	403.5	211.0	14.6	24.6	123.4	162.7	235.0	400.0	545.4	646.0	728.8	1265.1
	50-59歳	226	334.2	187.1	16.2	0.0	0.0	108.4	200.0	310.0	423.6	610.0	690.0	865.7
	60-69歳	238	337.5	172.1	13.5	0.0	114.6	150.0	220.0	319.3	400.0	600.0	654.2	980.7
	70歳以上	343	313.2	147.4	9.8	48.5	100.0	140.0	200.0	300.0	400.0	520.0	600.0	673.1
	(再掲)20-49歳※1	422	379.6	200.0	11.9	0.0	100.0	150.0	223.0	364.0	509.2	620.0	723.6	995.8
	(再掲)40-74歳※1	770	351.5	189.6	9.2	0.0	100.0	150.0	200.0	324.5	450.0	600.0	674.9	904.5
	(再掲)65-74歳	223	332.4	167.5	12.3	0.0	100.0	141.5	200.0	310.0	430.0	583.0	616.8	905.0
	(再掲)75歳以上	236	314.2	138.0	11.7	65.4	103.2	149.9	220.0	300.0	398.0	505.7	600.0	685.2
	(再掲)20歳以上※1	1,229	347.9	182.5	7.9	0.0	100.0	150.0	210.0	320.0	450.0	600.0	660.0	900.0
	(再掲)20歳以上※2	1,229	350.9	185.2	8.0	0.0	100.0	150.0	215.0	321.2	450.0	600.0	665.3	900.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

その他穀類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	164.5	152.8	25.8	0.0	1.0	4.3	16.5	116.0	251.7	394.9	468.0	716.0
	30-39歳	65	108.1	108.5	11.3	0.0	0.0	0.0	15.7	68.8	185.7	288.1	289.6	518.0
	40-49歳	93	112.0	143.2	21.0	0.0	0.0	0.0	8.0	64.0	152.1	345.2	365.2	689.6
	50-59歳	98	120.7	129.4	14.6	0.0	0.0	0.0	8.8	80.0	196.2	295.1	410.6	565.9
	60-69歳	118	103.4	111.1	12.1	0.0	0.0	0.0	5.2	82.0	169.4	269.8	312.9	473.7
	70歳以上	152	101.2	107.8	12.4	0.0	0.0	0.0	2.6	67.3	163.1	251.0	338.3	390.0
	(再掲)20-49歳※1	204	123.3	135.7	10.9	0.0	0.0	0.0	11.7	83.5	200.0	306.5	375.0	686.0
	(再掲)40-74歳※1	357	108.3	124.3	8.6	0.0	0.0	0.0	6.9	75.0	177.1	286.0	348.7	543.1
	(再掲)65-74歳	105	85.2	93.0	10.7	0.0	0.0	0.0	0.0	60.0	160.0	225.3	242.3	369.6
	(再掲)75歳以上	104	109.0	114.2	20.0	0.0	0.0	0.0	6.5	70.0	179.6	302.0	368.6	393.1
	(再掲)20歳以上※1	572	114.3	124.7	6.1	0.0	0.0	0.0	8.0	79.0	182.1	290.0	362.7	502.3
	(再掲)20歳以上※2	572	117.6	127.0	6.6	0.0	0.0	0.0	8.9	80.3	190.6	290.3	375.9	505.3
女性	20-29歳	41	95.4	100.8	12.0	0.0	0.0	0.0	10.9	66.0	138.2	283.3	330.1	351.0
	30-39歳	71	125.8	149.3	27.0	0.0	0.0	0.0	3.2	71.1	190.1	356.4	461.3	688.0
	40-49歳	106	92.3	97.9	8.8	0.0	0.0	0.0	6.1	67.9	160.7	225.6	263.6	468.7
	50-59歳	128	95.8	100.8	9.2	0.0	0.0	0.0	10.7	71.0	133.3	248.7	311.9	434.8
	60-69歳	120	81.1	88.4	8.5	0.0	0.0	0.0	3.1	60.0	132.5	188.2	284.0	377.9
	70歳以上	191	74.0	90.8	10.5	0.0	0.0	0.0	0.0	45.0	120.8	228.4	259.9	338.7
	(再掲)20-49歳※1	218	105.1	120.0	10.9	0.0	0.0	0.0	8.0	69.4	161.7	272.5	350.9	504.5
	(再掲)40-74歳※1	413	89.2	92.7	4.0	0.0	0.0	0.0	6.1	65.0	138.5	228.0	270.4	360.8
	(再掲)65-74歳	118	82.3	85.7	7.8	0.0	0.0	0.0	4.3	60.0	138.1	210.0	249.5	366.3
	(再掲)75歳以上	132	66.9	95.4	10.9	0.0	0.0	0.0	0.0	20.3	98.1	226.8	306.5	396.5
	(再掲)20歳以上※1	657	90.4	104.7	5.5	0.0	0.0	0.0	4.3	60.0	138.0	237.1	309.5	462.1
	(再掲)20歳以上※2	657	94.5	108.3	6.4	0.0	0.0	0.0	5.5	63.0	141.2	247.9	320.6	463.7
男女計	20-29歳	87	130.8	134.0	13.5	0.0	0.0	3.5	12.6	90.5	228.0	330.0	399.5	716.0
	30-39歳	136	116.8	130.0	15.3	0.0	0.0	0.0	10.4	70.0	185.7	288.6	358.3	624.2
	40-49歳	199	102.3	123.1	11.8	0.0	0.0	0.0	7.8	66.5	159.1	267.3	346.5	684.1
	50-59歳	226	108.2	116.4	8.4	0.0	0.0	0.0	9.1	75.0	178.8	273.9	360.8	447.7
	60-69歳	238	92.1	100.6	8.3	0.0	0.0	0.0	4.3	66.2	133.3	232.9	310.2	464.0
	70歳以上	343	85.2	99.0	10.6	0.0	0.0	0.0	0.0	53.5	140.5	233.2	306.3	390.0
	(再掲)20-49歳※1	422	114.4	128.4	8.9	0.0	0.0	0.0	10.6	72.2	169.9	288.8	355.4	664.5
	(再掲)40-74歳※1	770	98.5	109.6	4.9	0.0	0.0	0.0	6.8	67.2	150.0	243.4	319.7	466.1
	(再掲)65-74歳	223	83.6	88.9	5.6	0.0	0.0	0.0	1.4	60.0	139.6	223.9	253.1	349.8
	(再掲)75歳以上	236	84.0	105.3	13.7	0.0	0.0	0.0	0.0	42.5	132.0	254.8	330.5	390.1
	(再掲)20歳以上※1	1,229	101.8	115.3	4.8	0.0	0.0	0.0	6.5	66.7	157.6	260.0	338.5	468.4
	(再掲)20歳以上※2	1,229	106.0	118.5	5.1	0.0	0.0	0.0	7.2	70.0	160.2	280.0	346.2	476.2

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

いも類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	40.3	58.8	8.0	0.0	0.0	0.0	0.0	11.3	78.3	110.2	151.0	388.6
	30-39歳	65	44.3	53.4	7.6	0.0	0.0	0.0	0.0	30.0	70.2	125.6	181.7	184.9
	40-49歳	93	56.3	72.9	8.3	0.0	0.0	0.0	3.0	35.0	80.7	134.1	185.4	490.1
	50-59歳	98	56.0	71.4	8.1	0.0	0.0	0.0	0.1	31.6	88.3	133.6	161.5	408.6
	60-69歳	118	58.1	65.3	6.2	0.0	0.0	0.0	0.0	46.0	93.3	153.9	190.2	309.5
	70歳以上	152	58.6	71.0	5.5	0.0	0.0	0.0	0.0	40.0	79.3	140.2	219.6	361.0
	(再掲)20-49歳※1	204	48.1	63.2	4.2	0.0	0.0	0.0	0.0	29.9	78.4	122.9	171.2	392.5
	(再掲)40-74歳※1	357	56.7	69.8	4.4	0.0	0.0	0.0	0.0	39.8	82.4	134.6	191.9	388.5
	(再掲)65-74歳	105	56.3	69.0	6.7	0.0	0.0	0.0	0.0	37.5	84.6	178.8	203.2	399.4
	(再掲)75歳以上	104	60.0	70.9	6.9	0.0	0.0	0.0	0.0	40.0	87.8	148.1	216.2	378.1
	(再掲)20歳以上※1	572	53.6	66.7	3.0	0.0	0.0	0.0	0.0	35.1	80.0	133.6	183.3	333.8
	(再掲)20歳以上※2	572	52.4	66.0	3.0	0.0	0.0	0.0	0.0	33.8	80.0	131.7	181.7	339.5
女性	20-29歳	41	53.1	69.5	14.9	0.0	0.0	0.0	1.9	18.3	85.1	186.3	236.8	242.4
	30-39歳	71	48.2	61.2	8.6	0.0	0.0	0.0	0.0	30.0	64.5	170.0	182.3	242.4
	40-49歳	106	43.3	51.0	5.5	0.0	0.0	0.0	0.0	28.2	69.1	114.9	147.7	238.5
	50-59歳	128	52.7	58.1	4.4	0.0	0.0	0.0	0.0	39.9	84.6	130.0	157.7	339.6
	60-69歳	120	55.8	59.3	6.2	0.0	0.0	0.0	0.0	44.0	91.1	140.0	180.8	304.6
	70歳以上	191	58.1	61.1	3.2	0.0	0.0	0.0	1.5	50.7	86.5	129.9	170.8	279.4
	(再掲)20-49歳※1	218	47.4	59.3	5.7	0.0	0.0	0.0	0.0	28.5	72.3	143.1	182.2	242.4
	(再掲)40-74歳※1	413	52.7	57.0	3.1	0.0	0.0	0.0	0.0	40.0	82.2	130.6	162.5	243.1
	(再掲)65-74歳	118	55.6	58.6	4.6	0.0	0.0	0.0	3.0	43.8	80.1	134.7	180.0	376.3
	(再掲)75歳以上	132	56.3	62.1	4.2	0.0	0.0	0.0	0.0	45.0	92.4	129.0	160.3	284.8
	(再掲)20歳以上※1	657	52.8	59.7	3.0	0.0	0.0	0.0	0.0	39.5	81.3	134.6	175.2	250.2
	(再掲)20歳以上※2	657	52.0	60.1	3.8	0.0	0.0	0.0	0.0	34.1	80.1	135.0	180.0	242.4
男女計	20-29歳	87	46.5	64.2	8.1	0.0	0.0	0.0	0.0	18.0	78.4	133.7	190.2	388.6
	30-39歳	136	46.2	57.2	6.5	0.0	0.0	0.0	0.0	30.0	65.2	143.4	181.7	211.0
	40-49歳	199	49.9	63.3	5.6	0.0	0.0	0.0	1.5	31.9	79.1	123.0	161.2	323.9
	50-59歳	226	54.4	65.0	5.6	0.0	0.0	0.0	0.0	37.0	84.7	132.6	160.9	355.9
	60-69歳	238	57.0	62.3	5.5	0.0	0.0	0.0	0.0	45.0	92.9	142.9	183.2	240.1
	70歳以上	343	58.3	65.2	3.5	0.0	0.0	0.0	0.0	44.8	82.3	131.1	180.1	287.7
	(再掲)20-49歳※1	422	47.8	61.3	3.9	0.0	0.0	0.0	0.0	29.8	76.8	133.3	175.7	242.4
	(再掲)40-74歳※1	770	54.6	63.6	3.5	0.0	0.0	0.0	0.0	40.0	82.5	133.3	180.0	287.6
	(再掲)65-74歳	223	55.9	63.3	4.7	0.0	0.0	0.0	0.0	42.5	80.2	140.2	183.3	287.2
	(再掲)75歳以上	236	57.8	65.7	4.3	0.0	0.0	0.0	0.0	44.8	90.0	134.6	178.3	287.0
	(再掲)20歳以上※1	1,229	53.2	63.2	2.6	0.0	0.0	0.0	0.0	37.5	80.0	134.2	180.0	277.7
	(再掲)20歳以上※2	1,229	52.2	63.1	2.8	0.0	0.0	0.0	0.0	33.9	80.0	134.4	180.0	261.7

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

砂糖・甘味料類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	7.1	13.0	2.34	0.0	0.0	0.0	0.0	3.8	7.9	13.7	22.6	72.1
	30-39歳	65	4.9	6.5	0.82	0.0	0.0	0.0	0.0	3.1	7.1	13.1	19.5	33.0
	40-49歳	93	4.7	5.6	0.62	0.0	0.0	0.0	1.0	3.0	6.7	11.2	15.4	40.9
	50-59歳	98	7.8	12.7	1.25	0.0	0.0	0.0	1.4	3.8	8.9	20.2	34.0	87.4
	60-69歳	118	7.5	9.4	0.96	0.0	0.0	0.0	1.0	4.1	11.0	17.5	27.1	48.9
	70歳以上	152	6.8	7.9	0.60	0.0	0.0	0.0	1.2	4.2	9.0	17.0	25.5	39.0
	(再掲)20-49歳※1	204	5.3	8.3	0.72	0.0	0.0	0.0	0.2	3.2	7.2	12.0	17.5	50.9
	(再掲)40-74歳※1	357	6.4	9.2	0.64	0.0	0.0	0.0	1.0	3.6	8.0	15.4	21.7	48.9
	(再掲)65-74歳	105	6.9	9.2	0.91	0.0	0.0	0.0	1.5	3.7	8.8	15.3	28.2	48.9
	(再掲)75歳以上	104	8.0	8.8	0.81	0.0	0.0	0.0	1.0	5.1	11.9	21.3	29.6	39.6
	(再掲)20歳以上※1	572	6.5	9.3	0.55	0.0	0.0	0.0	0.7	3.7	8.3	15.5	22.3	48.9
	(再掲)20歳以上※2	572	6.5	9.7	0.62	0.0	0.0	0.0	0.6	3.7	8.2	15.0	22.3	50.1
女性	20-29歳	41	4.4	5.6	1.13	0.0	0.0	0.0	0.0	2.6	6.4	11.7	21.8	24.5
	30-39歳	71	3.7	5.7	0.74	0.0	0.0	0.0	0.0	1.7	5.0	10.2	18.0	27.3
	40-49歳	106	5.4	7.2	0.74	0.0	0.0	0.0	0.7	3.8	6.7	14.4	16.1	48.2
	50-59歳	128	7.0	7.7	0.65	0.0	0.0	0.0	1.0	3.8	11.2	18.0	20.3	37.5
	60-69歳	120	7.7	10.5	1.11	0.0	0.0	0.0	0.6	5.0	11.1	17.4	27.6	59.7
	70歳以上	191	7.7	9.3	0.74	0.0	0.0	0.0	1.2	5.0	10.3	17.5	24.7	53.1
	(再掲)20-49歳※1	218	4.6	6.4	0.51	0.0	0.0	0.0	0.0	2.8	6.5	11.3	16.1	37.2
	(再掲)40-74歳※1	413	6.7	8.5	0.43	0.0	0.0	0.0	0.8	3.9	9.0	16.5	23.2	42.5
	(再掲)65-74歳	118	7.2	9.8	0.96	0.0	0.0	0.0	0.6	3.9	9.1	16.7	26.0	59.1
	(再掲)75歳以上	132	8.1	10.1	1.07	0.0	0.0	0.0	1.4	5.8	10.5	18.3	25.3	60.5
	(再掲)20歳以上※1	657	6.4	8.4	0.32	0.0	0.0	0.0	0.5	3.8	8.6	16.0	22.2	42.2
	(再掲)20歳以上※2	657	6.0	8.0	0.34	0.0	0.0	0.0	0.3	3.3	8.0	15.4	21.6	39.3
男女計	20-29歳	87	5.8	10.2	1.30	0.0	0.0	0.0	0.0	3.0	7.4	13.3	19.9	72.1
	30-39歳	136	4.3	6.2	0.67	0.0	0.0	0.0	0.0	2.2	6.3	11.7	19.0	31.9
	40-49歳	199	5.0	6.4	0.57	0.0	0.0	0.0	0.8	3.6	6.7	12.0	15.7	38.2
	50-59歳	226	7.4	10.5	0.71	0.0	0.0	0.0	1.2	3.8	9.5	18.2	22.3	60.2
	60-69歳	238	7.6	10.0	0.86	0.0	0.0	0.0	0.7	4.4	11.0	17.0	27.5	48.9
	70歳以上	343	7.3	8.7	0.59	0.0	0.0	0.0	1.2	4.5	9.6	17.1	25.0	43.2
	(再掲)20-49歳※1	422	5.0	7.4	0.48	0.0	0.0	0.0	0.0	3.0	6.7	11.5	16.2	37.3
	(再掲)40-74歳※1	770	6.6	8.8	0.45	0.0	0.0	0.0	1.0	3.8	8.6	16.0	22.3	46.2
	(再掲)65-74歳	223	7.1	9.5	0.81	0.0	0.0	0.0	1.0	3.8	9.0	16.1	26.0	48.9
	(再掲)75歳以上	236	8.1	9.6	0.84	0.0	0.0	0.0	1.2	5.4	10.8	19.2	26.1	50.6
	(再掲)20歳以上※1	1,229	6.4	8.8	0.35	0.0	0.0	0.0	0.6	3.8	8.5	15.6	22.3	45.1
	(再掲)20歳以上※2	1,229	6.2	8.9	0.39	0.0	0.0	0.0	0.5	3.5	8.2	15.4	21.8	44.6

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別 摂取量 (20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値)

豆類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	56.9	81.2	11.0	0.0	0.0	0.0	0.0	30.9	84.3	149.9	200.0	408.0
	30-39歳	65	43.0	55.6	7.0	0.0	0.0	0.0	0.0	28.3	67.6	105.5	164.1	366.5
	40-49歳	93	54.9	75.7	8.7	0.0	0.0	0.0	0.0	30.0	75.2	143.2	227.4	416.9
	50-59歳	98	61.1	67.4	6.1	0.0	0.0	0.0	0.0	40.7	100.0	155.9	220.4	273.7
	60-69歳	118	72.1	89.9	7.3	0.0	0.0	0.0	0.0	38.9	114.7	175.0	230.0	459.9
	70歳以上	152	75.1	81.7	6.3	0.0	0.0	0.0	18.5	56.5	103.1	174.6	233.8	411.0
	(再掲)20-49歳※1	204	51.1	70.6	5.8	0.0	0.0	0.0	0.0	30.0	74.5	131.5	194.6	392.8
	(再掲)40-74歳※1	357	65.6	78.6	4.7	0.0	0.0	0.0	0.0	40.0	99.3	163.9	229.9	395.9
	(再掲)65-74歳	105	76.0	82.3	8.1	0.0	0.0	0.0	15.0	58.4	110.1	168.2	228.7	471.1
	(再掲)75歳以上	104	70.7	85.0	8.3	0.0	0.0	0.0	3.4	45.0	110.0	177.6	253.1	464.4
	(再掲)20歳以上※1	572	61.9	77.1	3.9	0.0	0.0	0.0	0.0	37.9	88.8	159.7	216.5	403.2
	(再掲)20歳以上※2	572	60.5	76.0	3.9	0.0	0.0	0.0	0.0	37.5	84.4	155.4	206.7	402.3
女性	20-29歳	41	32.9	50.4	7.9	0.0	0.0	0.0	0.0	14.9	45.0	84.5	177.7	240.0
	30-39歳	71	54.2	62.0	8.8	0.0	0.0	0.0	2.9	37.5	77.0	146.1	191.7	277.0
	40-49歳	106	46.1	52.6	5.2	0.0	0.0	0.0	0.0	37.0	73.4	116.1	153.9	273.1
	50-59歳	128	76.3	78.5	6.8	0.0	0.0	0.0	10.5	50.0	116.7	200.0	246.7	293.8
	60-69歳	120	57.1	59.2	4.6	0.0	0.0	0.0	10.0	40.2	82.4	142.4	200.6	273.7
	70歳以上	191	68.3	84.3	6.7	0.0	0.0	0.0	7.6	40.4	100.0	166.3	234.6	453.1
	(再掲)20-49歳※1	218	45.9	56.0	4.0	0.0	0.0	0.0	0.0	32.6	67.5	117.8	177.1	262.2
	(再掲)40-74歳※1	413	66.7	75.5	4.4	0.0	0.0	0.0	7.5	45.0	95.1	163.6	227.2	338.8
	(再掲)65-74歳	118	82.2	91.4	10.0	0.0	0.0	0.0	19.8	50.9	117.5	185.9	247.1	483.4
	(再掲)75歳以上	132	51.7	64.1	4.7	0.0	0.0	0.0	0.3	33.1	66.6	146.4	173.0	337.3
	(再掲)20歳以上※1	657	58.8	70.2	3.7	0.0	0.0	0.0	4.0	37.5	83.0	150.0	200.0	290.2
	(再掲)20歳以上※2	657	56.8	67.8	3.9	0.0	0.0	0.0	2.2	37.5	80.9	149.2	200.0	277.0
男女計	20-29歳	87	45.2	68.7	7.0	0.0	0.0	0.0	0.0	20.0	70.0	123.8	200.0	408.0
	30-39歳	136	48.5	58.9	7.0	0.0	0.0	0.0	0.0	36.4	69.0	116.2	174.6	283.3
	40-49歳	199	50.6	65.3	5.4	0.0	0.0	0.0	0.0	31.4	73.8	129.7	176.5	298.5
	50-59歳	226	68.7	73.4	4.9	0.0	0.0	0.0	1.4	46.7	107.2	200.0	242.0	276.4
	60-69歳	238	64.5	76.1	4.8	0.0	0.0	0.0	5.4	40.0	96.2	170.6	226.6	389.7
	70歳以上	343	71.1	83.2	5.7	0.0	0.0	0.0	10.0	45.0	100.0	170.0	233.5	421.8
	(再掲)20-49歳※1	422	48.6	63.8	4.3	0.0	0.0	0.0	0.0	30.0	72.1	124.4	175.6	294.1
	(再掲)40-74歳※1	770	66.2	77.0	3.5	0.0	0.0	0.0	5.0	43.8	97.3	163.3	229.8	383.0
	(再掲)65-74歳	223	79.4	87.3	6.8	0.0	0.0	0.0	18.8	55.4	114.6	175.0	238.1	473.5
	(再掲)75歳以上	236	59.4	73.8	5.0	0.0	0.0	0.0	2.0	36.3	80.7	160.0	201.0	402.6
	(再掲)20歳以上※1	1,229	60.3	73.6	3.3	0.0	0.0	0.0	1.0	37.5	83.8	155.0	203.9	367.9
	(再掲)20歳以上※2	1,229	58.6	72.0	3.3	0.0	0.0	0.0	0.0	37.5	82.5	152.6	200.0	299.9

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

種実類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	1.7	8.9	1.23	0.0	0.0	0.0	0.0	0.0	0.0	1.9	9.8	71.4
	30-39歳	65	1.3	6.9	0.76	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.4	61.9
	40-49歳	93	1.4	4.6	0.50	0.0	0.0	0.0	0.0	0.0	0.1	3.6	8.9	29.9
	50-59歳	98	2.8	9.7	0.90	0.0	0.0	0.0	0.0	0.0	0.5	7.6	11.8	69.2
	60-69歳	118	4.5	16.3	1.32	0.0	0.0	0.0	0.0	0.0	2.0	12.5	19.8	129.5
	70歳以上	152	4.9	15.6	1.30	0.0	0.0	0.0	0.0	0.0	1.3	14.0	27.1	100.1
	(再掲)20-49歳※1	204	1.4	6.6	0.44	0.0	0.0	0.0	0.0	0.0	0.0	3.0	8.1	46.1
	(再掲)40-74歳※1	357	3.2	11.5	0.56	0.0	0.0	0.0	0.0	0.0	0.5	8.9	20.0	63.9
	(再掲)65-74歳	105	3.9	9.0	0.91	0.0	0.0	0.0	0.0	0.0	3.3	14.4	21.3	60.5
	(再掲)75歳以上	104	4.8	17.3	1.74	0.0	0.0	0.0	0.0	0.0	1.5	8.9	31.6	116.9
	(再掲)20歳以上※1	572	3.0	11.8	0.48	0.0	0.0	0.0	0.0	0.0	0.0	7.4	16.0	65.1
	(再掲)20歳以上※2	572	2.8	11.2	0.50	0.0	0.0	0.0	0.0	0.0	0.0	6.7	13.1	64.7
女性	20-29歳	41	2.0	9.5	1.35	0.0	0.0	0.0	0.0	0.0	0.0	1.2	21.3	61.9
	30-39歳	71	1.6	5.4	0.54	0.0	0.0	0.0	0.0	0.0	0.0	4.0	7.1	35.0
	40-49歳	106	4.2	19.2	1.91	0.0	0.0	0.0	0.0	0.0	0.5	5.6	30.1	163.7
	50-59歳	128	4.5	12.1	1.05	0.0	0.0	0.0	0.0	0.0	3.6	11.3	28.2	75.5
	60-69歳	120	5.4	13.7	1.39	0.0	0.0	0.0	0.0	0.0	2.5	18.6	31.7	76.0
	70歳以上	191	3.0	8.7	0.70	0.0	0.0	0.0	0.0	0.0	1.0	10.0	16.4	54.4
	(再掲)20-49歳※1	218	2.7	13.5	0.84	0.0	0.0	0.0	0.0	0.0	0.0	5.0	19.5	51.1
	(再掲)40-74歳※1	413	4.7	14.8	0.74	0.0	0.0	0.0	0.0	0.0	2.0	13.3	30.0	66.6
	(再掲)65-74歳	118	4.9	12.2	1.18	0.0	0.0	0.0	0.0	0.0	3.0	16.0	22.2	75.5
	(再掲)75歳以上	132	2.2	6.4	0.51	0.0	0.0	0.0	0.0	0.0	1.0	7.5	15.0	36.1
	(再掲)20歳以上※1	657	3.6	12.1	0.48	0.0	0.0	0.0	0.0	0.0	1.0	9.0	20.0	62.1
	(再掲)20歳以上※2	657	3.4	12.1	0.51	0.0	0.0	0.0	0.0	0.0	0.9	8.0	20.0	61.7
男女計	20-29歳	87	1.9	9.2	1.03	0.0	0.0	0.0	0.0	0.0	0.0	1.2	9.9	71.4
	30-39歳	136	1.4	6.2	0.49	0.0	0.0	0.0	0.0	0.0	0.0	3.6	5.7	45.9
	40-49歳	199	2.8	13.9	1.03	0.0	0.0	0.0	0.0	0.0	0.4	5.2	17.9	39.0
	50-59歳	226	3.6	11.0	0.88	0.0	0.0	0.0	0.0	0.0	1.5	9.9	20.0	62.8
	60-69歳	238	5.0	15.0	1.09	0.0	0.0	0.0	0.0	0.0	2.0	16.6	21.6	78.2
	70歳以上	343	3.8	12.0	0.72	0.0	0.0	0.0	0.0	0.0	1.0	11.5	20.8	65.9
	(再掲)20-49歳※1	422	2.1	10.6	0.54	0.0	0.0	0.0	0.0	0.0	0.0	3.4	9.5	41.8
	(再掲)40-74歳※1	770	4.0	13.3	0.56	0.0	0.0	0.0	0.0	0.0	1.0	10.9	21.7	65.0
	(再掲)65-74歳	223	4.4	10.9	0.88	0.0	0.0	0.0	0.0	0.0	3.0	15.3	21.8	66.1
	(再掲)75歳以上	236	3.3	12.1	0.77	0.0	0.0	0.0	0.0	0.0	1.0	7.5	17.6	66.7
	(再掲)20歳以上※1	1,229	3.3	12.0	0.41	0.0	0.0	0.0	0.0	0.0	0.5	8.0	18.9	63.1
	(再掲)20歳以上※2	1,229	3.1	11.7	0.45	0.0	0.0	0.0	0.0	0.0	0.4	7.5	18.0	62.2

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

野菜類（緑黄色野菜とその他野菜類の合計）(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	295.8	188.5	29.8	0.0	0.0	93.4	170.7	278.4	362.8	640.5	730.6	790.9
	30-39歳	65	257.0	130.9	17.1	24.0	97.1	102.0	163.8	226.3	318.8	468.6	487.2	759.4
	40-49歳	93	301.0	133.4	12.9	25.4	94.1	128.7	221.9	282.7	409.3	487.1	530.1	823.4
	50-59歳	98	315.8	168.2	23.6	0.0	80.4	126.5	196.3	306.2	405.2	569.1	630.8	812.8
	60-69歳	118	343.4	236.4	22.9	0.0	90.6	122.4	177.8	292.7	414.7	666.3	758.1	1414.9
	70歳以上	152	325.4	177.2	13.2	0.0	70.1	97.4	194.5	304.1	422.1	539.5	645.8	918.6
	(再掲)20-49歳※1	204	283.9	148.4	9.4	0.0	96.9	125.0	183.5	260.0	354.0	485.7	554.5	759.3
	(再掲)40-74歳※1	357	325.6	189.7	11.6	1.2	90.9	125.3	202.5	290.2	410.6	561.0	681.6	951.0
	(再掲)65-74歳	105	367.3	244.0	21.8	9.9	85.8	120.8	198.6	298.6	480.4	681.5	840.4	1374.6
	(再掲)75歳以上	104	308.5	157.0	15.6	0.0	73.4	93.7	182.5	320.3	404.5	506.1	585.8	795.7
	(再掲)20歳以上※1	572	309.2	178.2	6.9	0.0	84.2	118.4	190.0	282.6	398.2	524.4	652.1	848.8
	(再掲)20歳以上※2	572	305.9	176.3	7.0	0.0	83.9	119.1	187.3	276.2	396.4	519.3	652.3	838.5
	女性	20-29歳	41	291.9	144.6	20.3	15.0	33.7	84.0	199.1	301.0	410.4	478.2	523.9
30-39歳		71	273.7	156.2	19.4	40.3	100.5	119.9	162.6	261.3	335.7	464.5	503.9	1159.4
40-49歳		106	288.4	151.4	18.6	1.3	67.8	106.9	189.5	274.4	376.6	464.7	508.5	741.1
50-59歳		128	335.9	165.3	15.4	26.2	96.6	151.3	218.5	313.0	425.3	559.3	664.0	933.9
60-69歳		120	378.8	215.3	27.2	55.0	113.9	149.2	216.8	347.6	508.5	641.3	728.3	1189.4
70歳以上		191	351.9	182.2	13.9	55.5	129.2	155.0	230.2	328.1	435.1	536.6	691.6	1037.0
(再掲)20-49歳※1		218	284.0	151.1	10.0	15.4	69.8	103.0	172.8	275.8	361.6	469.6	512.5	733.2
(再掲)40-74歳※1		413	342.6	178.4	10.3	26.5	98.6	145.4	217.7	320.1	425.2	585.9	677.3	937.1
(再掲)65-74歳		118	384.1	191.0	15.8	67.2	137.7	174.7	267.6	355.2	456.2	625.3	707.0	1183.4
(再掲)75歳以上		132	341.2	199.0	18.4	20.9	84.7	137.7	208.9	303.0	434.5	536.1	729.7	1055.3
(再掲)20歳以上※1		657	328.1	178.7	7.9	26.8	85.2	136.5	209.2	303.9	413.7	531.2	648.9	1035.6
(再掲)20歳以上※2		657	320.3	174.2	8.2	25.2	85.0	127.6	202.7	299.0	410.5	518.9	638.1	995.7
男女計		20-29歳	87	293.9	167.7	18.6	0.0	29.2	86.6	182.3	285.3	384.3	515.7	708.3
	30-39歳	136	265.2	143.6	12.9	37.6	100.9	105.6	162.6	237.4	331.3	466.2	497.4	891.9
	40-49歳	199	294.8	142.4	11.6	12.3	83.6	112.1	201.9	282.4	385.7	484.4	511.7	733.9
	50-59歳	226	325.9	166.7	16.2	5.8	89.0	129.8	209.9	310.5	412.8	566.9	634.0	860.0
	60-69歳	238	361.4	226.2	22.4	9.2	98.5	125.5	211.9	320.6	435.9	650.4	752.1	1262.6
	70歳以上	343	340.9	180.4	11.4	18.0	85.0	138.2	221.4	324.5	434.0	537.6	681.1	1037.1
	(再掲)20-49歳※1	422	283.9	149.6	6.7	4.8	83.1	106.6	178.1	266.4	357.2	476.3	523.9	742.9
	(再掲)40-74歳※1	770	334.3	184.1	9.4	21.8	96.8	129.7	215.5	306.8	419.8	581.0	681.5	923.2
	(再掲)65-74歳	223	376.6	216.0	16.5	52.9	114.2	150.3	233.1	345.6	459.9	643.2	755.1	1234.0
	(再掲)75歳以上	236	327.9	183.5	14.6	0.0	84.4	127.5	202.4	304.8	427.6	527.1	635.3	1020.0
	(再掲)20歳以上※1	1,229	319.0	178.6	6.1	14.8	85.0	126.1	200.5	293.8	407.6	524.3	650.0	927.4
	(再掲)20歳以上※2	1,229	313.1	175.3	6.1	2.7	84.9	124.9	195.7	290.0	400.8	518.6	641.4	876.7 0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

緑黄色野菜(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	121.6	119.4	20.5	0.0	0.0	8.4	37.1	74.8	180.0	319.1	344.4	457.3
	30-39歳	65	82.0	77.6	9.3	0.0	0.1	4.7	32.1	68.1	97.3	159.7	294.6	402.6
	40-49歳	93	74.8	66.9	7.9	0.0	1.8	6.3	24.5	56.7	104.2	166.6	224.0	431.7
	50-59歳	98	100.0	87.4	9.8	0.0	0.0	4.5	36.1	79.2	143.7	241.7	291.2	358.6
	60-69歳	118	106.1	94.0	8.7	0.0	0.0	0.0	40.0	90.9	145.1	208.1	254.5	617.6
	70歳以上	152	132.8	111.5	10.5	0.0	0.0	12.9	55.3	111.7	184.2	260.3	368.9	581.7
	(再掲)20-49歳※1	204	88.7	87.6	8.2	0.0	0.0	6.7	31.5	65.6	111.9	224.1	308.8	443.8
	(再掲)40-74歳※1	357	99.4	90.6	5.6	0.0	0.0	6.9	40.0	75.9	138.5	222.8	263.4	420.3
	(再掲)65-74歳	105	124.5	104.5	10.6	0.0	0.0	7.2	50.6	110.6	179.4	245.4	342.8	566.5
	(再掲)75歳以上	104	129.8	108.7	11.7	0.0	6.7	14.2	45.0	110.0	179.8	253.8	355.9	601.8
	(再掲)20歳以上※1	572	103.6	95.9	5.5	0.0	0.0	7.2	37.8	76.7	143.5	237.8	308.4	432.1
	(再掲)20歳以上※2	572	102.9	96.1	5.7	0.0	0.0	7.1	37.2	75.0	142.2	240.5	309.4	433.2
女性	20-29歳	41	114.4	104.0	17.5	0.0	0.0	1.5	36.0	90.8	149.2	260.0	342.4	513.8
	30-39歳	71	94.5	89.7	11.4	0.0	6.4	20.0	41.4	66.7	99.7	238.2	266.3	495.7
	40-49歳	106	97.6	100.4	12.0	0.0	0.0	0.0	11.9	74.0	138.4	248.5	284.3	409.1
	50-59歳	128	119.2	102.2	11.9	0.0	0.0	2.5	42.0	100.1	168.1	270.7	306.6	436.1
	60-69歳	120	146.6	103.4	8.8	0.0	16.7	27.2	77.1	124.1	188.8	263.2	370.6	556.0
	70歳以上	191	140.7	106.6	9.5	3.9	14.7	29.3	61.5	113.9	193.8	278.9	328.2	550.8
	(再掲)20-49歳※1	218	100.5	97.5	7.7	0.0	0.0	3.3	32.8	72.8	136.5	244.9	288.6	482.6
	(再掲)40-74歳※1	413	125.8	104.1	6.1	0.0	0.0	7.4	46.0	106.8	176.5	262.7	311.3	434.6
	(再掲)65-74歳	118	149.9	104.2	9.9	1.0	20.3	36.6	76.1	133.5	200.2	261.5	345.0	576.0
	(再掲)75歳以上	132	139.5	108.0	10.4	3.5	15.0	25.2	60.0	108.0	191.2	285.8	328.2	571.6
	(再掲)20歳以上※1	657	123.2	103.7	5.6	0.0	0.0	14.3	46.2	98.9	175.0	262.6	312.3	480.6
	(再掲)20歳以上※2	657	118.8	102.5	5.8	0.0	0.0	10.0	43.8	92.0	167.4	260.3	311.3	467.4
男女計	20-29歳	87	118.1	111.7	13.3	0.0	0.0	5.0	37.0	80.6	154.7	309.2	343.4	513.8
	30-39歳	136	88.1	83.7	8.9	0.0	1.0	10.0	38.4	68.5	99.3	206.1	270.9	476.9
	40-49歳	199	86.1	85.7	8.3	0.0	0.0	2.0	22.0	64.5	118.7	209.6	266.3	405.5
	50-59歳	226	109.6	95.4	9.0	0.0	0.0	5.0	38.0	83.5	149.9	262.4	297.4	410.6
	60-69歳	238	126.7	100.8	6.6	0.0	0.0	18.3	54.5	118.1	172.5	245.5	300.2	528.6
	70歳以上	343	137.4	108.6	8.8	0.0	9.7	23.1	60.0	113.2	190.4	272.3	347.2	545.8
	(再掲)20-49歳※1	422	94.5	92.7	6.3	0.0	0.0	4.7	32.8	69.1	121.7	232.7	300.8	447.6
	(再掲)40-74歳※1	770	112.9	98.6	5.1	0.0	0.0	7.3	41.6	89.3	156.6	247.7	296.2	427.7
	(再掲)65-74歳	223	138.6	104.9	9.4	0.0	4.3	24.3	63.3	122.5	191.3	257.1	338.3	537.1
	(再掲)75歳以上	236	135.6	108.2	9.4	0.0	12.7	22.7	57.9	109.7	186.0	279.2	340.4	579.7
	(再掲)20歳以上※1	1,229	113.8	100.5	5.0	0.0	0.0	10.0	41.9	85.1	159.7	250.1	311.1	454.8
	(再掲)20歳以上※2	1,229	110.9	99.6	4.9	0.0	0.0	9.7	40.0	81.9	152.6	250.0	309.4	454.8

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

その他の野菜(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	174.2	114.9	20.5	0.0	0.0	10.0	94.6	153.8	237.6	346.6	417.2	461.3
	30-39歳	65	175.0	104.3	12.3	24.0	62.5	80.0	102.3	150.9	231.0	336.7	380.4	691.9
	40-49歳	93	226.2	121.7	16.1	30.7	55.0	75.1	150.3	208.9	283.5	411.9	469.7	557.9
	50-59歳	98	215.8	119.5	15.9	0.0	41.7	75.6	127.2	191.6	284.0	377.6	451.9	599.5
	60-69歳	118	237.3	196.9	21.5	0.0	40.2	72.5	122.3	187.6	301.8	449.8	566.4	1321.8
	70歳以上	152	192.7	127.1	9.6	0.0	45.4	63.6	99.4	165.6	233.6	378.7	450.5	654.7
	(再掲)20-49歳※1	204	195.2	116.4	9.2	0.0	48.4	63.0	110.3	178.6	253.1	367.7	416.8	555.9
	(再掲)40-74歳※1	357	226.1	151.5	12.6	1.2	53.4	74.8	127.2	191.8	292.7	413.7	501.7	670.8
	(再掲)65-74歳	105	242.8	203.0	26.0	2.9	50.4	71.4	119.5	172.5	339.2	502.9	564.6	1269.6
	(再掲)75歳以上	104	178.7	113.8	11.9	0.0	39.2	62.5	95.1	156.4	233.5	346.1	391.7	583.0
	(再掲)20歳以上※1	572	205.6	138.1	7.9	0.0	47.0	69.5	113.0	182.5	262.6	386.6	450.8	651.1
	(再掲)20歳以上※2	572	203.0	134.7	7.4	0.0	45.5	69.4	112.6	180.6	260.1	379.0	450.5	617.0
女性	20-29歳	41	177.5	98.6	14.9	15.0	22.0	57.3	97.5	175.8	235.7	325.3	370.9	436.3
	30-39歳	71	179.2	107.7	14.9	24.6	44.2	62.2	104.2	171.0	219.5	303.8	405.2	691.9
	40-49歳	106	190.8	103.3	12.5	0.0	30.0	50.1	115.5	185.8	262.7	323.5	363.0	460.0
	50-59歳	128	216.7	106.3	7.7	4.5	62.8	92.5	151.4	204.7	262.6	366.5	413.7	570.3
	60-69歳	120	232.2	175.1	22.6	15.4	50.5	77.7	118.0	189.5	289.2	466.7	505.9	1075.5
	70歳以上	191	211.1	140.7	10.1	21.2	55.0	73.9	113.9	180.0	266.1	374.7	474.2	717.4
	(再掲)20-49歳※1	218	183.4	103.5	7.8	9.6	36.4	60.1	103.0	177.6	246.3	320.0	364.1	456.3
	(再掲)40-74歳※1	413	216.8	133.0	9.4	5.6	49.3	78.2	127.7	200.0	270.3	376.2	462.4	649.5
	(再掲)65-74歳	118	234.2	163.2	18.7	36.4	53.2	79.0	126.4	209.6	281.6	432.5	498.8	1051.8
	(再掲)75歳以上	132	201.7	150.0	14.0	20.6	50.1	69.2	105.9	163.3	263.2	354.6	483.7	765.4
	(再掲)20歳以上※1	657	204.9	131.3	6.7	15.0	47.3	70.3	118.0	185.0	260.4	356.8	448.3	691.9
	(再掲)20歳以上※2	657	201.5	125.7	6.7	13.2	45.6	69.1	117.4	184.8	255.3	349.2	433.7	690.2
男女計	20-29歳	87	175.8	106.8	14.9	0.0	9.4	35.8	97.5	173.8	237.4	329.3	395.1	461.3
	30-39歳	136	177.0	105.6	9.7	24.5	52.9	65.8	103.4	155.4	219.5	312.8	389.6	691.9
	40-49歳	199	208.7	114.1	12.8	1.4	48.8	61.8	130.4	194.6	271.0	362.1	440.4	548.8
	50-59歳	226	216.2	112.9	10.2	0.0	57.7	81.7	133.3	198.6	270.1	370.0	421.5	543.3
	60-69歳	238	234.7	185.8	21.0	1.0	49.9	74.9	118.9	188.6	300.4	462.0	542.4	1177.3
	70歳以上	343	203.5	135.4	8.3	20.0	51.7	70.0	109.8	171.7	260.2	375.8	450.5	711.7
	(再掲)20-49歳※1	422	189.4	110.3	7.5	0.0	40.0	62.5	108.8	177.2	246.4	333.4	409.6	529.4
	(再掲)40-74歳※1	770	221.4	142.3	10.4	2.8	50.4	75.9	127.7	194.0	280.2	399.4	472.3	661.7
	(再掲)65-74歳	223	238.0	181.8	20.9	20.6	52.1	74.8	124.5	192.0	295.0	450.5	523.4	1170.5
	(再掲)75歳以上	236	192.3	136.7	10.7	0.0	45.2	64.3	104.0	157.1	253.8	354.6	440.2	711.0
	(再掲)20歳以上※1	1,229	205.3	134.6	6.7	0.8	47.8	70.0	114.4	183.5	260.8	369.5	449.0	665.9
	(再掲)20歳以上※2	1,229	202.2	130.2	6.5	0.0	45.5	69.7	113.1	182.5	255.8	363.4	441.7	647.7

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

漬物(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	9.3	20.8	2.9	0.0	0.0	0.0	0.0	0.0	10.0	25.3	68.3	101.0
	30-39歳	65	9.2	18.2	2.2	0.0	0.0	0.0	0.0	0.0	10.0	27.7	65.1	73.5
	40-49歳	93	10.4	18.8	2.0	0.0	0.0	0.0	0.0	0.0	10.0	40.0	60.0	91.6
	50-59歳	98	16.3	29.4	3.6	0.0	0.0	0.0	0.0	4.0	17.6	50.2	58.7	154.3
	60-69歳	118	22.3	38.8	4.4	0.0	0.0	0.0	0.0	10.0	27.0	62.6	92.9	216.0
	70歳以上	152	33.2	46.6	7.0	0.0	0.0	0.0	0.0	15.0	43.9	94.0	137.0	207.2
	(再掲)20-49歳※1	204	9.7	19.0	1.3	0.0	0.0	0.0	0.0	0.0	10.0	30.0	60.0	94.2
	(再掲)40-74歳※1	357	20.2	37.0	3.1	0.0	0.0	0.0	0.0	5.0	24.9	60.0	87.0	202.5
	(再掲)65-74歳	105	32.8	52.9	9.5	0.0	0.0	0.0	0.0	10.0	40.0	98.0	182.4	221.8
	(再掲)75歳以上	104	27.1	37.0	3.6	0.0	0.0	0.0	0.0	13.7	43.5	82.4	108.9	184.4
	(再掲)20歳以上※1	572	18.3	33.7	2.0	0.0	0.0	0.0	0.0	4.0	20.0	55.2	81.8	184.9
	(再掲)20歳以上※2	572	17.0	32.0	1.7	0.0	0.0	0.0	0.0	3.0	20.0	52.6	73.9	173.6
女性	20-29歳	41	5.4	11.7	1.4	0.0	0.0	0.0	0.0	0.0	10.0	17.1	43.0	47.0
	30-39歳	71	9.9	20.5	2.9	0.0	0.0	0.0	0.0	0.0	10.0	37.4	67.7	84.0
	40-49歳	106	8.4	17.4	1.5	0.0	0.0	0.0	0.0	0.0	10.0	30.0	39.8	92.8
	50-59歳	128	13.9	22.2	1.8	0.0	0.0	0.0	0.0	0.0	20.0	50.0	57.9	115.4
	60-69歳	120	25.4	43.0	5.0	0.0	0.0	0.0	0.0	10.0	34.9	62.2	119.8	209.3
	70歳以上	191	22.6	40.0	3.3	0.0	0.0	0.0	0.0	10.0	34.7	53.8	87.0	203.5
	(再掲)20-49歳※1	218	8.2	17.5	1.2	0.0	0.0	0.0	0.0	0.0	10.0	30.0	45.3	86.4
	(再掲)40-74歳※1	413	17.8	31.2	1.9	0.0	0.0	0.0	0.0	0.0	27.4	52.1	73.6	176.2
	(再掲)65-74歳	118	25.8	37.7	4.6	0.0	0.0	0.0	0.0	12.2	40.0	62.8	95.9	184.7
	(再掲)75歳以上	132	21.5	44.1	4.4	0.0	0.0	0.0	0.0	4.9	27.5	50.0	93.0	295.8
	(再掲)20歳以上※1	657	16.3	32.2	1.7	0.0	0.0	0.0	0.0	0.0	20.0	50.0	67.8	184.8
	(再掲)20歳以上※2	657	14.4	29.2	1.5	0.0	0.0	0.0	0.0	0.0	20.0	46.8	60.0	148.2
男女計	20-29歳	87	7.4	17.0	1.8	0.0	0.0	0.0	0.0	0.0	10.0	20.0	46.3	101.0
	30-39歳	136	9.6	19.3	2.4	0.0	0.0	0.0	0.0	0.0	10.0	30.7	65.9	79.9
	40-49歳	199	9.4	18.1	1.3	0.0	0.0	0.0	0.0	0.0	10.0	30.0	60.0	90.6
	50-59歳	226	15.1	26.0	2.2	0.0	0.0	0.0	0.0	3.4	19.7	50.0	58.4	139.1
	60-69歳	238	23.9	40.9	4.0	0.0	0.0	0.0	0.0	10.0	30.0	60.0	96.3	211.2
	70歳以上	343	27.0	43.1	3.9	0.0	0.0	0.0	0.0	12.0	40.0	69.6	105.5	201.3
	(再掲)20-49歳※1	422	9.0	18.3	1.1	0.0	0.0	0.0	0.0	0.0	10.0	30.0	60.0	87.0
	(再掲)40-74歳※1	770	18.9	34.1	2.4	0.0	0.0	0.0	0.0	3.2	25.0	55.0	80.0	191.7
	(再掲)65-74歳	223	28.9	45.2	6.4	0.0	0.0	0.0	0.0	10.0	40.0	80.0	132.3	210.9
	(再掲)75歳以上	236	23.8	41.4	3.5	0.0	0.0	0.0	0.0	10.0	34.0	56.7	100.3	188.0
	(再掲)20歳以上※1	1,229	17.3	32.9	1.8	0.0	0.0	0.0	0.0	0.0	20.0	51.7	74.5	187.1
	(再掲)20歳以上※2	1,229	15.7	30.6	1.6	0.0	0.0	0.0	0.0	0.0	20.0	50.0	73.0	162.5

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

果実類（生果+ジャム+果汁・果汁飲料）(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	72.0	117.8	19.3	0.0	0.0	0.0	0.0	0.0	105.0	262.2	408.1	433.3
	30-39歳	65	48.7	95.6	14.6	0.0	0.0	0.0	0.0	0.0	65.0	177.5	257.2	539.5
	40-49歳	93	47.4	62.0	5.7	0.0	0.0	0.0	0.0	24.3	87.1	126.0	195.1	291.5
	50-59歳	98	82.2	111.5	12.0	0.0	0.0	0.0	0.0	1.0	147.8	250.8	303.9	573.6
	60-69歳	118	116.4	140.9	14.3	0.0	0.0	0.0	0.0	69.3	190.8	350.4	407.4	724.6
	70歳以上	152	134.6	121.9	11.4	0.0	0.0	0.0	5.4	117.0	226.5	295.5	365.6	434.3
	(再掲)20-49歳※1	204	53.8	90.5	8.9	0.0	0.0	0.0	0.0	0.0	88.3	171.9	237.6	433.1
	(再掲)40-74歳※1	357	92.0	117.4	7.6	0.0	0.0	0.0	0.0	50.0	145.8	260.7	342.0	481.9
	(再掲)65-74歳	105	147.5	132.3	11.7	0.0	0.0	0.0	22.2	129.1	242.9	352.1	391.5	732.4
	(再掲)75歳以上	104	124.1	120.5	14.7	0.0	0.0	0.0	0.0	90.2	208.5	291.2	340.3	630.9
	(再掲)20歳以上※1	572	87.9	116.6	7.0	0.0	0.0	0.0	0.0	42.5	132.3	259.7	335.4	460.8
	(再掲)20歳以上※2	572	83.9	115.3	7.3	0.0	0.0	0.0	0.0	28.9	129.5	255.0	327.4	456.0
女性	20-29歳	41	119.5	149.1	19.8	0.0	0.0	0.0	0.0	55.3	179.8	331.7	497.7	555.0
	30-39歳	71	92.9	149.0	19.4	0.0	0.0	0.0	0.0	34.3	128.2	296.5	407.5	767.0
	40-49歳	106	67.0	84.7	8.3	0.0	0.0	0.0	0.0	40.6	99.3	219.3	246.7	455.1
	50-59歳	128	128.6	145.1	15.5	0.0	0.0	0.0	0.0	98.8	196.7	309.4	404.3	765.2
	60-69歳	120	136.7	108.1	10.3	0.0	0.0	0.0	50.0	125.0	204.9	263.9	340.7	502.6
	70歳以上	191	140.8	140.3	8.7	0.0	0.0	0.0	48.2	115.4	222.3	287.5	366.3	459.2
	(再掲)20-49歳※1	218	88.8	128.1	7.9	0.0	0.0	0.0	0.0	40.3	126.9	257.4	331.8	594.6
	(再掲)40-74歳※1	413	118.2	118.4	7.6	0.0	0.0	0.0	0.5	95.0	192.4	262.8	335.3	490.7
	(再掲)65-74歳	118	153.2	108.5	9.7	0.0	0.0	0.0	72.2	127.5	238.4	285.4	376.0	434.6
	(再掲)75歳以上	132	135.4	150.9	11.1	0.0	0.0	0.0	45.0	108.8	204.7	288.9	344.8	886.8
	(再掲)20歳以上※1	657	118.3	133.1	5.3	0.0	0.0	0.0	0.0	88.0	192.0	279.5	348.2	573.2
	(再掲)20歳以上※2	657	114.8	134.6	5.6	0.0	0.0	0.0	0.0	80.3	180.0	280.1	350.0	587.3
男女計	20-29歳	87	95.1	135.4	13.9	0.0	0.0	0.0	0.0	25.0	130.0	325.7	423.5	555.0
	30-39歳	136	70.3	126.2	13.5	0.0	0.0	0.0	0.0	0.0	100.0	200.0	306.1	683.9
	40-49歳	199	57.1	74.5	6.0	0.0	0.0	0.0	0.0	33.1	95.4	170.0	227.7	303.2
	50-59歳	226	105.4	131.3	11.8	0.0	0.0	0.0	0.0	59.7	180.0	260.0	340.0	618.8
	60-69歳	238	126.7	125.5	10.7	0.0	0.0	0.0	0.0	96.3	200.1	305.7	383.9	501.5
	70歳以上	343	138.2	132.9	8.0	0.0	0.0	0.0	42.5	115.5	225.0	290.0	358.8	450.0
	(再掲)20-49歳※1	422	71.0	111.8	6.0	0.0	0.0	0.0	0.0	10.0	100.7	216.9	300.0	541.8
	(再掲)40-74歳※1	770	105.4	118.6	7.0	0.0	0.0	0.0	0.0	75.0	174.1	263.0	339.4	459.9
	(再掲)65-74歳	223	150.6	119.5	8.0	0.0	0.0	0.0	64.0	128.8	239.5	301.9	382.5	432.5
	(再掲)75歳以上	236	130.8	139.2	10.1	0.0	0.0	0.0	38.0	101.3	205.0	290.0	335.9	480.4
	(再掲)20歳以上※1	1,229	103.7	126.3	5.3	0.0	0.0	0.0	0.0	66.1	170.0	266.8	339.9	503.8
	(再掲)20歳以上※2	1,229	99.3	126.2	5.3	0.0	0.0	0.0	0.0	59.5	156.0	265.7	340.0	527.5

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

果実類（ジャムを除く）(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	71.4	116.2	19.1	0.0	0.0	0.0	0.0	0.0	105.0	262.2	393.8	420.3
	30-39歳	65	45.6	93.0	13.9	0.0	0.0	0.0	0.0	0.0	61.6	172.2	257.2	529.0
	40-49歳	93	47.1	61.9	5.8	0.0	0.0	0.0	0.0	12.7	85.7	126.0	195.1	291.5
	50-59歳	98	81.6	111.7	12.1	0.0	0.0	0.0	0.0	0.0	147.8	250.8	303.9	573.6
	60-69歳	118	115.0	140.3	14.3	0.0	0.0	0.0	0.0	68.5	185.6	350.4	405.2	724.6
	70歳以上	152	132.5	120.4	11.2	0.0	0.0	0.0	5.4	108.3	225.3	295.4	365.6	410.9
	(再掲)20-49歳※1	204	52.4	89.0	8.6	0.0	0.0	0.0	0.0	0.0	85.8	171.9	237.6	420.0
	(再掲)40-74歳※1	357	90.9	116.9	7.6	0.0	0.0	0.0	0.0	50.0	141.3	260.7	342.0	481.9
	(再掲)65-74歳	105	145.3	132.0	11.8	0.0	0.0	0.0	1.0	125.3	240.0	352.1	382.0	732.4
	(再掲)75歳以上	104	122.6	118.9	14.4	0.0	0.0	0.0	0.0	90.0	205.1	289.4	340.3	630.9
	(再掲)20歳以上※1	572	86.5	115.6	7.0	0.0	0.0	0.0	0.0	42.5	129.5	259.7	335.4	460.4
	(再掲)20歳以上※2	572	82.5	114.2	7.2	0.0	0.0	0.0	0.0	27.8	126.8	255.0	327.4	453.3
女性	20-29歳	41	119.1	149.5	19.7	0.0	0.0	0.0	0.0	55.3	179.8	331.7	497.7	555.0
	30-39歳	71	92.1	148.9	19.5	0.0	0.0	0.0	0.0	34.3	128.2	293.7	407.5	767.0
	40-49歳	106	65.8	83.6	8.0	0.0	0.0	0.0	0.0	40.2	99.3	218.4	238.7	451.3
	50-59歳	128	126.5	144.2	15.1	0.0	0.0	0.0	0.0	99.9	185.5	309.4	402.7	765.2
	60-69歳	120	134.3	107.6	10.2	0.0	0.0	0.0	50.0	125.0	200.7	263.8	334.9	502.6
	70歳以上	191	138.1	139.5	8.7	0.0	0.0	0.0	45.1	114.6	202.6	280.5	366.3	459.2
	(再掲)20-49歳※1	218	87.9	128.0	8.0	0.0	0.0	0.0	0.0	40.0	127.4	257.4	331.5	594.6
	(再掲)40-74歳※1	413	116.3	117.4	7.5	0.0	0.0	0.0	0.0	91.0	188.6	261.7	332.4	489.9
	(再掲)65-74歳	118	150.8	107.2	9.5	0.0	0.0	0.0	72.2	127.5	230.0	282.5	376.0	430.3
	(再掲)75歳以上	132	132.4	150.2	11.1	0.0	0.0	0.0	43.6	107.6	198.6	280.1	344.8	886.8
	(再掲)20歳以上※1	657	116.4	132.4	5.2	0.0	0.0	0.0	0.0	87.0	182.3	269.7	346.7	573.2
	(再掲)20歳以上※2	657	113.2	134.1	5.6	0.0	0.0	0.0	0.0	80.0	178.7	278.1	349.6	587.3
男女計	20-29歳	87	94.6	134.9	13.8	0.0	0.0	0.0	0.0	25.0	130.0	325.7	406.5	555.0
	30-39歳	136	68.4	125.4	13.3	0.0	0.0	0.0	0.0	0.0	89.2	200.0	299.7	683.9
	40-49歳	199	56.3	73.9	5.8	0.0	0.0	0.0	0.0	30.1	91.0	170.0	228.6	301.5
	50-59歳	226	104.1	130.7	11.7	0.0	0.0	0.0	0.0	59.7	179.0	263.3	340.0	618.8
	60-69歳	238	124.9	124.8	10.7	0.0	0.0	0.0	0.0	96.3	199.0	300.6	377.2	501.0
	70歳以上	343	135.8	131.8	8.0	0.0	0.0	0.0	42.5	113.1	210.0	287.6	358.8	449.0
	(再掲)20-49歳※1	422	69.8	111.2	6.0	0.0	0.0	0.0	0.0	7.9	100.0	214.7	296.4	532.9
	(再掲)40-74歳※1	770	103.9	117.8	7.0	0.0	0.0	0.0	0.0	71.0	171.2	262.3	337.2	459.4
	(再掲)65-74歳	223	148.3	118.8	7.9	0.0	0.0	0.0	60.0	127.5	238.7	300.4	377.6	428.8
	(再掲)75歳以上	236	128.5	138.2	10.2	0.0	0.0	0.0	33.3	100.7	198.9	284.6	335.9	480.4
	(再掲)20歳以上※1	1,229	102.1	125.5	5.2	0.0	0.0	0.0	0.0	64.0	169.9	266.1	340.0	504.7
	(再掲)20歳以上※2	1,229	97.8	125.5	5.2	0.0	0.0	0.0	0.0	58.5	155.0	265.0	340.0	511.7

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

生果(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	54.2	96.1	16.2	0.0	0.0	0.0	0.0	0.0	90.2	155.1	309.2	420.3
	30-39歳	65	36.0	66.4	10.1	0.0	0.0	0.0	0.0	0.0	60.2	125.2	195.4	296.5
	40-49歳	93	46.3	62.0	5.7	0.0	0.0	0.0	0.0	0.0	85.7	126.0	195.1	291.5
	50-59歳	98	72.5	104.6	11.9	0.0	0.0	0.0	0.0	0.0	127.4	237.2	278.7	573.6
	60-69歳	118	105.7	132.8	12.9	0.0	0.0	0.0	0.0	65.0	170.0	314.1	386.3	724.6
	70歳以上	152	131.4	120.5	11.3	0.0	0.0	0.0	0.3	106.2	225.3	292.2	365.6	410.9
	(再掲)20-49歳※1	204	44.5	73.1	6.6	0.0	0.0	0.0	0.0	0.0	80.0	127.9	197.8	360.1
	(再掲)40-74歳※1	357	85.3	112.1	6.9	0.0	0.0	0.0	0.0	48.0	129.5	248.3	310.8	481.9
	(再掲)65-74歳	105	144.3	131.9	11.9	0.0	0.0	0.0	1.0	125.3	240.0	352.1	382.0	732.4
	(再掲)75歳以上	104	121.2	118.8	14.5	0.0	0.0	0.0	0.0	90.0	196.7	289.4	340.5	630.9
	(再掲)20歳以上※1	572	79.7	108.5	6.2	0.0	0.0	0.0	0.0	38.7	125.6	243.9	298.8	417.3
(再掲)20歳以上※2	572	74.7	105.8	6.2	0.0	0.0	0.0	0.0	9.4	120.0	238.0	292.5	413.8	
女性	20-29歳	41	85.7	107.6	15.3	0.0	0.0	0.0	0.0	37.0	141.9	267.7	331.7	488.0
	30-39歳	71	58.8	112.4	13.8	0.0	0.0	0.0	0.0	0.0	77.7	158.3	299.8	595.0
	40-49歳	106	61.2	78.5	7.6	0.0	0.0	0.0	0.0	40.0	95.6	192.1	222.4	451.3
	50-59歳	128	118.3	135.5	15.2	0.0	0.0	0.0	0.0	91.0	177.9	270.0	379.9	765.2
	60-69歳	120	127.6	108.4	10.6	0.0	0.0	0.0	47.6	119.5	199.1	262.7	334.9	502.6
	70歳以上	191	137.0	139.2	8.7	0.0	0.0	0.0	44.1	113.6	200.9	278.7	357.9	459.2
	(再掲)20-49歳※1	218	66.2	99.0	6.3	0.0	0.0	0.0	0.0	27.1	98.8	188.1	266.8	586.1
	(再掲)40-74歳※1	413	110.4	114.1	7.6	0.0	0.0	0.0	0.0	88.0	173.8	256.6	306.5	430.2
	(再掲)65-74歳	118	144.6	109.8	10.4	0.0	0.0	0.0	63.8	125.2	230.0	282.5	376.0	430.3
	(再掲)75歳以上	132	131.9	149.7	11.1	0.0	0.0	0.0	41.2	107.6	198.6	275.9	338.0	886.8
	(再掲)20歳以上※1	657	105.3	123.1	5.5	0.0	0.0	0.0	0.0	80.0	170.0	257.0	308.8	471.5
(再掲)20歳以上※2	657	98.7	120.3	5.4	0.0	0.0	0.0	0.0	66.0	155.0	255.0	320.8	486.9	
男女計	20-29歳	87	69.5	102.6	10.9	0.0	0.0	0.0	0.0	9.7	109.4	224.7	331.3	488.0
	30-39歳	136	47.2	92.3	9.5	0.0	0.0	0.0	0.0	0.0	62.5	133.4	266.3	534.6
	40-49歳	199	53.7	70.9	5.4	0.0	0.0	0.0	0.0	30.0	89.6	163.4	218.9	288.9
	50-59歳	226	95.4	123.0	11.5	0.0	0.0	0.0	0.0	48.9	163.0	249.9	315.9	618.8
	60-69歳	238	116.8	121.3	10.4	0.0	0.0	0.0	0.0	85.1	180.2	268.3	363.9	501.0
	70歳以上	343	134.7	131.7	8.1	0.0	0.0	0.0	41.0	111.5	206.0	284.8	354.5	449.0
	(再掲)20-49歳※1	422	55.1	87.4	4.4	0.0	0.0	0.0	0.0	0.0	88.0	170.0	234.2	410.8
	(再掲)40-74歳※1	770	98.2	113.7	6.6	0.0	0.0	0.0	0.0	68.3	155.0	254.9	309.1	441.0
	(再掲)65-74歳	223	144.4	120.0	8.4	0.0	0.0	0.0	50.0	125.0	238.7	300.4	377.6	428.8
	(再掲)75歳以上	236	127.5	137.8	10.2	0.0	0.0	0.0	32.3	100.2	197.3	282.9	335.5	480.4
	(再掲)20歳以上※1	1,229	93.0	117.0	5.2	0.0	0.0	0.0	0.0	60.0	143.5	251.0	300.5	449.1
(再掲)20歳以上※2	1,229	86.7	113.9	5.0	0.0	0.0	0.0	0.0	50.0	133.3	244.5	300.0	443.6	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

きのこ類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	25.2	40.8	6.5	0.0	0.0	0.0	0.0	9.2	33.4	65.1	122.8	215.0
	30-39歳	65	14.2	20.9	3.1	0.0	0.0	0.0	0.0	0.0	22.6	47.7	52.1	99.1
	40-49歳	93	12.5	19.5	1.7	0.0	0.0	0.0	0.0	4.2	18.1	42.4	52.7	109.1
	50-59歳	98	19.5	25.3	2.1	0.0	0.0	0.0	0.0	10.0	30.0	52.3	81.1	126.7
	60-69歳	118	27.5	45.2	4.4	0.0	0.0	0.0	0.0	10.0	33.3	88.7	123.8	250.0
	70歳以上	152	20.5	26.0	2.5	0.0	0.0	0.0	0.0	11.1	30.7	60.0	71.8	110.9
	(再掲)20-49歳※1	204	16.2	27.0	2.1	0.0	0.0	0.0	0.0	4.4	23.3	51.3	55.6	145.7
	(再掲)40-74歳※1	357	20.3	32.3	1.7	0.0	0.0	0.0	0.0	9.4	29.9	55.4	85.0	149.2
	(再掲)65-74歳	105	25.5	41.2	4.5	0.0	0.0	0.0	0.0	9.8	34.7	73.8	117.3	223.1
	(再掲)75歳以上	104	19.7	25.5	3.5	0.0	0.0	0.0	0.0	10.7	30.2	59.1	69.9	113.5
	(再掲)20歳以上※1	572	19.7	30.9	1.5	0.0	0.0	0.0	0.0	9.0	29.9	52.7	79.3	152.1
	(再掲)20歳以上※2	572	19.7	31.0	1.6	0.0	0.0	0.0	0.0	9.0	30.0	52.4	79.5	154.2
女性	20-29歳	41	18.0	23.0	4.0	0.0	0.0	0.0	0.0	10.0	26.1	49.3	84.4	90.0
	30-39歳	71	17.8	28.9	4.7	0.0	0.0	0.0	0.0	0.0	28.6	62.5	90.6	118.0
	40-49歳	106	19.3	29.2	3.3	0.0	0.0	0.0	0.0	8.7	30.0	61.6	81.4	156.6
	50-59歳	128	27.9	34.7	3.1	0.0	0.0	0.0	0.0	15.9	37.5	88.6	102.1	149.9
	60-69歳	120	23.0	33.3	3.1	0.0	0.0	0.0	0.0	13.1	32.3	54.4	86.2	182.5
	70歳以上	191	23.9	37.1	3.0	0.0	0.0	0.0	0.0	10.4	31.5	64.1	100.0	194.1
	(再掲)20-49歳※1	218	18.5	27.6	2.4	0.0	0.0	0.0	0.0	8.0	28.5	59.0	82.0	119.6
	(再掲)40-74歳※1	413	22.5	31.6	1.8	0.0	0.0	0.0	0.0	10.9	32.1	63.7	89.1	156.5
	(再掲)65-74歳	118	19.2	25.2	2.1	0.0	0.0	0.0	0.0	11.5	30.0	50.6	64.6	134.6
	(再掲)75歳以上	132	26.5	41.1	4.4	0.0	0.0	0.0	0.0	10.7	33.2	77.0	106.6	238.5
	(再掲)20歳以上※1	657	22.2	32.8	1.7	0.0	0.0	0.0	0.0	10.0	31.9	62.9	91.7	149.7
	(再掲)20歳以上※2	657	21.8	31.7	1.7	0.0	0.0	0.0	0.0	10.0	32.0	62.7	90.0	140.1
男女計	20-29歳	87	21.7	33.4	3.8	0.0	0.0	0.0	0.0	10.0	33.3	52.0	87.8	215.0
	30-39歳	136	15.9	25.1	3.2	0.0	0.0	0.0	0.0	0.0	25.2	51.4	70.3	115.8
	40-49歳	199	15.9	24.9	1.9	0.0	0.0	0.0	0.0	5.6	22.3	50.0	65.7	124.4
	50-59歳	226	23.7	30.6	2.2	0.0	0.0	0.0	0.0	11.1	34.0	75.1	91.4	119.7
	60-69歳	238	25.2	39.6	3.3	0.0	0.0	0.0	0.0	10.3	33.3	65.0	116.7	208.6
	70歳以上	343	22.5	33.0	2.4	0.0	0.0	0.0	0.0	11.0	31.0	63.3	100.0	137.5
	(再掲)20-49歳※1	422	17.3	27.3	1.9	0.0	0.0	0.0	0.0	5.8	25.9	51.4	69.9	125.7
	(再掲)40-74歳※1	770	21.4	31.9	1.6	0.0	0.0	0.0	0.0	10.0	30.8	60.0	87.7	150.0
	(再掲)65-74歳	223	22.0	33.4	2.8	0.0	0.0	0.0	0.0	10.0	31.0	61.0	95.0	171.9
	(再掲)75歳以上	236	23.8	35.7	3.5	0.0	0.0	0.0	0.0	10.8	31.7	65.3	100.0	170.6
	(再掲)20歳以上※1	1,229	21.0	31.9	1.5	0.0	0.0	0.0	0.0	10.0	30.1	59.5	87.7	150.0
	(再掲)20歳以上※2	1,229	20.8	31.3	1.5	0.0	0.0	0.0	0.0	10.0	30.1	56.0	86.8	150.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

海藻類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	8.1	15.9	2.6	0.0	0.0	0.0	0.0	1.4	9.3	20.8	52.5	81.7
	30-39歳	65	10.9	19.0	1.8	0.0	0.0	0.0	0.0	1.5	16.1	33.0	51.3	109.2
	40-49歳	93	10.2	16.9	1.5	0.0	0.0	0.0	0.0	1.1	16.1	31.5	42.1	102.8
	50-59歳	98	11.5	17.2	1.6	0.0	0.0	0.0	0.0	6.2	15.7	31.5	48.3	120.4
	60-69歳	118	13.7	24.2	2.1	0.0	0.0	0.0	0.0	3.0	15.8	33.3	73.7	138.1
	70歳以上	152	15.3	31.2	2.3	0.0	0.0	0.0	0.0	5.0	18.0	35.9	75.1	200.0
	(再掲)20-49歳※1	204	9.9	17.4	0.9	0.0	0.0	0.0	0.0	1.4	14.0	31.5	42.6	92.5
	(再掲)40-74歳※1	357	13.2	24.9	1.5	0.0	0.0	0.0	0.0	2.4	17.0	33.3	52.9	138.7
	(再掲)65-74歳	105	18.7	35.8	3.4	0.0	0.0	0.0	0.0	3.8	24.8	36.9	83.5	226.8
	(再掲)75歳以上	104	11.8	20.0	1.7	0.0	0.0	0.0	0.0	5.1	14.1	26.8	59.5	121.0
	(再掲)20歳以上※1	572	12.1	22.5	0.9	0.0	0.0	0.0	0.0	2.5	15.5	32.7	51.0	105.0
	(再掲)20歳以上※2	572	11.7	21.6	0.9	0.0	0.0	0.0	0.0	2.0	15.0	32.0	50.5	104.9
女性	20-29歳	41	8.9	20.3	3.6	0.0	0.0	0.0	0.0	0.0	9.5	28.2	56.1	98.4
	30-39歳	71	9.3	17.5	2.0	0.0	0.0	0.0	0.0	1.1	12.6	25.2	51.2	109.2
	40-49歳	106	11.8	20.9	2.0	0.0	0.0	0.0	0.0	0.2	18.3	34.7	54.9	117.1
	50-59歳	128	8.5	17.8	1.9	0.0	0.0	0.0	0.0	1.5	10.7	20.1	32.1	114.7
	60-69歳	120	15.4	27.1	2.8	0.0	0.0	0.0	0.0	2.5	20.2	44.2	89.7	123.2
	70歳以上	191	14.7	26.0	1.7	0.0	0.0	0.0	0.0	6.0	20.1	35.6	62.7	138.2
	(再掲)20-49歳※1	218	10.2	19.6	1.6	0.0	0.0	0.0	0.0	0.0	14.0	28.5	48.4	97.5
	(再掲)40-74歳※1	413	13.3	26.3	1.7	0.0	0.0	0.0	0.0	1.9	15.0	35.7	68.3	115.8
	(再掲)65-74歳	118	18.2	34.8	3.1	0.0	0.0	0.0	0.0	3.4	19.8	61.5	92.5	211.2
	(再掲)75歳以上	132	12.6	16.2	1.4	0.0	0.0	0.0	0.0	6.0	21.0	31.2	42.7	77.5
	(再掲)20歳以上※1	657	12.2	22.9	1.2	0.0	0.0	0.0	0.0	2.0	15.0	33.3	52.7	105.0
	(再掲)20歳以上※2	657	11.4	21.9	1.4	0.0	0.0	0.0	0.0	1.5	14.0	30.8	51.8	104.9
男女計	20-29歳	87	8.5	18.0	2.3	0.0	0.0	0.0	0.0	0.1	9.4	26.7	50.4	98.4
	30-39歳	136	10.1	18.3	1.6	0.0	0.0	0.0	0.0	1.2	14.0	32.1	47.6	109.2
	40-49歳	199	11.0	18.9	1.2	0.0	0.0	0.0	0.0	1.1	17.1	31.5	42.4	96.8
	50-59歳	226	10.0	17.5	1.5	0.0	0.0	0.0	0.0	2.5	13.5	26.7	39.8	89.8
	60-69歳	238	14.5	25.7	2.3	0.0	0.0	0.0	0.0	2.5	19.1	39.4	79.1	112.3
	70歳以上	343	15.0	28.3	1.8	0.0	0.0	0.0	0.0	5.7	20.0	35.7	63.0	167.8
	(再掲)20-49歳※1	422	10.1	18.5	1.0	0.0	0.0	0.0	0.0	1.0	14.0	31.5	45.7	96.4
	(再掲)40-74歳※1	770	13.2	25.6	1.5	0.0	0.0	0.0	0.0	2.0	16.0	35.0	59.0	110.3
	(再掲)65-74歳	223	18.4	35.2	3.1	0.0	0.0	0.0	0.0	3.8	21.0	48.3	87.0	221.1
	(再掲)75歳以上	236	12.3	17.8	1.2	0.0	0.0	0.0	0.0	5.8	17.9	30.6	48.4	81.9
	(再掲)20歳以上※1	1,229	12.1	22.7	1.0	0.0	0.0	0.0	0.0	2.1	15.0	33.0	52.5	105.0
	(再掲)20歳以上※2	1,229	11.5	21.7	1.0	0.0	0.0	0.0	0.0	1.7	14.0	31.5	50.9	103.9

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

生魚介類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	39.9	56.4	9.1	0.0	0.0	0.0	0.0	0.0	71.2	132.1	167.4	257.5
	30-39歳	65	40.4	54.9	5.9	0.0	0.0	0.0	0.0	11.7	67.2	125.2	160.3	231.5
	40-49歳	93	43.1	52.9	5.8	0.0	0.0	0.0	0.0	23.7	70.0	109.1	164.8	256.8
	50-59歳	98	66.0	78.6	9.2	0.0	0.0	0.0	0.0	40.0	112.5	181.2	226.6	329.5
	60-69歳	118	60.6	67.7	7.2	0.0	0.0	0.0	0.0	45.3	98.5	147.1	215.4	265.0
	70歳以上	152	52.6	60.0	5.7	0.0	0.0	0.0	0.0	40.0	82.8	130.0	172.8	266.8
	(再掲)20-49歳※1	204	41.4	54.2	3.7	0.0	0.0	0.0	0.0	15.8	70.0	124.8	160.0	236.4
	(再掲)40-74歳※1	357	54.4	65.6	4.1	0.0	0.0	0.0	0.0	32.5	91.3	145.8	195.4	265.0
	(再掲)65-74歳	105	54.6	68.5	6.6	0.0	0.0	0.0	0.0	30.0	93.7	148.4	212.0	265.0
	(再掲)75歳以上	104	58.3	63.3	6.5	0.0	0.0	0.0	0.0	50.3	90.0	136.6	192.5	277.4
	(再掲)20歳以上※1	572	51.3	63.0	2.8	0.0	0.0	0.0	0.0	30.0	82.8	138.8	176.0	264.5
	(再掲)20歳以上※2	572	50.7	63.3	3.1	0.0	0.0	0.0	0.0	26.3	81.7	139.8	175.0	264.3
女性	20-29歳	41	26.7	45.6	6.6	0.0	0.0	0.0	0.0	0.0	44.0	87.4	137.4	230.0
	30-39歳	71	33.3	45.8	4.7	0.0	0.0	0.0	0.0	12.3	54.2	103.7	124.8	231.5
	40-49歳	106	36.4	52.0	6.1	0.0	0.0	0.0	0.0	3.3	64.7	100.0	134.3	238.2
	50-59歳	128	48.4	59.8	5.3	0.0	0.0	0.0	0.0	38.5	72.8	125.9	177.7	292.7
	60-69歳	120	49.1	56.8	5.9	0.0	0.0	0.0	0.0	38.6	82.5	126.0	161.4	241.0
	70歳以上	191	46.4	50.8	4.0	0.0	0.0	0.0	0.0	37.2	78.4	106.4	131.5	214.7
	(再掲)20-49歳※1	218	33.0	48.3	2.8	0.0	0.0	0.0	0.0	0.5	56.4	100.0	129.2	230.6
	(再掲)40-74歳※1	413	44.9	54.7	2.6	0.0	0.0	0.0	0.0	30.0	72.8	106.6	156.3	239.6
	(再掲)65-74歳	118	47.5	48.6	5.0	0.0	0.0	0.0	0.0	40.2	80.0	105.2	152.8	196.2
	(再掲)75歳以上	132	46.7	53.3	4.6	0.0	0.0	0.0	0.0	30.0	80.0	113.3	135.2	268.9
	(再掲)20歳以上※1	657	42.0	52.8	2.3	0.0	0.0	0.0	0.0	22.7	70.0	106.6	142.7	231.0
	(再掲)20歳以上※2	657	40.3	52.6	2.4	0.0	0.0	0.0	0.0	20.0	69.0	105.0	143.0	231.5
男女計	20-29歳	87	33.5	51.6	6.3	0.0	0.0	0.0	0.0	0.0	60.0	99.1	154.5	257.5
	30-39歳	136	36.9	50.6	4.3	0.0	0.0	0.0	0.0	13.2	60.0	119.3	133.9	231.5
	40-49歳	199	39.8	52.4	5.2	0.0	0.0	0.0	0.0	20.0	68.2	104.6	158.8	234.4
	50-59歳	226	57.2	70.2	6.7	0.0	0.0	0.0	0.0	40.0	89.0	155.6	224.8	298.3
	60-69歳	238	54.8	62.5	5.7	0.0	0.0	0.0	0.0	41.3	95.0	144.4	180.4	259.6
	70歳以上	343	49.0	54.8	4.2	0.0	0.0	0.0	0.0	38.8	80.0	118.0	150.0	236.8
	(再掲)20-49歳※1	422	37.2	51.5	2.7	0.0	0.0	0.0	0.0	8.8	64.1	105.0	140.0	230.5
	(再掲)40-74歳※1	770	49.6	60.4	2.9	0.0	0.0	0.0	0.0	30.3	80.0	130.0	171.0	260.7
	(再掲)65-74歳	223	50.7	58.3	4.3	0.0	0.0	0.0	0.0	39.9	84.5	130.0	161.2	261.1
	(再掲)75歳以上	236	51.4	57.7	4.6	0.0	0.0	0.0	0.0	38.6	81.0	124.0	161.3	263.6
	(再掲)20歳以上※1	1,229	46.4	58.1	2.2	0.0	0.0	0.0	0.0	25.0	78.4	126.4	160.4	244.1
	(再掲)20歳以上※2	1,229	45.5	58.4	2.4	0.0	0.0	0.0	0.0	22.9	75.0	128.0	160.8	245.1

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

魚介加工品(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	27.2	31.0	5.2	0.0	0.0	0.0	0.0	20.0	43.7	68.8	97.5	138.0
	30-39歳	65	27.5	38.0	5.0	0.0	0.0	0.0	0.0	9.4	38.7	83.4	119.5	155.3
	40-49歳	93	34.3	45.9	4.8	0.0	0.0	0.0	0.0	22.0	50.0	94.4	139.5	210.0
	50-59歳	98	39.4	46.9	4.9	0.0	0.0	0.0	0.0	15.9	70.0	110.7	131.4	201.3
	60-69歳	118	44.2	54.7	4.5	0.0	0.0	0.0	1.2	24.9	70.0	118.9	161.8	253.1
	70歳以上	152	49.6	49.3	3.8	0.0	0.0	0.0	3.0	38.6	79.0	111.3	151.1	207.6
	(再掲)20-49歳※1	204	30.1	39.9	3.0	0.0	0.0	0.0	0.0	18.0	43.7	80.0	120.3	210.0
	(再掲)40-74歳※1	357	40.7	50.4	3.2	0.0	0.0	0.0	0.0	22.0	63.5	114.4	143.7	210.0
	(再掲)65-74歳	105	49.3	57.8	5.5	0.0	0.0	0.0	0.9	28.2	81.1	139.9	185.0	225.3
	(再掲)75歳以上	104	49.6	46.0	5.1	0.0	0.0	0.0	5.8	43.0	79.1	104.2	140.5	204.1
	(再掲)20歳以上※1	572	38.5	46.8	2.3	0.0	0.0	0.0	0.0	22.0	61.6	103.4	134.7	205.1
	(再掲)20歳以上※2	572	37.2	45.6	2.3	0.0	0.0	0.0	0.0	20.5	60.0	100.0	133.3	201.8
女性	20-29歳	41	29.4	30.1	4.9	0.0	0.0	0.0	0.0	21.2	57.2	78.0	80.8	80.8
	30-39歳	71	27.2	46.0	7.1	0.0	0.0	0.0	0.0	3.6	43.2	70.7	90.7	280.0
	40-49歳	106	24.2	34.4	4.2	0.0	0.0	0.0	0.0	10.3	35.1	79.8	106.6	153.0
	50-59歳	128	35.8	42.4	4.8	0.0	0.0	0.0	0.0	20.0	61.7	89.2	113.0	229.9
	60-69歳	120	38.8	43.8	4.0	0.0	0.0	0.0	3.0	23.3	62.1	101.1	133.4	225.8
	70歳以上	191	42.1	45.8	3.4	0.0	0.0	0.0	2.5	30.0	70.0	95.0	134.6	213.8
	(再掲)20-49歳※1	218	26.5	38.0	3.6	0.0	0.0	0.0	0.0	11.9	43.2	71.0	93.4	170.4
	(再掲)40-74歳※1	413	34.9	42.0	2.4	0.0	0.0	0.0	0.0	20.0	56.9	93.7	110.8	191.6
	(再掲)65-74歳	118	41.2	46.1	3.6	0.0	0.0	0.0	1.3	29.3	67.4	100.1	114.7	224.3
	(再掲)75歳以上	132	41.3	45.6	4.4	0.0	0.0	0.0	3.2	27.7	65.0	96.4	137.5	209.6
	(再掲)20歳以上※1	657	34.6	42.5	2.1	0.0	0.0	0.0	0.0	20.0	58.1	86.9	108.4	201.2
	(再掲)20歳以上※2	657	33.1	41.5	2.3	0.0	0.0	0.0	0.0	19.0	54.5	81.0	103.6	192.7
男女計	20-29歳	87	28.3	30.4	3.5	0.0	0.0	0.0	0.0	20.0	50.6	70.3	80.5	138.0
	30-39歳	136	27.3	42.0	4.6	0.0	0.0	0.0	0.0	10.0	41.0	74.1	101.0	233.3
	40-49歳	199	29.3	40.9	3.9	0.0	0.0	0.0	0.0	15.0	40.8	92.1	118.1	202.6
	50-59歳	226	37.6	44.6	4.1	0.0	0.0	0.0	0.0	19.1	68.0	100.0	119.5	201.1
	60-69歳	238	41.4	49.4	3.7	0.0	0.0	0.0	1.9	23.7	64.3	110.4	138.3	225.4
	70歳以上	343	45.2	47.4	3.3	0.0	0.0	0.0	2.9	33.6	72.7	100.0	148.3	209.6
	(再掲)20-49歳※1	422	28.3	39.0	2.8	0.0	0.0	0.0	0.0	13.7	43.3	75.7	101.2	171.1
	(再掲)40-74歳※1	770	37.7	46.4	2.5	0.0	0.0	0.0	0.0	21.3	60.2	101.5	129.9	210.0
	(再掲)65-74歳	223	44.9	51.7	3.7	0.0	0.0	0.0	1.2	28.9	70.3	110.3	160.4	223.3
	(再掲)75歳以上	236	44.6	45.9	4.5	0.0	0.0	0.0	4.5	31.6	71.7	100.0	137.5	205.8
	(再掲)20歳以上※1	1,229	36.5	44.6	1.9	0.0	0.0	0.0	0.0	21.0	60.0	97.2	120.4	204.7
	(再掲)20歳以上※2	1,229	35.1	43.6	2.0	0.0	0.0	0.0	0.0	20.0	59.5	94.7	118.6	201.1

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

肉類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	151.1	102.7	21.8	0.0	0.0	25.5	82.4	140.7	200.0	276.5	379.6	469.0
	30-39歳	65	95.8	75.9	13.7	0.0	0.0	10.6	37.6	72.9	142.7	205.5	241.3	360.0
	40-49歳	93	129.7	76.0	10.2	0.0	21.4	36.8	71.6	125.2	181.0	242.2	283.7	337.7
	50-59歳	98	97.9	79.3	7.5	0.0	0.0	14.8	32.9	85.6	144.8	189.9	271.8	356.5
	60-69歳	118	73.0	66.9	5.6	0.0	0.0	0.0	21.9	56.2	100.0	182.3	224.9	271.7
	70歳以上	152	55.0	50.9	5.0	0.0	0.0	0.0	14.6	45.2	83.1	126.6	164.0	220.6
	(再掲)20-49歳※1	204	122.7	85.6	9.1	0.0	0.0	25.1	61.0	102.5	178.6	242.0	278.0	401.7
	(再掲)40-74歳※1	357	93.9	76.2	4.8	0.0	0.0	0.0	35.0	80.0	140.1	202.6	249.6	313.1
	(再掲)65-74歳	105	61.6	59.6	5.9	0.0	0.0	0.0	1.5	49.0	96.0	140.0	191.4	250.9
	(再掲)75歳以上	104	55.4	50.5	5.4	0.0	0.0	0.0	17.6	45.7	75.4	131.9	164.9	215.0
	(再掲)20歳以上※1	572	94.5	79.6	4.9	0.0	0.0	0.0	35.0	75.0	140.0	202.4	253.4	349.4
	(再掲)20歳以上※2	572	99.0	82.3	5.7	0.0	0.0	0.0	37.6	80.5	147.1	204.2	257.0	360.7
女性	20-29歳	41	100.2	68.2	15.4	5.0	14.8	20.3	42.0	81.7	150.5	207.4	210.6	296.7
	30-39歳	71	100.1	65.8	8.3	0.0	18.7	30.3	48.3	87.7	134.6	199.5	230.8	292.5
	40-49歳	106	80.2	63.6	7.2	0.0	0.0	10.0	31.6	65.2	124.7	183.9	211.5	261.6
	50-59歳	128	64.2	58.4	6.0	0.0	0.0	0.0	20.0	46.4	96.6	168.6	193.1	219.9
	60-69歳	120	56.0	46.9	4.1	0.0	0.0	0.0	14.6	50.0	87.6	119.8	146.8	207.4
	70歳以上	191	51.4	44.1	3.0	0.0	0.0	0.0	16.7	45.0	77.6	105.9	133.2	208.8
	(再掲)20-49歳※1	218	92.1	66.0	5.3	0.0	7.1	18.7	40.0	77.2	130.6	200.7	211.7	288.5
	(再掲)40-74歳※1	413	65.1	55.0	3.2	0.0	0.0	0.0	21.5	53.3	93.9	145.0	190.5	230.5
	(再掲)65-74歳	118	54.4	44.3	3.5	0.0	0.0	0.0	14.9	49.9	81.7	110.0	135.0	206.1
	(再掲)75歳以上	132	47.9	44.3	3.6	0.0	0.0	0.0	13.5	40.0	75.0	103.1	119.2	219.4
	(再掲)20歳以上※1	657	69.7	58.7	3.2	0.0	0.0	0.0	25.7	57.2	100.0	151.9	199.9	241.4
	(再掲)20歳以上※2	657	75.0	61.4	3.6	0.0	0.0	5.0	30.0	61.7	103.9	168.4	201.0	262.0
男女計	20-29歳	87	126.3	90.8	16.1	0.0	8.9	22.1	64.9	106.0	189.6	252.3	284.3	469.0
	30-39歳	136	97.9	71.0	9.8	0.0	1.7	28.1	43.1	83.0	135.3	202.5	235.1	341.4
	40-49歳	199	105.3	74.3	8.2	0.0	0.0	20.0	49.7	83.6	163.7	204.5	245.2	309.9
	50-59歳	226	81.0	71.5	5.8	0.0	0.0	6.3	26.1	62.5	119.2	179.9	200.6	322.7
	60-69歳	238	64.4	58.1	4.0	0.0	0.0	0.0	15.3	55.0	98.6	144.1	197.8	253.3
	70歳以上	343	52.9	47.0	3.2	0.0	0.0	0.0	16.7	45.0	79.0	114.6	139.5	206.2
	(再掲)20-49歳※1	422	107.7	78.0	6.6	0.0	3.8	22.6	49.6	88.3	158.9	206.3	253.9	342.5
	(再掲)40-74歳※1	770	79.2	67.7	3.7	0.0	0.0	0.0	27.2	64.8	111.0	179.1	205.0	288.1
	(再掲)65-74歳	223	57.6	51.7	3.3	0.0	0.0	0.0	13.5	49.2	87.7	120.0	156.2	241.6
	(再掲)75歳以上	236	51.0	47.0	3.5	0.0	0.0	0.0	15.3	42.1	75.0	114.4	138.9	220.5
	(再掲)20歳以上※1	1,229	81.6	70.6	3.6	0.0	0.0	0.0	30.0	65.5	115.0	183.0	211.2	295.5
	(再掲)20歳以上※2	1,229	87.0	73.6	4.1	0.0	0.0	3.7	33.3	70.6	126.1	193.0	229.3	311.8

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

卵類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	38.5	34.5	5.8	0.0	0.0	0.0	5.6	35.0	56.9	95.0	109.9	127.2
	30-39歳	65	37.6	35.1	5.9	0.0	0.0	0.0	2.1	37.4	60.3	88.2	102.0	128.5
	40-49歳	93	35.7	33.2	4.1	0.0	0.0	0.0	4.7	29.5	55.3	81.8	117.0	162.2
	50-59歳	98	43.3	39.7	4.5	0.0	0.0	0.0	7.0	43.0	57.2	102.8	114.5	199.9
	60-69歳	118	36.6	33.4	3.3	0.0	0.0	0.0	0.0	40.0	57.3	85.3	98.9	125.8
	70歳以上	152	36.8	31.5	2.8	0.0	0.0	0.0	2.7	43.0	54.7	81.5	90.6	137.1
	(再掲)20-49歳※1	204	37.1	34.1	2.8	0.0	0.0	0.0	4.1	30.6	55.8	88.0	106.3	128.4
	(再掲)40-74歳※1	357	38.0	34.9	2.4	0.0	0.0	0.0	4.3	38.4	55.8	86.0	106.9	135.0
	(再掲)65-74歳	105	34.8	31.3	4.5	0.0	0.0	0.0	0.0	41.5	55.0	68.8	98.5	130.4
	(再掲)75歳以上	104	37.2	31.8	3.1	0.0	0.0	0.0	3.0	42.7	52.8	81.2	89.7	156.9
	(再掲)20歳以上※1	572	37.9	34.3	1.8	0.0	0.0	0.0	3.5	38.7	55.3	86.0	107.2	128.8
(再掲)20歳以上※2	572	38.2	34.7	2.0	0.0	0.0	0.0	4.0	38.5	55.8	87.1	107.3	128.9	
女性	20-29歳	41	38.0	31.4	4.8	0.0	0.0	0.0	7.0	39.1	53.1	87.1	101.6	124.3
	30-39歳	71	28.4	28.4	3.0	0.0	0.0	0.0	0.0	24.2	46.7	70.1	86.2	110.0
	40-49歳	106	29.1	28.3	3.1	0.0	0.0	0.0	0.0	28.4	44.3	62.2	87.6	110.0
	50-59歳	128	36.7	35.5	4.1	0.0	0.0	0.0	0.0	37.0	55.0	87.7	103.2	138.9
	60-69歳	120	28.9	28.0	2.7	0.0	0.0	0.0	0.0	24.8	54.5	59.5	68.9	109.1
	70歳以上	191	31.2	26.6	2.1	0.0	0.0	0.0	0.5	35.9	50.0	62.9	68.2	99.8
	(再掲)20-49歳※1	218	31.0	29.3	2.1	0.0	0.0	0.0	0.0	29.9	46.8	70.3	88.3	117.6
	(再掲)40-74歳※1	413	30.9	29.9	1.8	0.0	0.0	0.0	0.0	28.6	51.0	65.0	86.9	111.0
	(再掲)65-74歳	118	28.7	26.3	2.4	0.0	0.0	0.0	0.0	28.4	50.0	58.6	60.0	107.1
	(再掲)75歳以上	132	32.4	27.0	3.2	0.0	0.0	0.0	1.7	39.9	51.0	63.7	72.0	100.6
	(再掲)20歳以上※1	657	31.5	29.3	1.5	0.0	0.0	0.0	0.0	30.0	50.0	65.0	86.3	110.4
(再掲)20歳以上※2	657	32.1	30.0	1.6	0.0	0.0	0.0	0.0	31.0	50.8	67.5	88.3	117.4	
男女計	20-29歳	87	38.3	32.8	3.9	0.0	0.0	0.0	7.0	36.7	55.1	89.6	105.6	127.2
	30-39歳	136	33.1	32.2	3.5	0.0	0.0	0.0	0.0	25.8	50.0	85.1	96.9	122.7
	40-49歳	199	32.5	31.0	2.6	0.0	0.0	0.0	1.1	28.9	51.4	69.7	90.0	128.4
	50-59歳	226	40.0	37.7	3.8	0.0	0.0	0.0	3.0	39.1	56.5	88.4	110.1	175.7
	60-69歳	238	32.7	31.0	2.5	0.0	0.0	0.0	0.0	37.5	55.0	65.0	94.6	111.3
	70歳以上	343	33.5	28.8	2.2	0.0	0.0	0.0	0.8	42.5	51.0	65.0	82.9	107.8
	(再掲)20-49歳※1	422	34.1	31.9	1.7	0.0	0.0	0.0	2.4	30.0	52.1	83.7	95.9	127.3
	(再掲)40-74歳※1	770	34.4	32.6	1.9	0.0	0.0	0.0	0.0	34.2	55.0	80.7	96.2	127.8
	(再掲)65-74歳	223	31.4	28.7	2.7	0.0	0.0	0.0	0.0	38.3	52.0	59.7	82.6	107.8
	(再掲)75歳以上	236	34.3	29.1	2.7	0.0	0.0	0.0	2.6	42.5	51.1	66.0	84.2	125.6
	(再掲)20歳以上※1	1,229	34.6	32.0	1.4	0.0	0.0	0.0	1.0	35.2	55.0	80.3	94.7	127.2
	(再掲)20歳以上※2	1,229	35.1	32.6	1.5	0.0	0.0	0.0	2.2	35.2	55.0	82.9	97.0	127.2

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

乳類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	103.2	161.9	27.5	0.0	0.0	0.0	0.0	24.5	192.6	343.3	507.7	623.0
	30-39歳	65	73.6	114.6	15.8	0.0	0.0	0.0	0.0	1.6	124.1	238.5	311.8	515.0
	40-49歳	93	78.4	127.5	11.8	0.0	0.0	0.0	0.0	5.4	113.8	236.0	376.2	589.3
	50-59歳	98	54.7	76.8	7.3	0.0	0.0	0.0	0.0	9.2	88.0	193.1	212.9	347.2
	60-69歳	118	93.3	122.2	14.5	0.0	0.0	0.0	0.0	33.3	169.7	244.1	380.0	547.1
	70歳以上	152	120.8	141.4	14.0	0.0	0.0	0.0	0.0	78.3	206.0	309.5	393.4	570.8
	(再掲)20-49歳※1	204	82.7	132.3	10.6	0.0	0.0	0.0	0.0	4.6	132.3	254.8	400.0	606.4
	(再掲)40-74歳※1	357	81.2	114.6	6.7	0.0	0.0	0.0	0.0	17.0	135.3	229.9	314.7	482.0
	(再掲)65-74歳	105	97.9	113.9	14.4	0.0	0.0	0.0	0.0	65.0	200.0	281.7	309.0	442.7
	(再掲)75歳以上	104	124.7	151.4	16.0	0.0	0.0	0.0	0.0	80.0	206.0	361.1	422.1	588.9
	(再掲)20歳以上※1	572	88.8	127.0	7.4	0.0	0.0	0.0	0.0	15.0	166.4	261.6	371.2	547.8
	(再掲)20歳以上※2	572	86.7	126.8	7.7	0.0	0.0	0.0	0.0	11.5	154.1	256.3	370.6	549.7
女性	20-29歳	41	109.1	139.2	24.2	0.0	0.0	0.0	0.0	50.1	179.4	366.0	427.9	564.4
	30-39歳	71	108.2	112.5	14.2	0.0	0.0	0.0	3.5	65.2	182.4	298.1	344.1	412.5
	40-49歳	106	99.9	127.0	12.0	0.0	0.0	0.0	0.0	49.3	189.0	255.4	356.5	604.9
	50-59歳	128	129.8	131.3	12.2	0.0	0.0	0.0	10.0	94.7	205.0	341.6	391.8	572.8
	60-69歳	120	116.3	112.7	10.2	0.0	0.0	0.0	0.0	103.9	193.1	288.2	317.0	428.5
	70歳以上	191	125.5	131.0	11.6	0.0	0.0	0.0	0.0	104.5	206.0	295.7	360.9	599.5
	(再掲)20-49歳※1	218	105.1	124.6	9.0	0.0	0.0	0.0	0.0	53.4	183.5	276.6	367.7	554.9
	(再掲)40-74歳※1	413	114.4	124.9	7.8	0.0	0.0	0.0	0.0	86.1	200.0	291.0	349.5	563.0
	(再掲)65-74歳	118	119.3	125.9	11.7	0.0	0.0	0.0	0.0	100.0	199.6	295.6	328.7	607.5
	(再掲)75歳以上	132	131.9	130.4	14.2	0.0	0.0	0.0	0.0	122.9	206.0	297.9	390.1	541.3
	(再掲)20歳以上※1	657	116.6	125.7	6.3	0.0	0.0	0.0	0.0	90.0	195.9	291.0	359.6	534.9
	(再掲)20歳以上※2	657	115.4	125.8	6.9	0.0	0.0	0.0	0.0	86.3	191.2	291.7	368.2	530.6
男女計	20-29歳	87	106.1	150.5	14.8	0.0	0.0	0.0	0.0	30.0	176.7	354.3	472.1	623.0
	30-39歳	136	90.6	114.5	14.1	0.0	0.0	0.0	0.0	32.8	168.1	251.6	330.1	432.9
	40-49歳	199	89.0	127.4	8.9	0.0	0.0	0.0	0.0	24.6	173.9	237.6	376.5	579.8
	50-59歳	226	92.3	113.8	8.0	0.0	0.0	0.0	0.0	50.4	155.0	249.0	349.0	482.5
	60-69歳	238	105.0	117.8	10.7	0.0	0.0	0.0	0.0	78.7	187.0	286.0	336.7	460.9
	70歳以上	343	123.5	135.2	10.9	0.0	0.0	0.0	0.0	97.1	206.0	299.1	370.6	551.8
	(再掲)20-49歳※1	422	93.7	128.9	6.9	0.0	0.0	0.0	0.0	26.6	171.9	263.2	378.9	553.9
	(再掲)40-74歳※1	770	98.2	121.0	6.3	0.0	0.0	0.0	0.0	50.0	184.0	278.0	336.5	504.4
	(再掲)65-74歳	223	109.7	120.9	11.0	0.0	0.0	0.0	0.0	79.0	200.0	291.3	309.6	463.9
	(再掲)75歳以上	236	129.0	139.1	12.8	0.0	0.0	0.0	0.0	104.7	206.0	326.4	411.2	545.0
	(再掲)20歳以上※1	1,229	103.3	127.1	5.7	0.0	0.0	0.0	0.0	50.1	185.3	286.0	361.0	544.4
	(再掲)20歳以上※2	1,229	101.0	127.1	5.7	0.0	0.0	0.0	0.0	50.0	184.9	285.9	368.0	545.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

油脂類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	18.3	14.1	2.65	0.0	0.0	1.0	7.9	15.1	29.5	41.5	46.6	49.0
	30-39歳	65	11.4	8.1	1.01	0.0	1.1	2.5	6.0	9.9	15.0	24.8	28.1	44.7
	40-49歳	93	12.3	9.6	1.03	0.0	0.0	2.0	6.0	10.5	15.7	27.6	36.0	44.5
	50-59歳	98	12.2	9.9	1.01	0.0	0.0	0.8	6.0	10.7	16.4	25.1	30.2	48.4
	60-69歳	118	9.4	8.0	0.83	0.0	0.0	0.7	3.0	7.0	13.9	20.3	24.3	38.4
	70歳以上	152	7.8	7.7	0.80	0.0	0.0	0.0	1.6	5.9	12.0	19.0	22.4	31.1
	(再掲)20-49歳※1	204	13.4	10.7	0.96	0.0	0.4	2.0	6.0	10.7	16.8	29.9	36.0	47.2
	(再掲)40-74歳※1	357	10.9	9.1	0.59	0.0	0.0	0.5	4.3	9.3	15.4	22.5	29.0	43.8
	(再掲)65-74歳	105	8.8	7.9	1.06	0.0	0.0	0.0	2.3	6.5	14.0	20.6	23.9	34.0
	(再掲)75歳以上	104	7.5	7.6	0.74	0.0	0.0	0.0	1.9	5.2	10.8	18.8	23.2	35.4
	(再掲)20歳以上※1	572	11.2	9.8	0.60	0.0	0.0	0.5	4.0	9.4	15.6	24.4	32.8	45.4
	(再掲)20歳以上※2	572	11.8	10.2	0.70	0.0	0.0	1.0	4.3	9.9	16.0	25.2	34.4	46.1
女性	20-29歳	41	9.5	8.0	1.18	0.0	0.0	0.0	4.8	7.3	13.2	17.9	31.7	32.4
	30-39歳	71	9.3	8.9	1.07	0.0	0.0	0.0	1.8	8.5	13.6	19.9	31.7	42.6
	40-49歳	106	8.5	6.9	0.74	0.0	0.0	0.0	2.6	7.8	13.5	17.0	21.4	32.8
	50-59歳	128	10.0	8.1	0.68	0.0	0.0	1.0	4.0	8.5	14.5	21.0	26.4	37.5
	60-69歳	120	8.6	7.8	0.70	0.0	0.0	0.0	2.5	6.0	12.6	19.0	22.7	38.9
	70歳以上	191	7.7	7.3	0.78	0.0	0.0	0.0	2.0	6.0	12.2	19.2	22.4	29.7
	(再掲)20-49歳※1	218	9.1	7.9	0.66	0.0	0.0	0.0	2.6	7.9	13.1	18.6	25.1	34.5
	(再掲)40-74歳※1	413	8.8	7.5	0.42	0.0	0.0	0.0	2.7	7.4	13.1	18.5	22.4	33.4
	(再掲)65-74歳	118	7.7	7.3	0.84	0.0	0.0	0.0	2.3	6.0	12.1	18.3	20.3	33.5
	(再掲)75歳以上	132	7.7	7.5	0.84	0.0	0.0	0.0	2.0	5.0	12.1	19.7	24.0	29.6
	(再掲)20歳以上※1	657	8.7	7.8	0.47	0.0	0.0	0.0	2.3	7.1	13.0	18.7	23.3	33.1
	(再掲)20歳以上※2	657	9.0	7.9	0.47	0.0	0.0	0.0	2.5	7.4	13.1	18.7	24.8	33.6
男女計	20-29歳	87	14.0	12.3	1.32	0.0	0.0	0.7	5.0	11.0	18.1	34.3	41.7	49.0
	30-39歳	136	10.4	8.5	0.83	0.0	0.0	0.9	4.0	9.3	14.9	23.4	28.1	43.0
	40-49歳	199	10.5	8.6	0.76	0.0	0.0	0.1	4.1	8.8	15.0	20.7	28.4	41.0
	50-59歳	226	11.1	9.1	0.72	0.0	0.0	1.0	4.5	10.0	15.1	23.2	28.5	45.5
	60-69歳	238	9.0	7.9	0.57	0.0	0.0	0.3	2.9	6.5	12.9	19.7	23.9	35.2
	70歳以上	343	7.8	7.5	0.71	0.0	0.0	0.0	2.0	6.0	12.2	19.0	22.4	30.0
	(再掲)20-49歳※1	422	11.3	9.7	0.62	0.0	0.0	0.6	4.7	9.6	15.1	24.6	33.8	44.7
	(再掲)40-74歳※1	770	9.8	8.4	0.43	0.0	0.0	0.0	3.1	8.3	14.3	20.5	25.5	36.5
	(再掲)65-74歳	223	8.2	7.6	0.81	0.0	0.0	0.0	2.3	6.0	12.6	18.4	22.4	32.1
	(再掲)75歳以上	236	7.6	7.6	0.65	0.0	0.0	0.0	2.0	5.0	11.6	19.4	24.0	30.0
	(再掲)20歳以上※1	1,229	9.9	8.9	0.47	0.0	0.0	0.0	3.0	8.2	14.3	21.0	28.1	41.4
	(再掲)20歳以上※2	1,229	10.4	9.2	0.50	0.0	0.0	0.0	3.2	8.5	14.8	22.3	30.0	43.1

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

菓子類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	15.1	27.7	5.2	0.0	0.0	0.0	0.0	0.0	20.9	70.0	88.9	100.0
	30-39歳	65	7.3	23.5	3.2	0.0	0.0	0.0	0.0	0.0	0.0	26.2	70.9	136.0
	40-49歳	93	11.0	28.5	2.9	0.0	0.0	0.0	0.0	0.0	0.0	58.1	77.7	189.9
	50-59歳	98	17.0	37.4	4.5	0.0	0.0	0.0	0.0	0.0	8.5	78.6	113.4	195.2
	60-69歳	118	16.2	30.7	3.1	0.0	0.0	0.0	0.0	0.0	21.5	57.0	78.9	169.3
	70歳以上	152	30.1	44.1	3.3	0.0	0.0	0.0	0.0	10.0	50.0	80.0	117.7	229.4
	(再掲)20-49歳※1	204	10.7	26.6	2.1	0.0	0.0	0.0	0.0	0.0	0.0	50.0	75.3	128.4
	(再掲)40-74歳※1	357	16.3	35.0	1.7	0.0	0.0	0.0	0.0	0.0	15.0	65.0	87.9	163.8
	(再掲)65-74歳	105	23.3	40.1	3.8	0.0	0.0	0.0	0.0	0.0	37.0	70.3	81.2	246.7
	(再掲)75歳以上	104	31.7	41.4	4.0	0.0	0.0	0.0	0.0	15.0	50.0	99.9	116.9	199.2
	(再掲)20歳以上※1	572	17.0	34.5	1.6	0.0	0.0	0.0	0.0	0.0	20.0	65.0	90.0	150.0
	(再掲)20歳以上※2	572	16.2	33.6	1.7	0.0	0.0	0.0	0.0	0.0	17.2	65.0	90.0	149.9
女性	20-29歳	41	38.6	67.3	9.6	0.0	0.0	0.0	0.0	0.0	64.7	145.3	212.0	322.0
	30-39歳	71	13.2	26.2	3.0	0.0	0.0	0.0	0.0	0.0	16.6	49.0	92.2	112.5
	40-49歳	106	18.7	39.7	3.9	0.0	0.0	0.0	0.0	0.0	25.9	74.5	96.4	307.0
	50-59歳	128	19.0	35.7	3.1	0.0	0.0	0.0	0.0	0.0	20.0	60.0	113.1	170.0
	60-69歳	120	25.2	43.5	4.0	0.0	0.0	0.0	0.0	7.3	35.0	69.0	106.2	282.5
	70歳以上	191	23.5	35.4	2.7	0.0	0.0	0.0	0.0	0.0	40.0	80.0	100.0	140.0
	(再掲)20-49歳※1	218	21.4	45.1	3.5	0.0	0.0	0.0	0.0	0.0	27.8	78.3	102.4	227.1
	(再掲)40-74歳※1	413	21.0	39.2	2.4	0.0	0.0	0.0	0.0	0.0	30.0	62.2	100.0	183.7
	(再掲)65-74歳	118	24.3	42.4	3.5	0.0	0.0	0.0	0.0	10.0	35.4	52.3	99.3	290.4
	(再掲)75歳以上	132	25.2	35.4	3.8	0.0	0.0	0.0	0.0	7.3	43.8	82.4	100.0	140.0
	(再掲)20歳以上※1	657	22.4	40.8	2.2	0.0	0.0	0.0	0.0	0.0	30.0	74.1	100.1	194.7
	(再掲)20歳以上※2	657	22.6	42.9	2.6	0.0	0.0	0.0	0.0	0.0	30.0	75.0	103.0	226.5
男女計	20-29歳	87	26.5	52.0	6.7	0.0	0.0	0.0	0.0	0.0	34.8	83.0	146.8	322.0
	30-39歳	136	10.2	25.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	39.8	70.0	125.4
	40-49歳	199	14.8	34.6	2.6	0.0	0.0	0.0	0.0	0.0	10.0	60.0	85.0	148.0
	50-59歳	226	18.0	36.5	3.1	0.0	0.0	0.0	0.0	0.0	18.0	68.2	112.1	170.0
	60-69歳	238	20.8	37.9	3.3	0.0	0.0	0.0	0.0	0.0	30.0	64.1	88.1	205.3
	70歳以上	343	26.2	39.3	2.4	0.0	0.0	0.0	0.0	8.0	45.0	80.0	103.4	193.2
	(再掲)20-49歳※1	422	15.9	37.2	2.5	0.0	0.0	0.0	0.0	0.0	10.7	70.0	87.4	170.4
	(再掲)40-74歳※1	770	18.7	37.3	1.8	0.0	0.0	0.0	0.0	0.0	24.0	65.0	95.4	170.0
	(再掲)65-74歳	223	23.9	41.3	2.9	0.0	0.0	0.0	0.0	6.4	36.1	65.0	95.0	245.8
	(再掲)75歳以上	236	27.8	38.0	3.3	0.0	0.0	0.0	0.0	10.5	50.0	83.1	103.7	185.1
	(再掲)20歳以上※1	1,229	19.8	38.0	1.7	0.0	0.0	0.0	0.0	0.0	27.0	70.0	100.0	170.0
	(再掲)20歳以上※2	1,229	19.4	38.7	1.9	0.0	0.0	0.0	0.0	0.0	25.0	70.0	100.0	183.4

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

アルコール飲料類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	41.7	153.9	21.8	0.0	0.0	0.0	0.0	0.0	7.5	108.4	354.0	1212.0
	30-39歳	65	79.3	230.4	31.9	0.0	0.0	0.0	0.0	0.0	4.3	354.0	511.9	1500.5
	40-49歳	93	183.5	306.6	24.0	0.0	0.0	0.0	0.0	0.0	354.0	717.3	878.4	1124.5
	50-59歳	98	281.5	419.8	55.8	0.0	0.0	0.0	0.0	14.5	370.4	935.8	1366.1	1516.0
	60-69歳	118	214.7	296.8	32.7	0.0	0.0	0.0	0.0	10.7	355.6	708.0	843.3	1382.5
	70歳以上	152	108.3	200.8	19.4	0.0	0.0	0.0	0.0	0.4	153.2	362.6	505.0	896.7
	(再掲)20-49歳※1	204	111.8	255.9	17.5	0.0	0.0	0.0	0.0	0.0	12.1	370.3	717.4	1170.9
	(再掲)40-74歳※1	357	216.6	334.0	19.7	0.0	0.0	0.0	0.0	6.2	354.0	708.5	902.2	1463.5
	(再掲)65-74歳	105	204.7	286.7	28.7	0.0	0.0	0.0	0.0	14.8	354.0	693.1	854.2	1305.1
	(再掲)75歳以上	104	80.6	157.8	16.3	0.0	0.0	0.0	0.0	0.0	98.2	354.0	443.4	707.8
	(再掲)20歳以上※1	572	156.4	292.1	16.8	0.0	0.0	0.0	0.0	1.3	244.5	505.0	843.9	1450.5
	(再掲)20歳以上※2	572	153.0	295.2	17.5	0.0	0.0	0.0	0.0	0.6	218.7	505.0	843.5	1500.8
女性	20-29歳	41	7.3	38.6	4.2	0.0	0.0	0.0	0.0	0.0	4.6	10.0	14.3	356.1
	30-39歳	71	58.7	202.0	23.1	0.0	0.0	0.0	0.0	0.0	4.1	220.1	413.0	1515.0
	40-49歳	106	50.8	182.8	20.5	0.0	0.0	0.0	0.0	0.0	4.6	183.5	353.4	1319.2
	50-59歳	128	65.8	241.4	21.3	0.0	0.0	0.0	0.0	0.0	6.8	175.0	359.8	1812.0
	60-69歳	120	42.4	124.8	13.0	0.0	0.0	0.0	0.0	0.0	7.6	200.0	352.6	749.6
	70歳以上	191	10.9	41.0	4.6	0.0	0.0	0.0	0.0	0.0	3.3	15.0	50.0	250.0
	(再掲)20-49歳※1	218	43.2	169.4	11.4	0.0	0.0	0.0	0.0	0.0	4.2	24.0	351.3	1135.0
	(再掲)40-74歳※1	413	46.7	171.3	7.7	0.0	0.0	0.0	0.0	0.0	5.6	119.6	350.0	784.7
	(再掲)65-74歳	118	34.1	108.0	12.3	0.0	0.0	0.0	0.0	0.0	6.9	70.0	260.5	650.8
	(再掲)75歳以上	132	7.5	29.5	2.3	0.0	0.0	0.0	0.0	0.0	2.5	14.2	22.3	201.1
	(再掲)20歳以上※1	657	36.8	151.5	5.2	0.0	0.0	0.0	0.0	0.0	4.8	30.1	307.4	714.5
	(再掲)20歳以上※2	657	40.0	162.6	6.1	0.0	0.0	0.0	0.0	0.0	5.0	46.7	350.0	733.3
男女計	20-29歳	87	25.0	114.2	13.2	0.0	0.0	0.0	0.0	0.0	7.5	15.0	241.9	1212.0
	30-39歳	136	69.2	216.5	22.5	0.0	0.0	0.0	0.0	0.0	4.1	351.2	385.5	1505.3
	40-49歳	199	118.1	261.3	20.3	0.0	0.0	0.0	0.0	0.0	12.2	464.7	843.0	1144.0
	50-59歳	226	173.6	358.3	31.4	0.0	0.0	0.0	0.0	1.7	180.0	594.6	1177.3	1516.6
	60-69歳	238	127.0	241.7	19.5	0.0	0.0	0.0	0.0	1.4	196.5	445.5	746.6	1030.5
	70歳以上	343	51.1	141.0	8.8	0.0	0.0	0.0	0.0	0.0	7.5	194.3	354.1	702.5
	(再掲)20-49歳※1	422	78.2	220.3	13.2	0.0	0.0	0.0	0.0	0.0	7.1	354.0	505.0	1116.8
	(再掲)40-74歳※1	770	129.7	276.9	11.2	0.0	0.0	0.0	0.0	0.4	103.0	451.7	744.4	1400.0
	(再掲)65-74歳	223	110.4	224.1	14.4	0.0	0.0	0.0	0.0	1.4	68.0	362.7	700.6	982.3
	(再掲)75歳以上	236	37.2	109.0	7.5	0.0	0.0	0.0	0.0	0.0	5.4	150.1	309.8	610.6
	(再掲)20歳以上※1	1,229	94.2	237.5	9.5	0.0	0.0	0.0	0.0	0.0	10.5	354.0	558.4	1266.2
	(再掲)20歳以上※2	1,229	96.5	244.8	10.3	0.0	0.0	0.0	0.0	0.0	10.1	354.0	591.8	1331.9

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

その他の嗜好飲料類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	617.7	546.1	109.0	0.0	0.0	0.0	150.0	573.9	974.2	1448.1	1624.8	2100.0
	30-39歳	65	479.8	554.6	84.4	0.0	0.0	0.0	151.8	389.4	611.2	1001.6	1266.7	3950.0
	40-49歳	93	562.5	556.4	71.9	0.0	0.0	0.0	181.2	487.4	706.0	1120.9	1694.9	2974.4
	50-59歳	98	606.8	429.8	45.5	0.0	0.0	0.0	292.1	560.1	956.0	1170.2	1350.0	1870.2
	60-69歳	118	586.4	452.7	44.2	0.0	0.0	150.0	280.1	500.0	753.9	1081.2	1422.4	2571.7
	70歳以上	152	633.7	484.3	45.1	0.0	0.0	0.0	300.0	583.0	920.0	1262.2	1487.1	1863.3
	(再掲)20-49歳※1	204	546.1	553.4	58.9	0.0	0.0	0.0	151.6	484.7	706.0	1148.4	1519.3	2833.8
	(再掲)40-74歳※1	357	593.6	479.6	36.7	0.0	0.0	0.0	246.1	522.1	807.1	1163.4	1475.6	2531.9
	(再掲)65-74歳	105	664.5	494.5	77.0	0.0	0.0	105.7	335.7	594.7	962.3	1384.2	1534.4	2579.9
	(再掲)75歳以上	104	622.6	499.2	56.0	0.0	0.0	0.0	293.1	538.5	901.4	1234.7	1443.7	3445.8
	(再掲)20歳以上※1	572	582.7	502.7	34.0	0.0	0.0	0.0	200.0	500.0	803.3	1177.9	1455.8	2549.5
	(再掲)20歳以上※2	572	580.5	505.2	35.5	0.0	0.0	0.0	200.0	500.0	815.7	1179.6	1455.3	2544.9
	女性	20-29歳	41	448.2	269.1	40.5	0.0	0.0	0.0	230.0	431.0	692.3	796.3	882.1
30-39歳		71	476.1	335.1	46.6	0.0	0.0	1.1	150.0	485.5	728.2	928.4	1150.0	1400.0
40-49歳		106	503.9	392.3	49.8	0.0	0.0	0.0	193.8	454.8	701.3	1150.7	1295.9	1699.6
50-59歳		128	611.5	414.6	37.5	0.0	0.0	148.5	311.2	590.8	800.0	1117.6	1296.3	2491.1
60-69歳		120	673.8	498.8	63.1	0.0	0.0	150.0	301.9	600.2	950.1	1255.2	1575.1	2587.6
70歳以上		191	615.9	431.6	41.9	0.0	0.0	0.0	300.0	600.0	920.5	1200.0	1280.8	2281.4
(再掲)20-49歳※1		218	480.6	345.1	27.6	0.0	0.0	0.0	200.0	456.2	700.0	941.4	1153.0	1451.0
(再掲)40-74歳※1		413	615.2	454.4	36.2	0.0	0.0	103.3	300.0	552.2	836.4	1190.0	1395.6	2536.8
(再掲)65-74歳		118	670.0	475.5	50.9	0.0	100.9	150.0	304.6	621.5	944.3	1200.0	1455.3	2598.5
(再掲)75歳以上		132	578.9	397.0	49.4	0.0	0.0	0.0	300.0	563.6	900.0	1200.0	1260.0	1466.3
(再掲)20歳以上※1		657	573.3	417.7	29.7	0.0	0.0	2.5	254.4	540.0	800.0	1150.0	1264.0	1756.3
(再掲)20歳以上※2		657	556.4	404.3	27.4	0.0	0.0	7.2	250.0	502.3	778.7	1100.0	1250.0	1708.5
男女計		20-29歳	87	535.2	440.0	66.4	0.0	0.0	0.0	164.5	500.0	751.5	1087.8	1451.4
	30-39歳	136	478.0	458.7	58.9	0.0	0.0	0.0	151.3	400.5	679.2	994.5	1153.0	2949.0
	40-49歳	199	533.6	482.3	53.2	0.0	0.0	0.0	185.6	456.5	701.5	1150.0	1447.2	2572.9
	50-59歳	226	609.2	421.5	30.5	0.0	0.0	0.0	300.6	560.6	825.9	1154.0	1344.3	1934.1
	60-69歳	238	630.9	477.9	46.6	0.0	0.0	150.0	300.0	546.0	868.3	1200.8	1508.0	2584.3
	70歳以上	343	623.3	453.6	40.5	0.0	0.0	0.0	300.0	600.0	920.0	1201.0	1382.7	1839.8
	(再掲)20-49歳※1	422	514.0	463.8	37.8	0.0	0.0	0.0	180.0	467.4	700.0	1006.0	1305.5	2420.3
	(再掲)40-74歳※1	770	604.7	466.7	32.0	0.0	0.0	0.0	253.0	546.0	816.4	1180.0	1450.0	2535.5
	(再掲)65-74歳	223	667.5	483.2	54.3	0.0	0.4	150.0	307.1	600.0	950.0	1208.7	1504.5	2599.1
	(再掲)75歳以上	236	596.7	441.0	46.7	0.0	0.0	0.0	300.0	550.6	900.0	1200.6	1275.0	1818.6
	(再掲)20歳以上※1	1,229	577.8	460.3	28.2	0.0	0.0	0.0	202.0	516.5	800.0	1151.0	1350.0	2260.7
	(再掲)20歳以上※2	1,229	568.5	457.5	27.7	0.0	0.0	0.0	200.0	501.0	800.0	1150.0	1350.0	2178.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。

食品群別摂取量（20歳以上性年齢階級別・20歳以上年齢調整値・20歳以上性年齢調整値）

調味料類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	46	92.7	80.3	12.6	6.0	8.8	15.2	46.8	72.6	109.7	267.0	308.3	351.2
	30-39歳	65	82.0	89.2	13.4	10.8	11.0	20.5	33.0	59.0	89.4	192.4	361.9	499.7
	40-49歳	93	120.8	100.0	15.0	8.8	26.6	38.5	48.4	77.4	163.3	275.0	342.2	466.1
	50-59歳	98	129.6	114.0	12.8	2.7	25.0	36.7	50.6	93.8	143.1	323.9	360.9	579.4
	60-69歳	118	106.9	100.2	11.5	18.0	24.0	30.6	50.7	71.3	123.9	282.7	373.8	476.7
	70歳以上	152	97.7	81.1	7.7	9.1	26.1	31.7	51.0	70.4	119.4	215.0	252.0	463.1
	(再掲)20-49歳※1	204	100.1	92.9	9.5	6.2	14.9	25.1	41.7	71.3	111.5	241.0	333.2	475.2
	(再掲)40-74歳※1	357	115.3	101.3	7.5	7.9	26.6	35.1	50.6	75.0	136.8	284.2	349.7	469.0
	(再掲)65-74歳	105	100.7	90.1	9.1	9.0	25.0	31.9	51.5	67.3	112.1	217.2	284.6	478.0
	(再掲)75歳以上	104	99.7	85.7	9.0	10.1	25.4	31.6	48.7	70.4	129.4	210.2	245.4	539.9
	(再掲)20歳以上※1	572	105.4	95.9	6.0	8.4	20.0	30.6	46.6	71.5	126.4	248.1	332.9	473.3
	(再掲)20歳以上※2	572	105.0	96.2	6.3	6.3	19.4	30.1	46.1	71.7	122.8	248.8	333.1	474.7
女性	20-29歳	41	72.9	86.3	14.8	10.9	18.2	22.7	32.6	55.6	69.8	122.8	258.0	487.1
	30-39歳	71	87.7	81.7	10.0	20.0	27.0	30.1	41.1	57.5	92.1	189.8	226.1	497.2
	40-49歳	106	87.3	84.7	13.1	9.0	17.7	24.4	42.4	57.2	79.6	239.2	259.9	410.0
	50-59歳	128	75.8	61.0	5.2	1.0	14.1	24.0	41.5	64.8	85.8	140.4	203.5	340.4
	60-69歳	120	89.7	91.2	13.8	17.6	24.5	29.9	45.8	65.5	97.6	168.0	258.2	497.4
	70歳以上	191	88.6	80.0	9.5	11.8	23.9	29.4	42.1	62.1	89.2	192.5	231.6	434.2
	(再掲)20-49歳※1	218	84.0	83.9	7.0	9.0	20.4	28.6	41.3	56.3	79.5	204.5	245.0	486.1
	(再掲)40-74歳※1	413	84.7	79.1	6.7	8.1	20.8	28.5	42.5	62.5	88.4	176.0	248.8	475.9
	(再掲)65-74歳	118	77.8	57.7	8.4	17.6	26.0	29.2	39.0	61.4	90.7	138.6	203.6	314.4
	(再掲)75歳以上	132	90.2	84.7	12.6	7.9	23.0	29.2	42.3	65.2	88.2	198.6	226.8	438.0
	(再掲)20歳以上※1	657	85.2	81.2	4.4	8.8	22.3	29.2	42.0	61.0	87.7	181.3	244.0	481.4
	(再掲)20歳以上※2	657	83.7	80.7	4.3	8.6	21.9	29.0	41.7	60.3	86.4	175.5	240.0	483.0
男女計	20-29歳	87	83.1	83.4	10.1	6.0	13.0	21.5	36.3	63.9	87.4	148.7	277.8	487.1
	30-39歳	136	84.8	85.3	10.4	10.8	20.0	25.7	37.8	57.5	90.6	191.0	227.5	498.8
	40-49歳	199	104.3	94.1	13.7	5.0	21.5	31.7	44.4	68.7	126.9	246.9	333.2	418.7
	50-59歳	226	102.7	95.1	7.9	1.0	18.9	31.9	45.8	71.3	120.0	244.4	330.4	392.1
	60-69歳	238	98.2	95.9	11.8	17.6	25.7	30.6	48.3	66.3	103.9	214.6	350.2	491.5
	70歳以上	343	92.3	80.5	6.8	9.8	24.5	30.5	45.3	67.2	105.6	200.8	250.6	430.1
	(再掲)20-49歳※1	422	92.2	88.9	7.4	8.8	19.7	26.4	41.5	63.5	96.9	217.9	284.0	480.4
	(再掲)40-74歳※1	770	99.7	91.9	6.6	9.0	22.9	31.5	46.2	68.1	110.1	237.9	323.0	470.0
	(再掲)65-74歳	223	88.0	74.7	7.0	11.4	26.1	30.5	47.1	64.2	103.9	175.9	247.1	466.2
	(再掲)75歳以上	236	94.1	85.1	7.9	13.6	23.4	29.5	43.2	67.7	105.2	201.6	240.6	442.7
	(再掲)20歳以上※1	1,229	94.9	89.1	4.4	9.0	20.8	29.6	43.3	66.5	103.8	212.6	296.6	477.5
	(再掲)20歳以上※2	1,229	94.3	89.4	4.5	8.4	20.2	29.3	42.9	66.2	103.4	212.4	308.4	482.9

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※1 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH25人口構成に合わせるための重み付けをした値。

※2 ※1 同様に保健所圏域ごとの標本数の偏りを調整する重み付けとH17国勢調査男女計人口を基準に重み付けをした値。