

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アズザック(株)				(株)高見澤	松六コンクリート工業(株)	(株)ホクエツ信越	
	規格	長さ	高山	東部	飯田	パイコン	小布施		長野	東信
鉄筋コンクリートU型側溝	450	L=0.6m		○	○		○	○	○	
	600			○	○		○	○	○	
	150	L=1.0m						○		
	180						○	○		
	240				○	○		○	○	○
	300A				○	○		○	○	○
	300B		○		○	○		○	○	○
	300C				○	○		○	○	
	360A				○	○		○	○	
	360B				○	○		○	○	○
鉄筋コンクリートU型側溝蓋 1種	150	L=1.0m				○				
	180						○			
	240					○	○			
	300					○	○			○
	360					○				
	450	L=0.6m			○		○			
	600					○	○			
360	L=0.5m									
鉄筋コンクリートU型側溝蓋 2種	180	L=0.6m					○			
	240					○	○			
	300					○	○			
	360					○	○			
	450					○	○			
	600					○	○			
	240	L=0.5m								
	300									
	360									
	600									
車道用鉄筋コンクリートU型	240	L=0.6m								
	300A									
	300B		○							
	360B									
	450						○	○	○	
	600					○	○	○		
	180	L=1.0m					○	○	○	
	240				○		○	○	○	○
	300A				○		○	○	○	○
	300B				○		○	○	○	○
	360A				○		○	○	○	○
	360B						○	○	○	○
	450									
	600									
特殊車道用鉄筋コンクリートU型	240	L=0.5m								
	300									
	360									
	450									
	240	L=0.6m						○		
	300							○	○	
	360							○	○	
	450							○	○	○
	600							○	○	○
	240	L=1.0m						○	○	○
	300							○	○	○
	360								○	
	450									
600										
特殊車道用甲蓋	240	L=0.5m				○	○	○	○	
	300					○	○	○	○	
	360							○		
	450									
	600									
	360	L=0.6m					○			
	450					○	○	○		
	600						○			
	240	L=1.0m								
	300									
	360									
	450									
600										

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンクリート工業 (株)	(株)ホクエツ信越				
	規格	長さ	高山	東部	飯田	バイコン			長野	東信			
L型擁壁 ASウォール 県タイプ	750	L=2.0m	○		○								
	1000		○		○								
	1250		○		○								
	1500		○		○								
	1750		○		○								
	2000		○		○								
	2250		○		○								
	2500		○		○								
	2750		○		○								
	3000		○		○								
ベンチフリューム (Ⅱ型)	200	L=2.0m					○	○					
	250						○	○					
	300							○	○				
	350							○	○				
	400							○	○				
	500							○	○				
	600							○	○				
	700							○	○				
	800							○	○				
	900												
ジョイント ベンチフリューム	250	L=2.0m											
	300				○					○			
	350										○		
	400					○					○		
	500					○					○		
	600										○		
	700												
	800												
	900												
	1000								○	○			
ベンチフリューム 蓋板2種 長野タイプ	250	L=1.0m									○		
	300										○		
	350											○	
	400											○	
	450												
	600	L=0.5m										○	
	800												
鉄筋コンクリートL型	250A	L=0.6m					○						
	250B						○		○		○		
	300						○		○		○		
	350						○	○	○		○		
歩車道境界ブロック (片面)	A種	L=0.6m					○		○		○		
	B種						○		○		○		
	C種						○		○		○		
	A種	L=2.0m					○				○		
	B種						○				○		
	C種							○				○	
歩車道境界ブロック (両面)	A種	L=0.6m					○		○		○		
	B種						○		○		○		
	C種							○		○		○	
	A種	L=2.0m					○				○		
	B種						○				○		
	C種							○				○	
地先境界ブロック	A種	L=0.6m							○		○		
	B種								○		○		
	C種									○		○	
	A面取り					○	○						
	B面取り					○	○						
	C面取り						○						
歩道用鉄筋 コンクリートU型側溝	A種	L=1.0m											
	B種												
	C種												
	240												
間知ブロック 積みブロック	300	L=1.0m			○								
	360				○								
	400×250×350						○						
	354×277×350					○							
	564×354×350					○							

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤	松六コンクリート工業(株)	(株)ホクエツ信越	
	規格	長さ	高山	東部	飯田	パイコン	小布施		長野	東信
自由勾配側溝 土留型 FXウォール 300×	300	L=2.0m		○	○					
	400			○	○					
	500				○	○				
	600			○		○				
	700			○		○				
	800			○		○				
	900			○		○				
自由勾配側溝 土留型 FXウォール 400×	300	L=2.0m	○		○					
	400		○		○					
	500		○		○					
	600		○		○					
	700		○		○					
	800		○							
	900		○			○				
自由勾配側溝 土留型 FXウォール 500×	400	L=2.0m								
	500		○		○					
	600		○		○					
	700		○		○					
	800		○							
	900		○							
	1000					○				
自由勾配側溝 土留型 FXウォール 600×	600	L=2.0m	○							
	700									
	800									
	900		○							
	1000									
	1100									
自由勾配側溝 300×	300	L=2.0m		○	○		○	○		
	400			○	○		○	○		
	500				○	○		○	○	
	600		○		○		○	○		
	700		○		○		○	○		
	800				○		○	○		
	900				○		○	○		
	1000							○	○	
	1100									
自由勾配側溝 400×	400	L=2.0m	○		○		○			
	500		○		○		○			
	600		○		○		○			
	700				○		○			
	800				○		○			
	900				○		○			
	1000						○			
	1100							○		
	1200									
自由勾配側溝 500×	400	L=2.0m	○		○		○			
	500		○		○		○			
	600				○		○			
	700		○		○		○			
	800		○		○		○			
	900		○		○		○			
	1000				○		○			
	1100						○			
	1200									
	1300									
	1400									
自由勾配側溝 600×	400	L=2.0m								
	500									
	600		○		○		○			
	700		○		○		○			
	800		○		○		○			
	900		○		○		○			
	1000				○		○			
	1100						○			
	1200						○			
	1300									
	1400									
	1500									

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤	松六コンクリート工業(株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン	小布施		長野	東信	
自由勾配側溝 横断用 300×	300	L=2.0m								○	
	400									○	
	500									○	
	600									○	
	700									○	
	800									○	
	900									○	
	1000									○	
自由勾配側溝 横断用 400×	400	L=2.0m								○	
	500									○	
	600									○	
	700									○	
	800									○	
	900									○	
	1000									○	
	1100									○	
自由勾配側溝 横断用 500×	400	L=2.0m								○	
	500									○	
	600									○	
	700									○	
	800									○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
	1300									○	
自由勾配側溝 横断用 600×	400	L=2.0m								○	
	500									○	
	600									○	
	700									○	
	800									○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
	1300									○	
自由勾配側溝 用甲蓋 (車道用)	300	L=0.475						○			
	300	L=0.5m						○		○	
	400							○			
	500							○			
	600							○			
	400	L=1.0m									
	500										
	500										
自由勾配側溝 用甲蓋 (歩道用・軽荷重用)	300	L=0.475m									
	300	L=0.5m									
	400										
	500										
600											
自由勾配側溝 用甲蓋 (車道用) FX防音可変側溝蓋	300	L=0.5m			○	○					
	400				○						
	500				○						
	600										
境界杭(長野県)	110×110×800		○				○	○	○		
スノウガッター アールガッター	250	L=0.6m				○		○			
	300							○			
	350					○	○		○		
	400						○				
	450					○	○				
	500								○		

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アズザック(株)				(株)高見澤	松六コンクリート工業(株)	(株)ホクエツ信越	
	規格	長さ	高山	東部	飯田	バイコン	小布施		長野	東信
RCボックスカルバート	300×300	L=2000			○		○			
	400×400		○		○		○			
	500×500					○		○		
	600×600		○		○		○			○
	700×700									○
	800×800		○							○
	900×900									○
	1000×1000		○							○
	1100×1100									○
	1200×1200									○
小型ボックスカルバート 連結金具使用	300×300	L=1995m							○	
	400×400								○	
	500×500									○
植樹枡	1号				○		○		○	
	2号				○		○		○	
	3号				○		○		○	
大型横断VS 横断用 700×	500	L=2.0m								○
	600									○
	700									○
	800									○
	900									○
	1000									○
	1100									○
	1200									○
大型横断VS 横断用 800×	600	L=2.0m								○
	700									○
	800									○
	900									○
	1000									○
	1100									○
	1200									○
	1300									○
大型横断VS 横断用 900×	700	L=2.0m								○
	800									○
	900									○
	1000									○
	1100									○
	1200									○
	1300									○
	1400									○
大型横断VS 横断用 1000×	800	L=2.0m								○
	900									○
	1000									○
	1100									○
	1200									○
	1300									○
	1400									○
	1500									○

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤	松六コンクリート工業(株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン	小布施		長野	東信	
RCボックスカルバート (K型)	600×600	L=2.0m								○	
	700×600									○	
	700×700									○	
	800×600									○	
	800×700									○	
	800×800									○	
	900×600									○	
	900×700									○	
	900×800									○	
	900×900									○	
	1000×600									○	
	1000×700									○	
	1000×800									○	
	1000×900									○	
	1000×1000									○	
	1000×1100									○	
	1000×1200									○	
	1000×1300									○	
	1000×1400									○	
	1000×1500									○	
	1100×600									○	
	1100×700									○	
	1100×800									○	
	1100×900									○	
	1100×1000									○	
	1100×1100									○	
	1200×500									○	
	1200×600									○	
	1200×700									○	
	1200×800									○	
	1200×900									○	
	1200×1000									○	
	1200×1100									○	
	1200×1200									○	
	1200×1300									○	
	1200×1400									○	
	1200×1500									○	
	1300×600									○	
	1300×700									○	
	1300×800									○	
1300×900								○			
1300×1000								○			
1300×1100								○			
1300×1200								○			
1300×1300								○			
1400×800								○			
1400×900								○			
1400×1000								○			
1400×1100								○			
1400×1200								○			
1400×1300								○			
1400×1400								○			
1500×600								○			
1500×700								○			
1500×800								○			
1500×900								○			
1500×1000								○			
1500×1100								○			
1500×1200								○			
1500×1300								○			
1500×1400								○			
1500×1500								○			
皿型VS蓋版 皿型タイプ スリット付き	300	L=1.0m							○		
	400								○		
	500									○	
	600									○	

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンク リート工業 (株)	(株)ホクエツ信越	
	規格	長さ	高山	東部	飯田	バイコン			長野	東信
皿型VS土留 300×	300	L=2.0m							○	○
	400								○	○
	500								○	○
	600									○
	700									○
	800									○
	900									○
	1000									○
皿型VS土留 400×	400	L=2.0m								○
	500									○
	600									○
	700									○
	800									○
	900									○
	1000									○
	1100									○
皿型VS土留 500×	500	L=2.0m								○
	600									○
	700									○
	800									○
	900									○
	1000									○
	1100									○
	1200									○
皿型VS土留 600×	1400	L=2.0m								○
	1500									○
										○
皿型VS(皿型タイプ) 300×	300	L=2.0m							○	○
	400								○	○
	500								○	○
	600									○
	700									○
	800									○
	900									○
	1000									○
皿型VS(皿型タイプ) 400×	400	L=2.0m								○
	500									○
	600									○
	700									○
	800									○
	900									○
	1000									○
	1100									○
皿型VS(皿型タイプ) 500×	500	L=2.0m								○
	600									○
	700									○
	800									○
	900									○
	1000									○
	1100									○
	1200									○
	1300								○	
	1400								○	
	1500								○	

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤	松六コンクリート工業(株)	(株)ホクエツ信越	
	規格	長さ	高山	東部	飯田	バイコン	小布施		長野	東信
皿型VS(皿型タイプ) 600× 関東型 関東型 関東型	600	L=2.0m								○
	700									○
	800									○
	900									○
	1000									○
	1100									○
	1200									○
	1300									○
	1400									○
	1500									○
ユニバーサル側溝 (UNVS) 300× ※道路横断用、土留めを含む 関東型 関東型 関東型	300	L=2.0m							○	○※
	400								○	○※
	500								○	○※
	600									○※
	700									○※
	800									○※
	900									○※
	1000									○※
	1100									○※
	1200									○
ユニバーサル側溝 (UNVS) 400× ※道路横断用、土留めを含む	400	L=2.0m								○※
	500									○※
	600									○※
	700									○※
	800									○※
	900									○※
	1000									○※
	1100									○※
	1200									○※
										○※
ユニバーサル側溝 (UNVS) 500× ※道路横断用、土留めを含む	400	L=2.0m								○※
	500									○※
	600									○※
	700									○※
	800									○※
	900									○※
	1000									○※
	1100									○※
	1200									○※
	1300									○※
1400								○※		
1500								○※		
ユニバーサル側溝 (UNVS) 600× ※道路横断用、土留めを含む	400	L=2.0m								○※
	500									○※
	600									○※
	700									○※
	800									○※
	900									○※
	1000									○※
	1100									○※
	1200									○※
	1300									○※
1400								○※		
1500								○※		

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンク リート工業 (株)	(株)ホクエツ信越	
	規格	長さ	高山	東部	飯田	バイコン			長野	東信
ユニバーサル側溝(大UNVS) 700×	L=2.0m	500								○
		600								○
		700								○
		800								○
		900								○
		1000								○
		1100								○
		1200								○
		1300								○
		1400								○
		1500								○
		1600								○
		1700								○
ユニバーサル側溝(大UNVS) 800×	L=2.0m	600								○
		700								○
		800								○
		900								○
		1000								○
		1100								○
		1200								○
		1300								○
		1400								○
		1500								○
		1600								○
		1700								○
		1800								○
ユニバーサル側溝(大UNVS) 900×	L=2.0m	700								○
		800								○
		900								○
		1000								○
		1100								○
		1200								○
		1300								○
		1400								○
		1500								○
		1600								○
		1700								○
		1800								○
		1900								○
ユニバーサル側溝(大UNVS) 1000×	L=2.0m	800								○
		900								○
		1000								○
		1100								○
		1200								○
		1300								○
		1400								○
		1500								○
		1600								○
		1700								○
		1800								○
		1900								○
		2000								○
ユニバーサル側溝蓋版車道用	L=1.0m	300								○
		400								○
		500								○
		600								○
		700								○
		800								○
		900								○
		1000								○
										○
										○
暗渠側溝 標準 300×	L=2.0m	300								○
		400								○
		500								○
暗渠側溝 標準 400×	L=2.0m	400								○
		500								○
		600								○
暗渠側溝 集水 300×	L=2.0m	300								○
		400								○
		500								○
暗渠側溝 集水 400×	L=2.0m	400								○
		500								○
		600								○

令和6年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンク リート工業 (株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	パイコン			長野	東信	
ユニバーサル側溝土留めタイプ 300×	300	L=2.0m							○		
	400								○		
	500									○	
ユニバーサル側溝道路横断用 300×	300	L=2.0m							○		
	400								○		
	500									○	
EWS(N)	600	L=2.0m								○	
	700									○	
	750										○
	800										○
	900										○
EWS(N1)	1000	L=1.0m								○	
	1250									○	
	1500										○
	1750										○
	2000										○
EWS(N1)	1000	L=2.0m								○	
	1250									○	
	1500										○
	1750										○
	2000										○
	2250										○
	2500										○
	2750										○
	3000										○
	ハイベブロック 割石、美山河 標準		350								
ハイベブロック 割石、美山河 標準	500									○	
ハイベブロック 割石、美山河 半載 右	350									○	
ハイベブロック 割石、美山河 半載 右	500									○	
ハイベブロック 割石、美山河 半載 左	350									○	
ハイベブロック 割石、美山河 半載 左	500									○	
ハイベブロック 割石、美山河 最下段	350									○	
ハイベブロック 割石、美山河 最下段	500									○	
ハイベブロック 割石、美山河 最下段 半載 右	350									○	
ハイベブロック 割石、美山河 最下段 半載 右	500									○	
ハイベブロック 割石、美山河 最下段 半載 左	350									○	
ハイベブロック 割石、美山河 最下段 半載 左	500									○	